


# BLUE GRASS TOOLS

Belknap  
Inc.



BLUE GRASS  
BELKNAP-LOUISVILLE  
— BG647-16 —





## YOU SHOULD BUY "BLUE GRASS TOOLS"

*"The Nation's Standard of Quality"*

### "Quality"

Blue Grass Tools are made of the very highest grade materials suitable to the uses and requirements of the individual items in the line. They are manufactured in the best equipped factories in this Country by skilled mechanics, specialists in their line, many of whom have spent their lives in the making and perfecting of fine tools. They are subjected to the most critical tests and inspections during the process of manufacture and to additional inspection before acceptance into our stock. Blue Grass tools are in fact "The Nation's Standard Of Quality"

### "Finish"

In keeping with the highest quality possible Blue Grass Tools have only the highest finishes adding that unmistakable touch that announces, even to the layman: "here is a thoroughbred that any man should be proud to possess". Many important lines such as Axes, Hatchets, Hammers, etc., are furnished in several different finishes to suit individual taste, but all are of the same quality. Blue Grass Handles in Axes, Hatchets and Hammers are of Super quality specially selected second growth hickory, sand belted, waxed and polished

### "Variety"

The Blue Grass line offers the merchant a greater variety of High Grade Tools than any factory brand in the market today. No single tool maker, makes near as complete a line and the merchant handling the Blue Grass line, can sell a mechanic or householder a more nearly complete line of tools than can be had under any other brand. A satisfied customer on one Blue Grass Tool is always a live prospect on many other items.

### "Performance"

Blue Grass Tools have been giving complete satisfaction for more than sixty years, during which time millions of individual items have passed from the Stores of our customers into the hands of the users—many have passed from one generation to the next and are still giving complete satisfaction.

### "Profit"

Almost invariably Blue Grass Tools are priced lower than the comparable qualities of factory or other brands. This saving in price is intended to give our Merchant Customers a higher average profit than is obtainable on other brands.

### "Complete Satisfaction"

There is no Brand of Tools offering more in quality, finish, or service. None that offers a greater number of items to select from at prices that will show our customers a fairer margin of profit and at the same time cost the user no more than the average good article.

### "Protection"

We assure the merchant handling Blue Grass Tools that every piece is perfect in workmanship and material and will give complete satisfaction when used properly for the purpose intended. We cannot guarantee against failure due to abuse or mis-use, but will gladly replace any Blue Grass Tool that shows defective material or faulty workmanship.

### "Reputation"

The reputation of the Belknap, Inc. built up during 130 years of constant growth and honorable service, stands behind every Blue Grass Tool.




## BLUE GRASS MERCHANDISERS

Colorful display panels with yellow background and Blue Grass blue header. Size 22x12 inches. Will fit any standard pegboard.

DRIVE SOCKET  
DISPLAY

(See Catalog Page 100 for Contents)  
573-543 T11-8G1230  
One in 2 shp etns; wt 16½ lbs.

DRIVE SOCKET  
DISPLAY

(See Catalog Page 99 for Contents)  
572-792 T11-8G3830  
One in 2 shp etns; wt 11½ lbs.

DRIVE SOCKET  
DISPLAY

(See Catalog Page 97 for Contents)  
646-679 T11-8G1429  
One in shp etn; wt etn 6 lbs.

WRENCH DISPLAY  
COMBINATION WRENCH  
DISPLAY BOARD

(See Catalog Page 104 for Contents)  
582-114 T15-8G32-CD  
One in shp etn; wt etn 23 lbs.

WRENCH DISPLAY  
BOX END WRENCH DISPLAY

(See Catalog Page 103 for Contents)  
582-148 T15-8G25-80  
One in shp etn; wt etn 18 lbs.

WRENCH DISPLAY  
OPEN END WRENCH  
DISPLAY BOARD

(See Catalog Page 104 for Contents)  
582-130 T15-8G35-0ED  
One in shp etn; wt etn 18 lbs.



## BLUE GRASS MERCHANDISERS

Colorful display panels with yellow background and Blue Grass blue header. Size 22x12 inches. Will fit any standard pegboard.

## ADJUSTABLE WRENCH DISPLAY



(See Catalog Page 106 for Contents)  
144-675 T4-BG6566  
One in shp etn; wt etn 17 lbs.

METRIC WRENCH DISPLAY  
METRIC WRENCH

(See Catalog Page 105 for Contents)  
594-085 T15-BG36MCP  
One in shp etn; wt etn 25 lbs.

## TAPE AND RULE DISPLAY



(See Catalog Page 56 for Contents)  
004-812 T5-BG77TA  
One in shp etn; wt etn 16 lbs.

## NUT DRIVER DISPLAY



(See Catalog Page 106 for Contents)  
606-178 T2-BG37-27D  
One in shp etn; wt etn 12 lbs.

PLIER DISPLAY  
Blue Cushion Grip Handles

(See Catalog Page 107 for Contents)  
160-226 T4-BG77P8  
One in shp etn; wt etn 16 lbs.

PLIER DISPLAY  
Blue Cushion Grip Handles

(See Catalog Page 107 for Contents)  
171-918 T4-BG9P8  
One in shp etn; wt etn 15 lbs.

## BLUE GRASS MERCHANDISERS

Colorful display panels with yellow background and Blue Grass blue header. Size 22x12 inches. Will fit any standard pegboard.

MASONRY DRILL  
DISPLAY

(See Catalog Page 92 for Contents)  
538-124 T3-8G1417MD  
One in shp ctn; wt ctn 8½ lbs.

PUNCH AND CHISEL  
DISPLAY

(See Catalog Page 111 for Contents)  
119-081 T5-8G6666  
One in shp ctn; wt ctn 35 lbs.

## POWER BIT DISPLAY



(See Catalog Page 90 for Contents)  
246-868 T3-8G7171  
One in shp ctn; wt ctn 7½ lbs.

SCREWDRIVER DISPLAY  
Cushion Grip

(See Catalog Page 65 for Contents)  
539-403 T2-8G888  
One in shp ctn; wt ctn 13 lbs.

## SCREWDRIVER DISPLAY



(See Catalog Page 64 for Contents)  
120-196 T2-8G7777  
One in shp ctn; wt ctn 14 lbs.



## BLUE GRASS MERCHANDISERS

Colorful display panels with yellow background and Blue Grass blue header. Size 22x12 inches. Will fit any standard pegboard.


WOOD CHISEL  
DISPLAY

(See Catalog Page 50 for Contents)  
358-978 T3-BG-2222  
One in shp etn; wt etn 17 lbs.


## ROUTER BIT DISPLAY



(See Catalog Page 41 for Contents)  
124-321 T3-BG400A  
One in shp etn; wt etn 10 lbs.

HACKSAW BLADE  
DISPLAY

(See Catalog Page 30 for Contents)  
445-569 T1-BG1840  
One in shp etn; wt etn 8 lbs.

PUTTY KNIFE AND  
SCRAPER DISPLAY

(See Catalog Page 48 for Contents)  
431-320 T3-BG2069  
One in shp etn; wt etn 13 lbs.

PUTTY KNIFE AND  
SCRAPER DISPLAY

(See Catalog Page 48 for Contents)  
147-603 T3-BG2070  
One in shp etn; wt etn 14 lbs.

TINNER'S SNIP  
DISPLAY

(See Catalog Page 115 for Contents)  
322-578 T5-BG3333  
One in shp etn; wt etn 13 lbs.



## BLUE GRASS MERCHANDISERS

Colorful display panels with yellow background and Blue Grass blue header. Size 22x12 inches. Will fit any standard pegboard.

### FILE DISPLAY



(See Catalog Page 83 for Contents)  
671-925 T6-BG1971  
One in 2 shp ctns; wt ctn 29 lbs.

### FILE DISPLAY



(See Catalog Page 83 for Contents)  
670-372 T6-BG1977  
One in shp ctn; wt ctn 30 lbs.

## HAMMER DISPLAYS

### BLUE GRASS



—BLUE GRASS—  
REVOLVING  
HAMMER PEG-  
BOARD DISPLAY  
Less Hammers  
Heavy gauge wire.  
Blue Grass blue  
enameled.  
Holds 36 hammers.  
Height 26 inches;  
depth 18 inches;  
width 13 inches.  
**FREE** with as-  
sortment of any 24  
Blue Grass ham-  
mers or hatchets.

For Pegboard Only  
100-289 T1-BG47-36  
Each **FREE**  
One in shp ctn;  
wt each 12 lbs.

## AXES



—BLUE GRASS—

## PLAIN—DAYTON PATTERN SINGLE BIT

Forged from extra quality tool steel; scientifically tempered; perfect cutting edge. Uniformly tapered eyes.



RED AND GOLD, FULL POLISHED BIT AND POLL  
HANDLED WITH BLUE GRASS BENT HANDLES  
Oval

Wt head,  
lbs

000-059	T1-BG111-46-3	Each	\$15 88
000-067	T1-BG111-46-3½	Each	16 79

—BLUE GRASS—

## DAYTON PATTERN SINGLE BIT

Forged from extra quality tool steel; scientifically tempered; perfect cutting edge. Uniformly tapered eyes.



FULL POLISHED—BLUE BEVELS  
HANDLED WITH BLUE GRASS BENT HANDLES  
Oval

Wt head,  
lbs

000-133	T1-BG216-46-3½	Each	\$16 00
---------	----------------	------	---------

—BLUE GRASS—

## BALTIMORE JERSEY PATTERN SINGLE BIT

Forged from extra quality tool steel; scientifically tempered; perfect cutting edge. Uniformly tapered eyes.



PLAIN RED AND GOLD  
FULL POLISHED BIT AND POLL—HANDLED WITH  
BLUE GRASS 36-INCH BENT HANDLES  
Oval

Wt head,  
lbs

005-157	T1-BG141-46-3½	Each	\$16 79
---------	----------------	------	---------

HANDLED WITH  
BLUE GRASS 36-INCH STRAIGHT HANDLES  
Oval

Wt head,  
lbs

005-215	T1-BG141-51-3½	Each	\$16 79
---------	----------------	------	---------

All sizes of axes are 2 in shp ctn.  
(Cartons Will Not Be Broken)



—BLUE GRASS—

## BALTIMORE JERSEY PATTERN SINGLE BIT

Forged from extra quality tool steel; scientifically tempered; perfect cutting edge. Uniformly tapered eyes.



FULL POLISHED—BLUE BEVEL  
HANDLED WITH BLUE GRASS BENT HANDLES  
Oval

Wt head,  
lbs

000-398	T1-BG246-46-3½	Each	\$16 00
000-406	T1-BG246-46-4	Each	17 26

—BLUE GRASS—

## MICHIGAN PATTERN SINGLE BIT

Forged from extra quality tool steel; scientifically tempered; perfect cutting edge. Uniformly tapered eyes.



FULL POLISHED—BLUE BEVELS  
HANDLED WITH BLUE GRASS BENT HANDLES  
Oval

Wt head,  
lbs

000-190	T1-BG256-46-3½	Each	\$16 00
---------	----------------	------	---------

—BLUE GRASS—

## WESTERN PATTERN DOUBLE BIT

Forged from extra quality tool steel; scientifically tempered; perfect cutting edge. Uniformly tapered eyes.



PLAIN RED AND GOLD—FULL POLISHED BITS  
HANDLED WITH BLUE GRASS STRAIGHT HANDLES  
Oval

Wt head,  
lbs

005-322	T1-BG181-50-3	Each	\$18 23
005-330	T1-BG181-50-3½	Each	18 79

All sizes of axes are 2 in shp ctn.  
(Cartons Will Not Be Broken)

## AXES

—BLUE GRASS—  
WESTERN PATTERN DOUBLE BIT

Forged from extra quality tool steel; scientifically tempered; perfect cutting edge. Uniformly tapered eyes.



FULL POLISHED—BLUE BEVELS  
HANDLED WITH BLUE GRASS STRAIGHT HANDLES  
Oval

	Wt head,		
	lbs		
005-439	T1-8G286-50-3	Each	\$17 35
005-447	T1-8G286-50-3½	Each	17 92

—BLUE GRASS—  
MICHIGAN PATTERN DOUBLE BIT

Forged from extra quality tool steel; scientifically tempered; perfect cutting edge. Uniformly tapered eyes.



FULL POLISHED—BLUE BEVELS  
HANDLED WITH BLUE GRASS STRAIGHT HANDLES  
Oval

	Wt head,		
	lbs		
005-611	T1-8G296-50-3½	Each	\$17 35

—BLUE GRASS—  
MICHIGAN PATTERN DOUBLE BIT

Forged from extra quality tool steel; scientifically tempered; perfect cutting edge. Uniformly tapered eyes.



PLAIN RED AND GOLD—FULL POLISHED BITS  
HANDLED WITH BLUE GRASS  
36-INCH STRAIGHT HANDLES  
Oval

	Wt head,		
	lbs		
005-512	T1-8G191-50-3½	Each	\$18 79
735-480	T1-8G191-50-4	Each	19 50

HANDLED WITH BLUE GRASS  
CEDAR D.B. 28-INCH OVAL HANDLES

	Wt head,		
	lbs		
005-538	T1-8G191-C-500-2½	Each	\$18 23

All sizes of axes are 2 in shp ctn.  
(Cartons Will Not Be Broken)

## —BLUE GRASS—FIREMEN'S AXES



Solid steel body; extra quality crucible steel bit and pick point, hand tempered.

Red and gold finish; labeled; full polished bit and point; extra quality hickory handle painted red. Length over-all 36 inches.

	Wt head,		
	lbs		
005-678	T1-8G171-6	Each	\$29 39

All sizes of axes are 2 in shp ctn.  
(Cartons Will Not Be Broken)

BOY'S AXES  
—BLUE GRASS—

DAYTON PATTERN—PLAIN

Forged from one-piece tool steel; hardened poll; hand tempered. Blue Grass oval hickory handle. Weight without handle 2¼ pounds. Length handle 28 inches.



005-686	T1-8G12—Red and Gold	Each	\$12 96
005-694	T1-8G42—Jet Black	Each	11 90

4 in shp ctn; wt each 3½ lbs.

CAMP AXES  
—BLUE GRASS—

Best quality solid crucible tool steel; hardened poll; tempered full ground polished bit; with nail slot. Body finished in red and gold.

14-inch hickory handle. Weight head 1¼ pounds. Width cut 3½ inches.

005-744	T1-8G2700	Each	\$10 26
---------	-----------	------	---------

6 in shelf box; wt each 1½ lbs.

## AXE DISPLAY RACKS



## —BLUE GRASS—

A display rack designed to carry your most popular axes.

Buy (6) Axes  
Get Rack Free

312-637	T1-8G3ADM	NO CHARGE
---------	-----------	-----------



**BELT AXES**

—BLUE GRASS—With Sheath



Sportsman's pattern with powerful beveled driving face. Chrome-plated tubular handle of boron alloy steel. Shock-absorbing cushion grip.

1½-pound head is finished in rust-resisting blue enamel with polished edges and face.

Width blade 3½ inches; over-all length 13¼ inches.

005-728 T1-BG847-0 ..... Each \$13 99  
One in shelf box; wt each 1¾ lbs.

**WOOD CHOPPERS' MAULS**

—BLUE GRASS—



Forged steel head, painted blue; ground face and bit. Top quality straight grain hickory handle, pneumatically driven and wedged.



Uses Double Bit Axe Eye Handle

Length head 8½ inches; length handle 32 inches.

544-031 T5-BGH122-6 ..... Each \$17 01  
5 in shp etn; wt each 6 lbs.

Length head 9½ inches; length handle 32 inches.

544-916 T5-BGH122-8 ..... Each \$19 23  
5 in shp etn; wt each 8 lbs.

**DOUBLE FACE HANDLED SLEDGES**

—BLUE GRASS—



Forged steel head, painted blue, ground faces. Top quality straight grain hickory handle, pneumatically driven and wedged.

36-Inch Handle

Length head 6 inches; No. 2 eye.  
536-821 T5-BGH134-36-6 ..... Each \$15 05  
5 in shp etn; wt each 6 lbs.

Length head 6½ inches; No. 2 eye.  
537-605 T5-BGH134-36-8 ..... Each 15 95  
5 in shp etn; wt each 8 lbs.

Length head 7 inches; No. 2 eye.  
539-064 T5-BGH134-36-10 ..... Each 18 72  
5 in shp etn; wt each 10 lbs.

Length head 7½ inches; No. 2 eye.  
540-401 T5-BGH134-36-12 ..... Each 21 30  
5 in shp etn; wt each 12 lbs.

**STONE MASON'S HAMMERS**

—BLUE GRASS—



First quality forged steel, polished ends, axe finish.

Length 6 inches. **Handled**  
524-744 T5-BGH128-3 ..... Each \$11 95  
One in shelf box; wt each 3 lbs.

Length 8 inches.  
534-578 T5-BGH128-4 ..... Each 12 59  
One in shelf box; wt each 4 lbs.

**HANDLED STONE SLEDGES**

—BLUE GRASS—



Forged steel head, painted blue; ground face. Top quality straight grain hickory handle, pneumatically driven and wedged.



Length head 7½ inches; length handle 32 inches; No. 2 eye.  
522-524 T5-BGH131H-8 ..... Each \$24 61  
Loose; wt each 8 lbs.

Length head 8½ inches; length handle 36 inches; No. 2 eye.  
523-175 T5-BGH131H-12 ..... Each 28 69  
Loose; wt each 12 lbs.

**STAVE WEDGES**

—BLUE GRASS—



Forged steel painted blue.

Length 7½ inches.  
547-117 T5-BG106-3 ..... Each \$6 24  
One in shelf box; 5 in shp etn; wt each 3 lbs.

Length 8½ inches.  
547-257 T5-BG106-4 ..... Each 7 48  
One in shelf box; 5 in shp etn; wt each 4 lbs.

**SQUARE HEAD WEDGES**

—BLUE GRASS—



Forged steel painted blue.

Length 7½ inches; length head 1½ inches; bit 1½ inches.  
545-673 T5-BG80-3 ..... Each \$3 84  
10 in shelf box; wt each 3 lbs.

Length 8½ inches; length head 1½ inches; bit 1½ inches.  
546-101 T5-BG80-4 ..... Each 4 47  
10 in shelf box; wt each 4 lbs.

Length 10 inches; length head 1½ inches; bits 1½ inches.  
546-135 T5-BG80-5 ..... Each 5 00  
5 in shelf box; wt each 5 lbs.

Length 10 inches; length head 1½ inches; bits 2 inches.  
546-598 T5-BG80-6 ..... Each 5 78  
5 in shelf box; wt each 6 lbs.



# **HALF HATCHETS** —BLUE GRASS—



Light carpenter's half-hatchet pattern with full octagon bell and neck. Extra thin blade.

Chrome-plated tubular handle of boron alloy steel.

Shock-absorbing cushion grip won't slip.

Head is polished with metallic blue trim on octagon neck.

Width blade  $3\frac{1}{2}$  inches; over-all length 13 inches.

000-794 T1-BG847-1  $1\frac{1}{2}$  Each \$14 12  
4 in shelf box; wt each  $1\frac{3}{4}$  lbs.



# —BLUE GRASS—Full Polished



Forged in one piece from extra quality tool steel, head stamped Blue Grass, best quality full octagon hickory handle, labeled Blue Grass. Length handle  $13\frac{1}{2}$  inches, full polished octagon poll and neck. Beveled nail slot. Size  $1\frac{1}{2}$ .

Width cut  $3\frac{1}{2}$  inches.

000-778 T1-BG47FO-1  $1\frac{1}{2}$  Each \$15 72  
4 in shelf box; wt each  $2\frac{1}{2}$  lbs.



# —BLUE GRASS— CAR BUILDER'S AND TOBACCO HATCHET



Forged in one piece from extra quality tool steel. Best quality white hickory handle, length 14 inches. Scored head.

Polished blade, milled head.

Red body with gold band at the bottom. Size 2. Width cut  $3\frac{3}{4}$  inches.

000-786 T1-BG347-2 Each \$16 19  
4 in shelf box; wt each  $2\frac{3}{4}$  lbs.



# **HALF HATCHETS** —BLUE GRASS— CARPENTER'S SPECIAL



Forged in one piece from extra quality tool steel, head stamped Blue Grass, gold filled. Best quality, full octagon hickory handle, labeled Blue Grass. Length handle 14 inches.

Full polished. Round poll, octagon neck. Beveled nail slot. Size 2.

Width cut  $3\frac{3}{4}$  inches.

000-752 T1-BG47-HH-2 Each \$14 79  
4 in shelf box; wt each  $2\frac{3}{4}$  lbs.



# —BLUE GRASS—STANDARD PATTERN



Forged in one piece from extra quality tool steel.

Head ground. Octagon poll. Red and gold finish. Polished blade. Fitted with  $13\frac{1}{2}$ -inch best quality hickory handle, labeled Blue Grass. Beveled nail slot.

Width blade  $3\frac{1}{2}$  inches.

000-802 T1-BG441-1  $1\frac{1}{2}$  Each \$12 26  
4 in shelf box; wt each  $1\frac{1}{2}$  lbs.



# —BLUE GRASS—Black Finish



Forged from one-piece extra quality tool steel, black finish. Tempered bit, hardened poll.

# **Highest Grade White Hickory Handle**

Size  $1\frac{1}{2}$ . Width cut  $3\frac{1}{2}$  inches.

000-851 T1-BG121  $1\frac{1}{2}$  Each \$11 66  
4 in shelf box; wt each  $1\frac{1}{2}$  lbs.



# CLAW HATCHETS

—BLUE GRASS—Black Finish



Forged from one-piece extra quality tool steel, black finish. Tempered bit, hardened poll.



White Hickory Handle

Size 2. Width cut  $3\frac{3}{4}$  inches.  
000-703 T1-BG131  $\frac{1}{2}$  ..... Each \$13 72  
4 in shelf box; wt each  $2\frac{1}{2}$  lbs.

# RIG BUILDER'S HATCHETS

—BLUE GRASS—



Black Finish—Checkered Head



Forged from one-piece extra quality tool steel, tough blades and hardened milled heads.  
Size 2. Width cut  $3\frac{3}{8}$  inches. 18-inch handle.

White Hickory Handle

000-695 T1-BG182 ..... Each \$16 19  
4 in shelf box; wt each  $2\frac{3}{4}$  lbs.

# FRUIT BOX HATCHETS

—BLUE GRASS—



Checkered Head

Forged in one piece from extra quality crucible steel. Extra quality white second growth hickory handle. Hardened square poll.



Full polished, etched.

Size 2. Width cut  $2\frac{3}{4}$  inches. Size head  $1\frac{3}{8}$  inches. Scoring rows 12. Weight with handle 18 ounces.

001-123 T1-BG702 ..... Each \$16 46  
4 in shelf box; wt each  $1\frac{5}{8}$  lbs.

# BROAD OR BENCH HATCHETS

—BLUE GRASS—



Forged in one piece from extra quality tool steel. Head ground. Red and gold polished blade. Fitted with best quality hickory handle, labeled Blue Grass. Width blade  $4\frac{1}{2}$  inches; length blade  $14\frac{1}{2}$  inches.

000-729 T1-BG462 ..... Each \$14 12  
4 in shelf box; wt each  $3\frac{1}{2}$  lbs.

—BLUE GRASS—Black Finish



Forged from one-piece extra quality tool steel, tempered bit, hardened poll. Single bevel, right hand.



White Hickory Handle

Size 2; width cut  $4\frac{1}{2}$  inches; length handle 15 inches.  
000-950 T1-BG192 ..... Each \$13 46  
4 in shelf box; wt each 3 lbs.

# LATHING HATCHETS

—BLUE GRASS—



Standard Pattern—Checkered Head



Forged in one piece from extra quality tool steel. Scored head. Octagon poll. Red and gold polished blade, fitted with  $13\frac{1}{2}$ -inch best quality hickory handle, labeled Blue Grass. Width blade  $2\frac{1}{2}$  inches. Beveled nail slot.

001-008 T1-BG431 ..... Each \$10 94  
4 in shelf box; wt each 2 lbs.



## LATH AND SHINGLING HATCHETS

—BLUE GRASS—



Thin blade with sharpened inside edge and nail slot. Oval checker milled face. Head ground smooth, finished in rust-resisting black. Marking gauge adjusts to five different positions. Fitted with specially shaped best quality white hickory handle with leather safety thong. Blade width  $2\frac{1}{4}$  inches. Length over-all 12 inches.

001-065 T1-BG72 ..... Each \$16 19  
4 in shelf box; 24 in shp ctn; wt each  $1\frac{1}{2}$  lbs.

## DRY WALL HAMMERS

—BLUE GRASS—



Lightweight hammer designed especially for cutting and nailing dry wall. Tops in performance for the professional tradesman—and the most quality-conscious homeowner. Forged from high carbon steel and expertly tempered. Sides and face semi-polished finish. Head designed to provide ample knuckle room. Features crown milled face—makes proper dimple to recess nail head without breaking board. Sharp blade, beveled nail slot. Fitted with select, hickory oval-shaped handle. Over-all length  $13\frac{1}{2}$  inches. Blade width  $1\frac{1}{4}$  inches.

560-185 T1-BG47DW ..... Each \$13 06  
4 in shelf box; wt box  $5\frac{1}{2}$  lbs.

## PROSPECTING PICKS

—BLUE GRASS—Polished



Extra quality forged steel; adze eye; hardened point and poll; full polished. Extra grade white hickory handle; securely wedged into pick. 24-ounce head; length head  $7\frac{3}{4}$  inches.

006-213 T1-BG451 ..... Each \$12 06  
4 in shp ctn; wt each  $1\frac{1}{2}$  lbs.

## NAIL HAMMERS

—BLUE GRASS—  
Fiberglass Handles

Head forged from special analysis steel. Full mirror polished, crowned, chamfered.

Features tough fiberglass handles with the style of hickory. Handles are permanently bonded to head. Non-slip cushion grip absorbs shocks and reduces fatigue.

Head scientifically heat treated and tempered. Crowned face prevents scarring of wood. Chamfered edge minimizes chipping.

Claw bite pulls headless pins or 20D nails.

## REGULAR NAIL HAMMERS—HEXAGON HEAD



Size 2. Face diameter  $1\frac{1}{2}$  inch; weight head 13 ounces.  
188-672 T1-BG147-13 ..... Each \$10 33  
4 in shelf box; wt box 5 lbs.

Size  $1\frac{1}{2}$ . Face diameter 1 inch; weight head 16 ounces.  
188-938 T1-BG147-16 ..... Each \$10 33  
4 in shelf box; wt box 6.3 lbs.

Size 1. Face diameter  $1\frac{1}{4}$  inches; weight head 20 ounces.  
189-308 T1-BG147-20 ..... Each \$11 66  
4 in shelf box; wt box 7.3 lbs.

## RIP HAMMERS—HEXAGON HEAD



Size  $1\frac{1}{2}$ . Face diameter 1 inch; weight head 18 ounces.  
189-324 T1-BG147R-18 ..... Each \$10 99  
4 in shelf box; wt box 7 lbs.

## RIP HAMMERS—ROUND HEAD



Regular length handle, over-all length 13 inches.  
22-ounce round head. Plain face.  
591-479 T1-BG147R-22 ..... Each \$12 46  
4 in shelf box; wt box 8 lbs.

Texas length handle, over-all length  $15\frac{3}{4}$  inches.  
22-ounce round head. Milled face.  
592-071 T1-BG147RC-22L ..... Each \$14 99  
4 in shelf box; wt box  $8\frac{1}{2}$  lbs.

# BLUE GRASS

## The Nation's Most Popular Nail Hammers

introduces

### "ONE FORTY-SEVEN"

NEW Blue Grass fiberglass-handled hammers available in 5 models.

- Head forged from special analysis steel
- Full mirror polished - Crowned - Chamfered
- New design tough fiberglass handle
- Shock-absorbing cushion grip.



NEW "ONE FORTY-SEVEN" BLUE GRASS HAMMERS feature handle design of tough fiberglass with the style of hickory . . . the strength of steel!

Handles are permanently bonded to head. Non-slip cushion grip absorbs shocks and reduces fatigue.

Head scientifically heat-treated and tempered . . . balanced and correctly shaped to give maximum driving power. Crowned face prevents scarring of wood. Chamfered edge minimizes chipping. Claw bite pulls headless pins or 20D nails. Long curve of claw affords greatest leverage.

Model No.	Size	Face Diameter	Head Wt.	Packed per Box	Wt. Pack Lbs.
T1-BG147-13	2	1 1/8"	13 oz.	4	5.0
T1-BG147-16	1 1/2	1"	16 oz.	4	6.3
T1-BG147-20	1	1 1/8"	20 oz.	4	7.3
T1-BG147R-18	1 1/8	1"	18 oz.	4	7.0
T1-BG147R-20	1	1 1/8"	20 oz.	4	7.3





## THE NATION'S MOST POPULAR NAIL HAMMERS "FAMOUS FORTY-SEVEN," BLUE GRASS



Drop Forged Special Analysis Steel  
Scientifically Heat-Treated and Tempered



Correctly balanced and shaped head gives maximum driving power. Crowned face prevents scarring of wood.  
Precision claws are uniformly split to bite even the smallest nails.

Chrome-plated tubular steel handle is forced under pressure into the head. A steel pin, through head and shaft, holds head permanently tight.

Non-slip fiber composition grip, has special shock-absorbing qualities. Grip permanently bonded to shaft. Won't come loose, won't turn.

### NAIL HAMMERS

Size 2. Weight head 13 ozs. Over-all length 12 1/4 ins.  
001-214 T1-BG647-13 Each \$10 33  
4 in shelf box; wt each 1 lb.

Size 1 1/2. Weight head 16 ozs. Over-all length 13 ins.  
001-222 T1-BG647-16 Each 10 33  
4 in shelf box; wt each 1 1/2 lbs.

Size 1. Weight head 20 ozs. Over-all length 14 1/4 ins.  
001-230 T1-BG647-20 Each 11 66  
4 in shelf box; wt each 1 3/4 lbs.

### RIPPING HAMMERS—Smooth Face

Size 1 1/2. Weight head 16 ounces; length 13 inches.  
005-868 T1-BG647R-16 Each \$10 33  
4 in shelf box; wt each 1 1/2 lbs.

Size 1. Weight head 20 ounces; length 14 1/4 inches.  
005-876 T1-BG647R-20 Each 11 66  
4 in shelf box; wt each 1 3/4 lbs.

Drop Forged Special Analysis Steel  
Scientifically Heat-Treated and Tempered

Correctly shaped and balanced head gives maximum driving power.

Crowned face prevents scarring of wood. Chamfered edge minimizes chipping. Claw bite pulls headless pins or 20D nails. Long curve of claws affords greatest leverage. Eyes of hammer are forged with double taper on all four sides so that heads when driven have a positive grip on the handle at the center of the eye. The taper of the handle matches the taper of the eye, ensuring a very tight fit on all surfaces of the eye when the end of the handle is wedged.

Straight grain full octagon white hickory handles are put through a special treatment before driving which prevents any shrinkage of the wood in the eye, thus preventing the handles from becoming loose. Spring neck handle absorbs shock. Swell end grip insures perfect hand hold.



### FULL MIRROR POLISHED BLACK FINISH UNDER CURVED CLAW NAIL HAMMERS

#### Regular Length Handles

Size 3. Face diameter 1 3/8 inch; weight head 7 ounces.  
001-131 T1-BG47-7 Each \$10 00  
4 in shelf box; wt each 3/4 lbs.

Size 2. Face diameter 1 1/8 inch; weight head 13 ounces.  
001-149 T1-BG47-13 Each 10 00  
4 in shelf box; wt each 1 1/2 lbs.

Size 1 1/2. Face diameter 1 inch; weight head 16 ounces.  
001-156 T1-BG47-16 Each 10 00  
4 in shelf box; wt each 1 1/2 lbs.

Size 1. Face diameter 1 1/4 inch; weight head 20 ounces.  
001-172 T1-BG47-20 Each 10 46  
4 in shelf box; wt each 1 3/4 lbs.

#### 16-Inch Texas Length Octagon Handle

Size 1 1/2. Face diameter 1 inch; weight head 16 ounces.  
001-164 T1-BG47-1616 Each \$10 19  
4 in shelf box; wt each 1 1/2 lbs.

### RIPPING HAMMERS OCTAGON HEAD—SMOOTH FACE Regular Length Handle



Size 1 1/2. Face diameter 1 inch; weight head 18 ounces.  
005-785 T1-BG47R-18 Each \$10 00  
4 in shelf box; wt each 1 1/4 lbs.

### ROUND HEAD—SMOOTH FACE Regular Length Handles

Size 1 3/4. Face diameter 1 inch; weight head 22 ounces.  
617-332 T1-BG47R-22-13 3/4 Each 10 46  
4 in shelf box; wt each 1 1/2 lbs.

### ROUND HEAD—MILLED FACE 15 3/4-Inch Texas Length Handle

Size 1 3/8. Face diameter 1 inch; weight head 22 ounces.  
617-480 T1-BG47RCL-22-15 3/4 Each \$12 73  
4 in shelf box; wt each 1 3/4 lbs.



---

## **BLUE GRASS**

### **The Nation's Most Popular Nail Hammers**

**"FAMOUS FORTY-SEVEN," BLUE GRASS**



T1-BG47

**BOTH CLAW AND RIP  
HAVE OCTAGON HICKORY HANDLES**



T1-BG647

**BOTH CLAW AND RIP HAVE  
MIRROR POLISHED TUBULAR STEEL HANDLE  
WITH NON-SLIP FIBER COMPOSITION GRIP**



T1-BG647R

---

## FIBER GLASS HANDLE TOOLS

## NAIL HAMMERS

## —BLUE GRASS—

Head made of premium quality steel. Drop forged and heat-treated for hard service and long life. Striking face is safety-chamfered.

Non-breakable fiber glass handle is stronger than steel. Guaranteed not to break, bend or collapse, in normal use. Will not rust, rot, or corrode.

Molded non-slip cushion grip absorbs shock—reduces fatigue. Head and handle are permanently joined with Blue Bond. Handle will not loosen in normal use.



Full Polished Head—Octagon Neck  
Non-Breakable Blue Fiber Glass Handle  
Tan Molded Non-Slip Cushion Grip



	Octagon Face	
	001-180	001-198
	T1-8G247-20	T1-8G247-16
Size	1	1 1/2
Wt head, ozs	20	16
Wt each, lbs.	1 3/4	1 1/2
Each	\$12 47	11 00
4 in shelf box.		

## RIPPING HAMMERS

## —BLUE GRASS—



Full Polished Head—Octagon Neck  
Non-Breakable Blue Fiber Glass Handle  
Tan Molded Non-Slip Cushion Grip



Head made of premium quality steel. Drop forged and heat-treated for hard service and long life. Striking face is safety-chamfered.

Non-breakable fiber glass handle is stronger than steel. Guaranteed not to break, bend or collapse, in normal use. Will not rust, rot or corrode.

Molded non-slip cushion grip absorbs shock—reduces fatigue. Head and handle are permanently joined with Blue Bond. Handle will not loosen in normal use.

	Milled Checkered Round Face Extra Long Handle	
	284-885	
	T1-8G247RC-22L	
Wt head, ozs	22	
Wt each, lbs.	2 1/4	
Each	\$15 00	
4 in shelf box;		

	Round Face	
	685-792	005-827
	T1-8G247R-22	T1-8G247R-16
Wt head, ozs	22	16
Wt each, lbs.	1 3/4	1 1/2
Each	14 00	11 00

## HALF HATCHETS

## —BLUE GRASS—

Smooth Black Head  
Non-Breakable Blue Fiber Glass Handle  
Tan Molded Non-Slip Cushion Grip



Carpenter's hatchet with octagon poll—keen cutting edge. Beveled nail slot. Forged from premium quality steel. Heat-treated and tempered for long life and to hold a sharp edge.

Non-breakable fiber glass handle is stronger than steel. Guaranteed not to break, bend or collapse in normal use. Will not rust, rot or corrode.

Molded non-slip cushion grip absorbs shock—reduces fatigue.

Head and handle are permanently joined with Blue Bond.

Handle will not loosen in normal use.

Bit size 3 3/8 inches.

284-943 T1-8G447B-2 ..... Each \$13 80  
4 in shelf box; wt each 2 3/4 lbs.



—BLUE GRASS—  
Full Polished Head  
Non-Breakable Blue Fiber Glass Handle  
Tan Molded Non-Slip Cushion Grip



Light carpenter's hatchet with thin keen blade. Beveled nail slot. Forged from quality steel. Heat-treated and tempered for long life and to hold a sharp cutting edge.

Non-breakable fiber glass handle is stronger than steel. Guaranteed not to break, bend or collapse in normal use. Will not rust, rot or corrode.

Molded non-slip cushion grip absorbs shock—reduces fatigue.

Head and handle are permanently joined with Blue Bond. Handle will not loosen in normal use.

Bit size 3 3/8 inches.

284-935 T1-8G447FP-1 1/2 ..... Each \$15 00  
4 in shelf box; wt each 2 lbs.




## BLUE GRASS

The Nation's Most Popular Hammers



T1-BG247-13  
T1-BG247-16  
T1-BG247-20



T1-BG247R-16  
T1-BG247R-22  
T1-BG247RC-22L



T1-BG447FP-1 1/4  
T1-BG447B-2



T1-BG437-3/0 T1-BG437-1  
T1-BG437-2/0 T1-BG437-2  
T1-BG437-0 T1-BG437-4



T1-BG417-15  
T1-BG417-24

## FIBERGLASS HANDLE TOOLS

## BALL PEEN HAMMERS

—BLUE GRASS—

Smooth Black Head—Polished Poll and Peen  
Non-Breakable Blue Fiber Glass Handle  
Tan Molded Non-Slip Cushion Grip



Head made of premium quality steel. Drop forged and heat-treated for hard service and long life. Striking face is safety-chamfered.

Non-breakable fiber glass handle is stronger than steel. Guaranteed not to break, bend or collapse in normal use. Will not rust, rot or corrode.

Molded non-slip cushion grip absorbs shock—reduces fatigue. Head and handle are permanently joined with Blue Bond. Handle will not loosen in normal use.

Weight head 16 ounces.  
285-007 T1-BG437-0 ..... Each \$9 73  
4 in shelf box; wt each 1 3/4 lbs.

Weight head 20 ounces.  
290-445 T1-BG437-1 ..... Each 9 93  
4 in shelf box; wt each 2 lbs.

Weight head 24 ounces.  
290-452 T1-BG437-2 ..... Each 10 47  
4 in shelf box; wt each 2 1/4 lbs.

Weight head 32 ounces.  
290-460 T1-BG437-4 ..... Each 11 00  
4 in shelf box; wt each 2 3/4 lbs.

## HAMMER DISPLAY RACKS



—BLUE GRASS—

A display rack designed to carry your most popular nail hammers.

Buy (6) Six Hammers  
Get Rack FREE  
429-159 T1-BG4-HDM  
NO CHARGE

## BRICK HAMMERS

—BLUE GRASS—

Full Polished Head  
Non-Breakable Blue Fiber Glass Handle  
Tan Molded Non-Slip Cushion Grip



Head made of premium quality steel. Drop forged and heat-treated for hard service and long life. Perfectly balanced.

Non-breakable fiber glass handle is stronger than steel. Guaranteed not to break, bend or collapse in normal use. Will not rust, rot or corrode.

Molded non-slip cushion grip absorbs shock—reduces fatigue. Head and handle are permanently joined with Blue Bond. Handle will not loosen in normal use.

Weight head 24 ounces.  
284-919 T1-BG417-24 ..... Each \$13 33  
4 in shelf box; wt each 2 3/4 lbs.

Weight head 15 ounces.  
284-927 T1-BG417-15 ..... Each 12 67  
4 in shelf box; wt each 1 3/4 lbs.

## HAMMER DISPLAY RACKS

—BLUE GRASS—

REVOLVING HAMMER  
PEGBOARD DISPLAY  
Less Hammers

Heavy-gauge wire.  
Blue Grass blue enameled.  
Holds 36 hammers.  
Height 26 inches; depth 18 inches;  
width 13 inches.

FREE with assortment of any  
24 Blue Grass hammers or  
hatchets.

For Pegboard Only  
100-289 T1-BG47-36 ..... Each FREE  
One in shp ctn; wt each 12 lbs.





## FRAMING HAMMERS

—BLUE GRASS—Fancy Octagon—Ripper



Trim heavy-duty rafter and framing hammer for professional tradesmen is excellent for rough frame work and cement forms. Sturdy 28-ounce head of high carbon steel—forged, tempered, and hardened to exacting standards with milled checkered face. Highly polished finish. Straight claws are precision shaped. Features 28-ounce head and trim 18-inch oval handle—a combination that gives extra power—extra leverage and extra reach.

Oval-shaped handle; finest quality hickory available; white hickory finish.

556-571 T1-BG47R-28M.....Each \$14 39  
4 in shelf box; wt box 16 lbs.

—BLUE GRASS—



Heavy-duty framing hammer features extra large 18-inch hickory handle and 28-ounce weight for added power and leverage. Used primarily in rafter and house frame construction. Polished finish with superior balance. Milled checkered face. PermaBond.

499-780 T1-BG-1347.....Each \$14 00  
4 in shp ctn; wt ctn 11 lbs.

## BRICKLAYER'S HAMMERS

—BLUE GRASS—  
All Steel With Fibre Composition Grip

The shaft of the new Blue Grass hammer is made of the finest chrome-plated boron tubular steel.  
Length of head 7½ inches; handle 10½ inches.

006-163 T1-BG12-2.....Each \$9 53  
4 in shelf box; wt each 2½ lbs.

## BRICKLAYER'S HAMMERS

—BLUE GRASS—Black



Drop forged from one piece extra quality tool steel, hardened and tempered square poll.



White Hickory Handle

Weight head 1½ pounds; face size 1½x1½ inches; head length 7½ inches.

006-114 T1-BG112-2.....Each \$10 19  
4 in shelf box; wt each 2 1/11 lbs.

Weight head 1 pound, 2 ounces; face size 1x1 inch; head length 7 inches.

006-122 T1-BG112-3.....Each \$9 79  
4 in shelf box; wt each 1½ lbs.

## TILE SETTER'S HAMMERS

—BLUE GRASS—Black



Drop forged from one piece extra quality tool steel, hardened and tempered square poll. White hickory handle.

Face size ¾x¾ inch; head length 5½ inches; weight head 10 ounces.

006-130 T1-BG112-4—10 ounces.....Each \$9 51  
4 in shelf box; wt each 1¾ lbs.

## TINNER'S HAMMERS

—BLUE GRASS—Black Finish



Drop forged from one-piece extra quality tool steel, hardened and tempered face and peen. White hickory handle.

Size 1; size head ¾x4¾ inches; weight without handle 7 ozs.  
006-288 T1-BG104-1.....Each \$8 80  
4 in shelf box; wt each ½ lb.

Size 3; head size 1½x4¾ inches; wt without handle 13 ozs.  
006-304 T1-BG104-3.....Each 9 26  
4 in shelf box; wt each 1½ lb.

## BALL PEEN HAMMERS

### —BLUE GRASS—

Drop forged from one piece of extra quality tool steel, hardened, individually tempered face and ball; extra quality second growth white hickory handles.



White Hickory Oval Handles  
Octagon Pattern—Round Poll

Polished head, peen and sides, black neck and octagon.

	Size	Each	Wt lbs, (no hdl)	Wt each, lbs
006-338	T1-BG430-5/0	\$7 06	1 1/4	1 1/2
006-346	T1-BG430-3/0	7 13	1 1/2	1 3/4
006-353	T1-BG430-2/0	7 39	1 3/4	1 3/4
006-361	T1-BG430-0	7 59	1 3/4	1 3/4
006-379	T1-BG430-1	8 39	1 1/2	1 3/4
006-387	T1-BG430-2	8 59	1 1/2	2
006-395	T1-BG430-4	9 53	2	2 1/2
006-403	T1-BG430-6	10 53	2 1/2	3 1/4

6 in shelf box.

## ENGINEER'S HAMMERS

### —BLUE GRASS—Black Finish

Drop forged from one piece tool steel, hardened, tempered face. White hickory handle.



Double Face—Octagon Poll

Size 2; size head 1 3/4 x 4 3/4 inches; weight without handle 2 1/2 pounds.

006-494 T1-BG111-2 ..... Each \$11 53  
4 in shelf box; wt each 2 3/4 lbs.

Size 3; size head 1 3/8 x 5 3/8 inches; weight without handle 3 pounds.

006-502 T1-BG111-3 ..... Each \$12 19  
4 in shelf box; wt each 3 3/4 lbs.

## SCALING AND BOILER PICK HAMMERS

### —BLUE GRASS—



Two sharp peens at both ends of head at right angle to each other.

Used for chipping boiler scale and by welders for chipping rust, paint, etc.

Fire-hardened hickory handle.

Size head 16 ounces. Length over-all 13 inches.

610-931 T1-BG498P ..... Each \$7 39  
4 in shelf box; wt each 1 1/2 lbs.

## BLACKSMITH'S HAMMERS

### —BLUE GRASS—Black Finish



Drop forged from one piece extra quality tool steel; tempered face and point. White hickory handle.

Cross Peen—Octagon Poll

	Size	Each	Wt lbs, (no hdl)	Wt each, lbs
006-510	T1-BG110-1	\$11 33	2	2 1/2
006-528	T1-BG110-2	11 59	2 1/2	3
006-536	T1-BG110-3	12 33	3	3 1/2

4 in shelf box.

## GRIP REPAIR KITS

### —BLUE GRASS—



Kit contains steel cap, adhesive tape and grip.

For T1-BG647-16, T24-A16, T1-BG647-13, T24-A13 Nail Hammers; T1-BG647R-16, T24-A16R Ripping Hammer; T1-BG747-1 1/2, Half Hatchet, T1-BG847-0, Belt Axe.

008-904 T1-BGKA16 ..... Kit \$2 99  
One in shelf box; 4 ozs per kit.

For T1-BG647-2 and T24-A13.  
008-912 T1-BGKA13 ..... Kit 2 99  
One in shelf box; 3 ozs per kit.

## HANDLE WEDGES

### —BLUE GRASS—



Made of nickel-plated C.R. steel, uniform in size.

Holding edges are sharp, imbedding the wedge into the wood and spreading the handle the proper distance to give greater holding power.

### Specifications

No. 1—For Small Hammer—Size: Width 1/4 inch; length 3/4 inch; 3/8 inch thick.

No. 3—For Standard Hammer—Size: Width 1/2 inch; length 1 inch; 3/8 inch thick.

No. 4—For Large Hammer—Size: Width 3/4 inch; length 1 1/4 inch; 3/8 inch thick.

No. 5—For Sledge Hammer—Size: Width 1 inch; length 1 1/2 inch; 3/8 inch thick.

Capped plastic package contains one each Nos. 1, 3, 4 and 5 wedges.

328-732 T1-BG250W ..... Pkg \$0 50  
(Boxes Will Not Be Broken)

12 pkgs in shelf box; wt box 1/2 lb.



# LONG HANDLE PEGBOARD DISPLAY



## —BLUE GRASS— DISPLAY

An entirely new way of displaying Hickory tool handles. A rack that can be hung on the wall with screws or nails or on pegboard. 8 prongs to hold 8 different patterns of tool handles. Reusable handle hooks that can be easily inserted into the handle slot. Fence staples or screw eyes can also be used. Keeps handles clean and straight.

Wire rack—metal header—size 21½x6 inches.

## HANDLES—Complete with Wedges

Consists of:

- 6—T1-BG46—Oval single bit axe handles; length 36 inches
- 4—T1-BG50D—Oval double bit axe handles; length 36 inches
- 7—T1-BG14O—Oval sledge handles; length 36 inches
- 3—T1-BG30H—Oval sledge handles; length 30 inches
- 3—T1-BG17—R.R. pick and mattock handles; length 36 inches
- 2—T1-BG28B—Boy's single bit oval axe handles; length 28 in.

014-043 T1-BG31HA.....Each \$123 76  
One in shp ctn; wt ctn 50 lbs.

## ADZE HANDLES

—BLUE GRASS—Hickory



### Ship and Railroad—Oval

Fine super second growth young white heavy hickory. Smooth wax finish.

Length 34 Inches

007-682 T1-BG734.....Each \$5 46  
12 in shp ctn; wt each 1¾ lbs.

## ADZE HANDLES

—BLUE GRASS—Hickory



### House—Carpenter—Oval

Fine super second growth young white heavy hickory. Smooth wax finish.

Length 34 Inches

007-674 T1-BG67.....Each \$5 46  
12 in shp ctn; wt each 1¾ lbs.

## AXE HANDLES

MARKET PATTERN—SINGLE BIT



### —BLUE GRASS—Hickory

Fine super second growth white heavy hickory. Smooth wax finish.

Length 36 Inches

007-351 T1-BG46—Oval.....Each \$4 62

007-369 T1-BG45AH—Octagon.....Each 4 92

12 in shp ctn; wt each 1¾ lbs.

Length 28 Inches

007-641 T1-BG28B—Oval.....Each \$4 54

12 in shp ctn; wt each 1 lb.

## STRAIGHT PATTERN—SINGLE BIT—PLAIN END



### —BLUE GRASS—Hickory

Finest super second growth perfect young white heavy hickory. Smooth wax finish.

Length 36 Inches

007-518 T1-BG41—Octagon.....Each \$4 92

007-526 T1-BG51—Oval.....Each 4 62

12 in shp ctn; wt each 1¾ lbs.

## DOUBLE BIT



### —BLUE GRASS—Hickory

Finest super second growth young white heavy hickory. Smooth wax finish.

Length 36 Inches

007-450 T1-BG40D—Octagon.....Each \$4 92

007-468 T1-BG50D—Oval.....Each 4 62

12 in shp ctn; wt each 1¾ lbs.

### —BLUE GRASS—Hickory

All white straight grain heavyweight hickory, free from defects.

Cruiser—Length 28 Inches

007-476 T1-BG28C—Oval.....Each \$4 54

12 in shp ctn; wt each ¾ lb.

ALL HANDLES FURNISHED WITH WEDGES

## R.R. PICK AND MATTOCK HANDLES



—BLUE GRASS—

Fine super second growth young white heavy hickory.  
Smooth wax finish.

Length 36 Inches  
007-708 T1-BG17..... Each \$5 46  
12 in shp ctn; wt each 2½ lbs.

## COAL PICK HANDLES

—BLUE GRASS—



Fine super second growth young white heavy hickory.  
Smooth wax finish.

Length 36 Inches  
007-781 T1-BG27PH..... Each \$4 36  
12 in shp ctn; wt each 2 lbs.

## MAUL HANDLES

—BLUE GRASS—



Fine super second growth young white heavy hickory.  
Smooth wax finish.

Spike and Ship—Length 36 Inches  
007-823 T1-BG157..... Each \$4 38  
12 in shp ctn; wt each 1¾ lbs.

## DRIFTING AND POLL PICK HANDLES

—BLUE GRASS—

Fine super second growth young white heavy hickory.  
Smooth wax finish.

Length 34 Inches  
007-856 T1-BG352..... Each \$4 50  
12 in shp ctn; wt each 1¾ lbs.

## SLEDGE HANDLES

—BLUE GRASS—



Length 36 Inches  
Fine super second growth young white heavy hickory.  
Smooth wax finish.

007-864 T1-BG140—Oval..... Each \$4 38  
12 in shp ctn; wt each 1¾ lbs.

—BLUE GRASS—OVAL


All white, straight grain, heavyweight hickory, free from defects.

Length 30 Inches  
007-872 T1-BG30H..... Each \$4 37  
12 in shp ctn; wt each 1¾ lbs.

Length 24 Inches  
007-880 T1-BG24H..... Each \$3 38  
12 in shp ctn; wt each ¾ lb.

## STRIKING HAMMER HANDLES

—BLUE GRASS—Hickory



Fine super second growth young white heavy hickory.  
Smooth wax finish.


Length 36 Inches  
007-963 T1-BG97..... Each \$4 38  
12 in shp ctn; wt each 1¾ lbs.

## HAMMER HANDLE ASSORTMENTS AND WALL RACKS

—BLUE GRASS—DISPLAY

An entirely new way of displaying hickory handles. A rack that can be hung on the wall with screws or nails or on peg-board. Ten prongs to hold ten different patterns of handles. Factory driven hang-up hooks in each handle for easy displaying.

Wire rack—Metal header—Size Width 17 inches; height 20 inches; depth 8 inches.



## HANDLES

Consists of:

- 4—T1-BG83—Octagon A.E. Nail Hammer; Length 12 inches.
- 5—T1-BG82—Octagon A.E. Nail Hammer; Length 13 inches.
- 5—T1-BG714—Oval A.E. Nail Hammer; Length 14 inches.
- 6—T1-BG81—Octagon A.E. Nail Hammer; Length 14 inches.
- 5—T1-BG81—Octagon A.E. Nail Hammer; Length 14 inches.
- 4—T1-BG514—Hatchet; Length 14 inches.
- 4—T1-BG80—Octagon A.E. Nail Hammer; Length 15 inches.
- 5—T1-BG812—Machinist Hammer; Length 12 inches.
- 5—T1-BG814—Machinist Hammer; Length 14 inches.
- 5—T1-BG816—Machinist Hammer; Length 16 inches.

713-669 T1-BG1980..... Ass't \$104 46  
One ass't in shp ctn; wt ctn 22 lbs.

ALL HANDLES FURNISHED WITH WEDGES




## HATCHET AND HAMMER HANDLE ASSORTMENTS AND WALL RACKS

### —BLUE GRASS—DISPLAY

An entirely new way of displaying hickory handles. A rack that can be hung on the wall with screws or nails or on peg-board. Ten prongs to hold ten different patterns of handles. Factory driven hang-up hooks in each handle for easy displaying.

Wire rack—Metal header—Size Width 17 inches; height 20 inches; depth 8 inches.



HANDLES

Consists of:

- 5—T1-BG14—Boy Scout Axe; Length 14 inches.
- 5—T1-BG314—Octagon Hatchet; Length 14 inches.
- 4—T1-BG11 $\frac{1}{2}$ —Tack Hammer; Length 12 inches.
- 5—T1-BG514—Hatchet; Length 14 inches.
- 5—T1-BG513—Hatchet; Length 13 inches.
- 4—T1-BG12B-11—Brick or Tile Hammer; Length 11 inches.
- 5—T1-BG12B-12—Brick Hammer; Length 12 inches.
- 5—T1-BG916—Engineer Hammer; Length 16 inches.
- 5—T1-BG18—Framing Hammer; Length 18 inches.
- 5—T1-BG916—Blacksmith Hammer; Length 16 inches.

713-677 T1-BG1981 Ass't \$105 23  
One ass't in shp ctn; wt ctn 25 lbs.

## HATCHET HANDLES

### —BLUE GRASS—

For Scout Hatchets, Sportsman's and Hunter's Axes



Finest quality perfect white second growth hickory, smooth wax finish. Length 14 inches.

007-989 T1-BG14.....Each \$2 53  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

### —BLUE GRASS—

Octagon For T1-BG-47HH-2 Hatchets



Finest quality perfect white second growth hickory, smooth wax finish.

Length 13 inches; hatchet size 1.  
007-997 T1-BG313.....Each \$2 47

12 in shelf box; wt each  $\frac{1}{2}$  lb.

Length 14 inches; hatchet size 2.  
008-003 T1-BG314.....Each 2 47

12 in shelf box; wt each  $\frac{1}{2}$  lb.

## HATCHET HANDLES

### —BLUE GRASS—

For Shingling, Half, Claw and Lathing Hatchets



Finest quality perfect second growth white hickory, smooth wax finish.

Length 13 inches; hatchet size 1.  
008-011 T1-BG513.....Each \$2 75

12 in shelf box; wt each 6 ozs.  
Length 14 inches; hatchet size 2.  
008-029 T1-BG514.....Each 2 75

12 in shelf box; wt each 6 $\frac{1}{2}$  ozs.

### —BLUE GRASS—

For Rig Builder's Hatchets

Fine super second growth young white heavy hickory. Smooth wax finish. Length 18 inches.

008-177 T1-BGRE.....Each \$2 42  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

### —BLUE GRASS—

Special Shape—For All-Purpose Camp Axe



Second growth, straight grain all-white hickory, waxed. Heavyweight. Length 16 inches.

008-201 T1-BG134H.....Each \$2 31  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

### —BLUE GRASS—Octagon

For T1-BG1301 Haines Pattern Half Hatchet



Finest quality perfect second growth white hickory, smooth wax finish. Length 14 inches.

008-219 T1-BG14HH.....Each \$2 38  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

## SPORTSMAN AND KITCHEN AXE HANDLES

—BLUE GRASS—Fits BG151- $\frac{1}{2}$  Axe



All white, straight grain, heavyweight hickory. Wax finish. Length 10 $\frac{1}{2}$  inches.

Oval  
007-971 T1-BG11.....Each \$2 10  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

## HAMMER HANDLES

### —BLUE GRASS—Ball Peen



Finest quality perfect second growth white hickory, polished.  
Length 12 inches; for hammer size 0000.

008-516 T1-8G812 ..... Each \$1 94  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

Length 13 inches; for hammer size 000.  
008-524 T1-8G813 ..... Each 1 94  
12 in shelf box; wt each 6 ozs.

Length 14 inches; for hammer size 00.  
008-532 T1-8G814 ..... Each 1 94  
12 in shelf box; wt each  $6\frac{3}{4}$  ozs.

Length 15 inches; for hammer size 0.  
008-540 T1-8G815 ..... Each 2 00  
12 in shelf box; wt each  $7\frac{1}{2}$  ozs.

Length 16 inches; for hammer size 1.  
008-557 T1-8G816 ..... Each 2 00  
12 in shelf box; wt each  $\frac{3}{4}$  lb.

Length 17 inches; for hammer sizes 2 and 3.  
008-565 T1-8G817 ..... Each 2 12  
12 in shelf box; wt each  $8\frac{3}{4}$  ozs.

Length 18 inches; for hammer sizes 4 and 5.  
008-573 T1-8G818 ..... Each 2 12  
12 in shelf box; wt each 9 ozs.

### —BLUE GRASS—Hickory—Octagon For T1-8G47 Adze Eye Nail Hammers and Others



Finest quality perfect second growth white hickory, polished.  
Length  $12\frac{1}{2}$  inches; hammer size 3.

008-235 T1-8G83 ..... Each \$2 10  
12 in shelf box; wt each  $4\frac{1}{2}$  ozs.

Length 13 inches; hammer size 2.  
008-243 T1-8G82 ..... Each 2 10  
12 in shelf box; wt each 6 ozs.

Length 14 inches; hammer size  $1\frac{1}{2}$ .  
008-250 T1-8G81 ..... Each 2 10  
12 in shelf box; wt each  $6\frac{3}{4}$  ozs.

Length 15 inches; hammer size 1.  
008-268 T1-8G80 ..... Each 2 17  
12 in shelf box; wt each  $6\frac{3}{4}$  ozs.

#### Special

Length 16 inches; hammer size  $1\frac{1}{2}$ .  
008-276 T1-8G84 ..... Each 2 19  
12 in shelf box; wt each  $8\frac{3}{4}$  ozs.

Length 18 inches; hammer size 1.  
008-284 T1-8G85 ..... Each 2 21  
12 in shelf box; wt each  $9\frac{1}{2}$  ozs.

### —BLUE GRASS—



Oval—For T1-8G1147 and T1-8G47R-28 Framing Hammer  
Finest quality perfect second growth white hickory, smooth  
wax finish. Length 18 inches.

625-277 T1-8G18 ..... Each \$2 14  
12 in shelf box; wt each  $\frac{3}{4}$  lb.

### —BLUE GRASS—Blacksmith's and Engineer's



Finest quality perfect second growth white hickory, polished.  
Length 16 inches; for hammers sizes 1, 2 and 3.

008-664 T1-8G916 ..... Each \$1 97  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

## HAMMER HANDLES

### —BLUE GRASS—BRICKLAYER'S



Finest quality perfect second growth white hickory, polished  
and waxed.

For bricklayer's hammers or scutes.

Length 10 inches.  
008-805 T1-8G128-10 ..... Each \$2 03

Length 11 inches.  
008-813 T1-8G128-11 ..... Each 2 03

Length 12 inches.  
008-821 T1-8G128-12 ..... Each 2 03  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

### —BLUE GRASS—Adze Eye Nail



Finest quality perfect second growth white hickory, polished.  
Length 14 inches; for hammer size  $1\frac{1}{2}$ .

008-490 T1-8G714 ..... Each 1 97  
12 in shelf box; wt each  $6\frac{3}{4}$  ozs.

Length 15 inches; for hammer size 1.  
008-508 T1-8G715 ..... Each 2 08  
12 in shelf box; wt each  $6\frac{3}{4}$  ozs.

### —BLUE GRASS—Octagon—Machinist's



Finest quality perfect second growth white hickory, polished.  
Length 12 inches; for hammer size 0000.

008-706 T1-8G412 ..... Each 2 20  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

Length 13 inches; for hammer size 000.  
008-714 T1-8G413 ..... Each 2 20  
12 in shelf box; wt each 6 ozs.

Length 14 inches; for hammer size 00.  
008-722 T1-8G414 ..... Each 2 20  
12 in shelf box; wt each  $6\frac{3}{4}$  ozs.

Length 15 inches; for hammer size 0.  
008-730 T1-8G415 ..... Each 2 19  
12 in shelf box; wt each  $7\frac{1}{2}$  ozs.

Length 16 inches; for hammer size 1.  
008-748 T1-8G416 ..... Each 2 19  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

Length 18 inches; for hammer sizes 4 and 5.  
008-763 T1-8G418 ..... Each 2 15  
12 in shelf box; wt each 9 ozs.

### —BLUE GRASS—Riveting



Finest quality perfect second growth white hickory, polished.  
Length 13 inches; for hammer size 3.

008-466 T1-8G1213 ..... Each \$1 97  
12 in shelf box; wt each  $\frac{1}{2}$  lb.

ALL HANDLES FURNISHED WITH WEDGES



## HAMMER HANDLES

—BLUE GRASS—Hickory  
For Tack Hammers

Finest quality perfect second growth white hickory, polished. Length 11½ inches. For T1-BG45 and T1-BG48 Blue Grass Bill Poster's hammer heads.

008-227 T1-BG11 1½" ..... Each \$2 09  
12 in shelf box; wt each ¾ lb.

## WALLBOARD HATCHET/HAMMER HANDLES

—BLUE GRASS—  
Fits T1-BG47DW—Hatchet/Hammer

Finest quality, perfect white second growth hickory. Smooth wax finish. Length 14 inches.

131-375 T1-BG3026-14 ..... Each \$2 44  
12 in shelf box; wt each 6 ozs.

HAND SAWS  
—BLUE GRASS—Taper Ground

Four-way taper ground blade, 15-ply carved laminated handle with five screws.

Scientifically hardened and tempered special analysis tool steel blade, precision set and bevel filed. Full four-gauge saw polished to a high mirror finish, striped back.

475-699 T1-BG443H-8—8-Point Hand  
475-707 T1-BG443H-10—10-Point Hand  
475-715 T1-BG443H-12—12-Point Hand  
475-723 T1-BG443H-5½—5½-Point Rip  
One in shelf box; 10 in shp ctn; wt ctn 8 lbs. Each \$11 35

—BLUE GRASS—Taper Ground



The silver steel constructed blade is—fully taper ground with set, expertly filed teeth and ribboned back. Wood handle is designed for superb comfort and balance.

Width blade point 1¼ inches; greatest width blade 6¾ inches.

Cutting length 26 inches.

370-007 T1-BG543-8—8-Point Hand  
370-114 T1-BG543-10—10-Point Hand  
370-189 T1-BG543-12—12-Point Hand  
2 in shelf box; wt box 4 lbs. Each \$13 41

## HAND SAWS

—BLUE GRASS—Taper Ground



A general purpose saw of special steel construction with flat ground blade and ribboned back. Teeth are set and bevel filed. Attractive handle with carved grip has three screws and medallion.

Width blade point 1½ inches; greatest width blade 6¼ inches.

Cutting length 26 inches.

370-213 T1-BG943-8—8-Point Hand  
370-346 T1-BG943-10—10-Point Hand  
2 in shelf box; wt box 3½ lbs. Each \$10 05

## HAND SAW DISPLAY RACKS

To be given No Charge when dealer purchases nine assorted of the 543 and 943 series.

370-452 T1-BG-HSD ..... NO CHARGE

## COMPASS SAWS

—BLUE GRASS—Adjustable



Crucible analysis alloy spring steel blade, thin back, full polished, filed and set.

Selected hardwood handle carved, varnished and polished. Nickel-plated screws. Fitting with adjustable lever. Adjustable blade 8 points to inch.

009-555 T1-BG248-12—12 inch ..... Each \$4 69  
6 in shelf box; wt each 10 ozs.

## EXTRA BLADES—For T1-BG248 Compass Saws

Crucible analysis alloy spring steel, bevel filled.  
009-571 T1-BG248B-12—12 inch ..... Each \$2 09  
12 in shelf box; wt each 10 ozs.

## BACK SAWS

—BLUE GRASS—



Extra quality crucible analysis alloy steel blade, full polished, set and filed. Blued steel back. Apple stained handle, var-

nished and polished; three nickel-plated brass saw screws.

Length 12 inches; width under back 3 inches; 14 points to inch.

009-506 T1-BG474-12 ..... Each \$9 22  
4 in shelf box; wt each 1½ lbs.

Length 14 inches; width under back 3½ inches; 14 points to inch.

009-514 T1-BG474-14 ..... Each \$10 05  
4 in shelf box; wt each 1½ lbs.

## MITRE BOX SAWS

—BLUE GRASS—



The Blue Grass Mitre Box Saw consists of heavy quality crucible analysis alloy steel, fully polished, set and filed. Genuine

hard wood handle with three screws. Length is 26 inches; width is 5 inches; 11 points to the inch.

688-416 T1-BG26-11 ..... Each \$15 20  
One in shelf box; wt box 4½ lbs.

## WOOD MITRE BOXES

### —BLUE GRASS—



Made of kiln-dried Rock Maple, will not warp.

Precision-cut edges are jointed and rabbeted to insure perfect seat with no possible misalignment.

Extra high 4 1/4-inch sides enables the mechanic to cut wide mouldings accurately and quickly.

Size 16x4 1/2 x 4 1/2 inches; two 90° mitres, two 45° mitres.

325-373 T5-BG346 ..... Each \$5 54  
6 in shp ctn; wt ctn 27 lbs.

### —BLUE GRASS—

Made of kiln-dried Rock Maple, will not warp.

Precision-cut edges are jointed and rabbeted to insure perfect seat with no possible misalignment.




Size 12x5 1/2 x 2 3/4 inches; one 90° mitre, two 45° mitres.  
020-222 T5-BG412 ..... Each \$2 29  
12 in shp ctn; wt each 1 3/4 lbs.

Size 16x5 1/2 x 2 3/4 inches; two 90° mitres, two 45° mitres.  
020-230 T5-BG416 ..... Each \$2 77  
12 in shp ctn; wt each 2 3/4 lbs.

## MITRE BOXES

### —BLUE GRASS—SAW INCLUDED



The same 5x28-inch, 11-point back saw that is used for the test cut is shipped with the mitre box.

Zinc cast base.  
Effortless cuts—Jaw rides on self-lubricating sintered bronze bearings.

Guide mechanism adjusts to blades of any thickness.

Perfect vertical

cuts—Saw guides can be adjusted to insure perfect vertical saw travel through the entire cut.

Accurate angle cuts and easy angle selection.

Angle selector guide mechanism can be reset to cut a perfect 90° angle.

Saw guides pivot and lock at all angles along easy-to-read scale.

Spring-loaded pointer stops guides at 7 most commonly used angles.

Base and pivot arm fully support the work at all angles.

Beautiful finish—Cuts—Work support bar pivots with angle selector which keeps the work level and insures clean, sharp, matching cuts.

Ease of work placement—Each saw hanger must be hand tripped so saw cannot fall while work is being positioned.

611-269 T5-BG123 ..... Each \$93 25  
One in shp ctn; wt ctn 31 lbs.

## MITRE BOXES

### —BLUE GRASS

#### Zinc Cast Base—Saw Included



Complete with 4x24 11-Point Back Saw with reusable saw blade protector.

Saw glides on 8 steel rollers that adjust for perfect saw alignment.

Saw guides are located 11 1/2 inches apart to extreme accuracy.

Base and pivot arm fully support the work at all angles.

Depth stops accurately limit depth of any cut and protect saw from striking metal base.

The angle between the saw back and the saw can be reset to 90° for permanent accuracy.

Saw guides pivot and lock at all angles along an easy-to-read scale.

Spring-loaded pointer stops guides at seven commonly used angles.

Steel legs place cutting bed 4 inches above workbench.

Each saw hanger must be hand tripped so saw cannot fall while work is being positioned.

Top support and work bracket.

611-046 T5-BG142 ..... Each \$66 19  
One in shp ctn; wt ctn 22 lbs.



## MITRE BOXES

—BLUE GRASS—  
Aluminum Cast Base



Heavy-duty, one-piece base and back is a casting for strength and durability. This frame is mounted on widespread fabricated feet for easy attachment to workbench. Miter box work surface is four inches above workbench for safety and easy operation.

Replaceable cutting board is mounted on the base top to protect the saw from striking the cast iron base.

An adjustable work stop and work clamp assembly is included and can be used at either end of box. This holds the work and assists in making accurate repetitive cuts.

Cutting surface length 18 inches; width 4 1/4 inches. Any hand or miter saw can be used.

611-327 T5-BG263 ..... Each \$26 66  
One in shp ctn; wt ctn 10 lbs.

—BLUE GRASS—  
Aluminum Cast Base

Ideal for the home workshop and picture framing.

Big cutting surface 18 inches long x 4 1/4 inches wide, any hand or miter saw can be



used. Thumb screw adjustments on saw guide allow for use of any thickness saw blade without saw wobble. All angles between 45° left or right can be made and held securely. Machined saw guide casting, metal back, hardwood base with rubber feet. Superior quality and product value.

3 1/2 x 16 inches, 11 point saw can be used. 610-774 T5-BG163 ..... Each \$15 42  
One in shelf box; 10 in shp ctn; wt ctn 52 lbs.

## COPING SAWS



—BLUE GRASS—  
Polished hardwood handle; nickel-plated steel ferrule.

Blade 6 1/4 inches; height under back 4 5/8 inches; with two blades for wood.

002-063 T1-BG847 ..... Each \$2 30  
One in shelf box; wt each 3/4 lb.

## COPING SAW BLADES

—BLUE GRASS—  
For Metal or Wood

Tool steel, oil hardened and tempered, filed and set. Length 6 1/4 inches; pin end.

For T1-BG847 saws. 002-121 T1-BG9478 ..... Pkg \$1 66

(Packages Will Not Be Broken)  
6 in pkg; 24 pkgs in shelf box; wt box 14 ozs.

For Wood

Bright steel, length 6 1/4 inches; pin end. For T1-BG847 saws. 002-139 T1-BG8478 ..... Pkg \$1 66

(Packages Will Not Be Broken)  
12 in pkg; 12 pkgs in shelf box; wt box 14 ozs.

## HACKSAW FRAMES

—BLUE GRASS—



Die-cast construction. No blade twist or wobble. Blades stay sharper longer due to high tension wheel above handle. Extra blade storage in

handle.

Compact over-all length 18 inches.

Holds 12-inch blades.

347-062 T1-BG1200 ..... Each \$7 96  
One in shelf box; wt box 2 1/4 lbs.

—BLUE GRASS—

Frame stock 3/4 x 3/4 inch metal. Depth of frame 3 3/4 inches. 16-gauge metal channel, projection-welded assembly.



Frame adjustable for 8, 10 and 12-inch blades. Streamlined handle with plastic facing. Bright finish frame, polished and buffed. Individually packaged.

002-543 T1-BG317 ..... Each \$4 87  
One in shelf box; wt each 2 1/4 lbs.

—BLUE GRASS—Pistol Grip



Heavy-duty design throughout—a lifetime tool. Depth of frame 3 1/4 inches.

Frame stock of 3/4 x 1 1/4 inch metal.

16-gauge metal channel. Projection-welded assembly. Plastic pistol grip handle. Frame adjustable to 8, 10 and 12-inch blades. Furnished complete with one 10-inch blade. Bright finish.

002-568 T1-BG327 ..... Each \$4 12  
One in shelf box; wt each 2 1/4 lbs.

## HACKSAW BLADES



—BLUE GRASS—Flexible—.025 Thick—18 Teeth

Extra quality carbon steel, hardened teeth, soft back. 18 teeth flexible for cutting tool steel, iron pipe, hard metals, light angles and most satisfactory for general use. Width 1/2 inch.

Raker Set

Ten inch. 002-683 T1-BG18-10 ..... 100 \$22 00

Twelve inch. 002-691 T1-BG18-12 ..... 100 24 00

(Packages Will Not Be Broken)  
10 blades in pkg; 100 blades in shelf box; wt 100, 4 1/2 lbs.

Undulating Set

Ten inch. 002-709 T1-BG024-10 ..... 100 \$22 00

Twelve inch. 002-717 T1-BG024-12 ..... 100 24 00

(Packages Will Not Be Broken)  
10 blades in pkg; 100 blades in shelf box; wt 100, 4 lbs.

—BLUE GRASS—

Flexible—.025 Thick—32 Teeth—Undulating Set

Extra quality carbon steel; hardened teeth, soft back. 32 teeth flexible for cutting tubing, brass, copper, drill rods, medium tubing and sheet metals. Width 1/2 inch.

Ten inch. 002-725 T1-BG032-10 ..... 100 \$22 00

Twelve inch. 002-733 T1-BG032-12 ..... 100 23 00

(Packages Will Not Be Broken)  
10 blades in pkg; 100 blades in shelf box; wt box 4 lbs.

## HACKSAW BLADES

—BLUE GRASS—

HIGH SPEED STEEL MOLYBDENUM—Hard Edge



Hard blades with a flexible back for use in limited space or wherever twisting or cramping of the blade may be expected. Has that extra "give" to hold breakage to a minimum.

## Raker Set

Width  $\frac{1}{2}$  Inch—18 Teeth Per Inch—Thickness .025 InchLength 10 inches; weight 100, 3 $\frac{1}{2}$  pounds.

003-020 T1-BG1810MF ..... 100 \$68 00

Length 12 inches; weight 100, 4 $\frac{1}{2}$  pounds.

003-038 T1-BG1812MF ..... 100 66 00

(Packages Will Not Be Broken)

10 blades in pkg; 100 blades in shelf box.

## Wave Set

Width  $\frac{1}{2}$  Inch—24 Teeth Per Inch—Thickness .025 InchLength 10 inches; weight 100, 3 $\frac{1}{2}$  pounds.

003-046 T1-BG2410MF ..... 100 \$68 00

Length 12 inches; weight 100, 4 $\frac{1}{2}$  pounds.

003-053 T1-BG2412MF ..... 100 74 00

Width  $\frac{1}{2}$  Inch—32 Teeth Per Inch—Thickness .025 InchLength 10 inches; weight 100, 4 $\frac{1}{4}$  pounds.

163-451 T1-BG3210MF ..... 100 \$68 00


Length 12 inches; weight 100, 4 $\frac{1}{2}$  pounds.

164-350 T1-BG3212MF ..... 100 74 00

(Packages Will Not Be Broken)

10 blades in pkg; 100 blades in shelf box.

## HACKSAW BLADE DISPLAY PANELS



## —BLUE GRASS—

$\frac{1}{4}$ -inch tempered masonite display panel painted in yellow.

Attractive four-color header.

Size panel 24x12 $\frac{1}{2}$  inches.

Features both high speed and standard blades and "Select the Proper Tooth" specification information.

Blank price marking circles.

Can be used for wall or pegboard mounting.

Merchandise includes the following:

- 10 only—T1-BG1810MF—High Speed Blades
- 10 only—T1-BG2410MF—High Speed Blades
- 10 only—T1-BG3210MF—High Speed Blades
- 20 only—T1-BG1812MF—High Speed Blades
- 20 only—T1-BG2412MF—High Speed Blades
- 10 only—T1-BG3212MF—High Speed Blades
- 30 only—T1-BG18-10—Regular Blades
- 30 only—T1-BG24-10—Regular Blades
- 40 only—T1-BG18-12—Regular Blades
- 40 only—T1-BG24-12—Regular Blades

445-569 T1-BG1840 ..... Each \$89 00

One in shp ctn; wt ctn 8 lbs.

## BOW AND UTILITY SAW DISPLAYS

—BLUE GRASS—

## UTILITY SAW

Chrome finished tubular steel frame. Comfortable hand grip for faster one-hand pruning.


Swedish charcoal taper ground blade is kept tight by proper tension adjustment of a wing nut. The teeth, filed to razor sharpness, cut on both forward and backward strokes.

## BOW SAW

Chrome finished tubular steel frame. Swedish charcoal taper ground blade by proper tension adjustment of a wing nut. Precision filed razor-sharp teeth cuts on both forward and backward strokes.

Metal rack is 12 $\frac{1}{4}$  inches wide, 4 inches high. Has 3 $\frac{1}{2}$ -inch long metal prongs for hanging saws.

(Pegboard not included.)



Display consists of:

3—T1-BG221—21-inch Utility Saws

3—T1-BG30-30—30-inch Bow Saws

2—T1-BG36-36—36-inch Bow Saws

2—T1-BG1-21—21-inch Replacement Blade for Utility Saw

2—T1-BG1-30—30-inch Replacement Blade for Bow Saw

1—T1-BG1-36—36-inch Replacement Blade for Bow Saw

430-769 T1-BG1313 ..... Each \$56 65

One in shp ctn; wt ctn 20 lbs.

## PRUNING OR UTILITY SAWS

—BLUE GRASS—



Designed for easy, almost effortless pruning, this sturdy saw is made of extra-strong, tempered, tubular steel, weatherproof durable chrome finished frame. This saw is light in weight and has a comfortable hand grip for faster one-hand pruning. Also, it is very useful, as a utility saw, around the home, farm, shop and cottage.

Although the blade is kept tight by proper tension adjustment, it can be removed and replaced without special tools. The blade is made in Norway of the finest Swedish charcoal steel, taper ground, especially hardened and tempered. The teeth, filed to razor sharpness, cut on both forward and backward strokes.

003-459 T1-BG221 ..... Each \$4 18

5 in shp ctn; wt each 1 lb, 11 ozs.

## REPLACEMENT BLADES—For Above Saw

003-467 T1-BG1-21 ..... Each \$1 64

10 in shelf box; wt each 1 $\frac{3}{4}$  lbs.



## PULPWOOD OR BOW SAWS

—BLUE GRASS—Adjustable



Tempered extra strong, flat tubular steel frame, weather-proof durable chrome finish.

Swedish steel blade hardened and tempered, precision filed to razor sharpness and properly set to give faster, easier and more accurate cutting.

Thirty inch.		
003-285	T1-BG30-30	Each \$5 67
Thirty-six inch.		
003-293	T1-BG36-36	Each 6 63
Forty-two inch.		
003-301	T1-BG42-42	Each 7 67
One in shp ctn; wt ctn 3 lbs.		

## REPLACEMENT BLADES

For Blue Grass Pulpwood or Bow Saws

Thirty-inch.		
003-319	T1-BG1-30	Each \$2 41
Thirty-six inch.		
003-327	T1-BG1-36	Each 2 81
Forty-two inch.		
003-335	T1-BG1-42	Each 3 13
One in shelf box; wt each 1/4 lb.		

## STRETCHER BOLT AND NUTS

For Blue Grass Pulpwood or Bow Saws

Set consists of one tension screw with nut and two pins.		
003-343	T1-BGC8N	Set \$0 65
One set in shelf box.		

## ACCESSORIES FOR CHAIN SAWS

## EXTRA GUIDE BARS

—BLUE GRASS—

Features roller bearing tip that increases cutting power. Made from high quality tool steel, with hardened rails for longer life. Precision ground .058 chain groove reduces friction and chain wear.

Cutting capacity 15 inches for use on model T2-BGPL4-15 chain saw.

330-142	T2-BGPL2813	Each \$21 08
One in shelf box; wt box 2 lbs.		

## —BLUE GRASS—GUIDE BARS

For T2-BG5, T2-BG7 and T2-BG65 Chain Saws

23-inch.		
639-542	T2-BGA-2820-23	Each \$31 77
One in shp ctn; wt each 4 1/4 lbs.		
30 inch.		
639-559	T2-BGA-2825-30	Each 44 00
One in shp ctn; wt each 5 1/4 lbs.		

## —BLUE GRASS—SPROCKET COVERS

For T2-BG5 and T2-BG7 Chain Saws

357-632	T2-BG49239A	Each \$7 65
One in shp ctn; wt each 2 lbs.		

## —BLUE GRASS—CHAIN SAW FILES

For T2-BG48880 File Guides

040-055	T6-BG7F-8-1/4	Each \$1 33
12 in shelf box; wt each 1 1/2 ozs.		

## CARBIDE TIPPED BLADES

—BLUE GRASS—

## SATIN FINISH—20 TEETH

Diamond to 5/8-inch round arbor.

Diameter 6 1/2 inches.

485-268	T2-BG650	Each \$6 90
---------	----------	-------------

Diameter 7 inches.

485-284	T2-BG700	Each 6 90
---------	----------	-----------

Diameter 8 inches.

485-458	T2-BG800	Each 7 50
---------	----------	-----------

## SATIN FINISH—28 TEETH

5/8-inch round arbor.

Diameter 9 inches.

485-466	T2-BG900CA	Each \$11 96
---------	------------	--------------

Diameter 10 inches.

485-474	T2-BG1000	Each 11 96
---------	-----------	------------

—BLUE GRASS—

## HARD CHROME FINISH

40 TEETH

Diamond to 5/8-inch round arbor.

Diameter 6 1/2 inches.

485-912	T2-BG6504C	Each \$15 57
---------	------------	--------------

Diameter 7 inches.

485-946	T2-BG7004C	Each 15 57
---------	------------	------------

Diameter 8 inches.

486-316	T2-BG8004C	Each 17 36
---------	------------	------------

5/8-inch round arbor.

Diameter 9 inches.

486-878	T2-BG9004C	Each 19 77
---------	------------	------------

5/8 to 3/4-inch arbor.

Diameter 10 inches.

487-330	T2-BG10004C	Each 20 96
---------	-------------	------------

## HARD CHROME FINISH—60 TEETH

Diamond to 5/8-inch round arbor.

Diameter 8 inches.

639-591	T2-BG6008	Each \$28 50
25 in shp ctn; wt ctn 40 lbs.		

Diameter 9 inches.

639-617	T2-BG6009	Each \$29 96
25 in shp ctn; wt ctn 46 lbs.		

Diameter 10 inches.

639-641	T2-BG6010	Each \$32 96
25 in shp ctn; wt ctn 54 lbs.		

## CUT OFF WHEEL ASSORTMENT —BLUE GRASS—



An assortment of masonry and metal cutting blades.

Each wheel in attractive sleeve.

Bushings packed with wheel. Sturdy wire display rack.

Assortment consists of:

- 4—T69-BG6GMB—6-inch Masonry Cutting Blades
- 4—T69-BG6½GMB—6½-inch Masonry Cutting Blades
- 4—T69-BG7GMB—7-inch Masonry Cutting Blades
- 4—T69-BG8GMB—8-inch Masonry Cutting Blades
- 2—T69-BG6RMCB—6-inch Metal Cutting Blades
- 2—T69-BG6½RMCB—6½-inch Metal Cutting Blades
- 2—T69-BG7RMCB—7-inch Metal Cutting Blades
- 2—T69-BG8RMCB—8-inch Metal Cutting Blades
- 1—Wire Display Rack

081-687 T13-BG26

Ass't \$46 59  
Packed in 2 shp etns; wt 17 lbs.

## MASONRY CUTTING BLADES

### —BLUE GRASS— GREEN LABEL

The proper grit and grade to perform all general purpose operation effectively on concrete, brick, tile, cement block and stone.

Each wheel in attractive sleeve.


Universal arbor, diamond shape to fit Skil and ½ and ¾-inch round.

Bushings packed with blade.

- |          |             |      |        |
|----------|-------------|------|--------|
| 6 inch.  |             |      |        |
| 517-763  | T13-BG6GMB  | Each | \$1 65 |
| 6½ inch. |             |      |        |
| 119-065  | T13-BG6½GMB | Each | 1 73   |
| 7 inch.  |             |      |        |
| 517-771  | T13-BG7GMB  | Each | 1 79   |
| 8 inch.  |             |      |        |
| 517-805  | T13-BG8GMB  | Each | 2 09   |
- 10 in shp etn; wt etn 4 lbs.



## METAL CUTTING BLADES



### —BLUE GRASS— RED LABEL

The proper grit and grade to perform all general purpose operations effectively on steel, aluminum, brass, bronze, copper.

Each wheel in attractive sleeve.

Universal arbor, diamond shape to fit Skil and ½ and ¾-inch round.

Bushings packed with blade.

- |          |              |      |        |
|----------|--------------|------|--------|
| 6 inch.  |              |      |        |
| 517-896  | T13-BG6RMCB  | Each | \$1 65 |
| 6½ inch. |              |      |        |
| 168-260  | T13-BG6½RMCB | Each | 1 73   |
| 7 inch.  |              |      |        |
| 519-926  | T13-BG7RMCB  | Each | 1 79   |
| 8 inch.  |              |      |        |
| 519-942  | T13-BG8RMCB  | Each | 2 09   |
- 10 in shp etn; wt each 2 lbs.

## BLUE GRASS CIRCULAR SAW BLADE DISPLAY



### PEGBOARD—SPINNER DISPLAY

Revolving display of metal construction enameled in Blue Grass blue. Attractive Blue Grass header.

Blades are made of the finest quality chrome nickel saw steel, hardened and tempered. Hard chrome finish stays sharp up to 5 times longer.

Display Size—width 19 inches; height 35 inches. Extends 11 inches from pegboard.

Display consists of the following saw blades:

- 2—T2-BG46
- 4—T2-BG46½
- 1—T2-BG47
- 5—T2-BG47½
- 1—T2-BG48
- 1—T2-BG6C
- 2—T2-BG6½C
- 1—T2-BG6½CT
- 1—T2-BG7CT
- 2—T2-BG7C
- 1—T2-BG7CO
- 1—T2-BG8C
- 2—T2-BG6½CO
- 2—T2-BG5½PW
- 2—T2-BG6½PW
- 1—T2-BG6½R
- 1—T2-BG7R
- 1—T2-BG8R
- 1—T2-BG10R
- 2—T2-BG7½CT
- 2—T2-BG7½PW



- |         |           |      |         |
|---------|-----------|------|---------|
| 599-696 | T2-BG789D | Each | \$94 80 |
|---------|-----------|------|---------|
- One in 2 shp etns; wt 43 lbs.



# BLUE GRASS CUT OFF WHEEL ASSORTMENTS



081-687 T13-BG26

# BLUE GRASS CIRCULAR SAW BLADE DISPLAYS PEGBOARD—SPINNER DISPLAY



599-696 T2-BG789D



PEGBOARD DISPLAY—SIX SWINGING RACKS  
CONTAINS 6", 6½", 7¼" and 8" BLADES

393-108 T2-BG8910

RACK HOLDS 9" and 10" BLADES





## BLUE GRASS CIRCULAR SAW BLADE DISPLAY

### PEGBOARD DISPLAY—SIX SWINGING RACKS

Display of metal construction enameled in Blue Grass blue. Attractive Blue Grass Header.

Height over-all 36 inches; width 19½ inches.


Display has six display panels with pockets on each side; gives you 36 DISPLAY SPACES! Each display section has a card holder for item identification.

Display will hold all size blades up to and including 8 inch. A separate FREE standing rack is included for 9 and 10-inch blades.

Assortment contains 73 of the most POPULAR BLADES. Display goes to the Dealer NO CHARGE when he BUYS THE ASSORTMENT.



Blades are made of the finest quality chrome nickel saw steel, hardened and tempered. Hard chrome finish stays sharp up to 5 times longer.



Display consists of the following saw blades:

- |             |             |
|-------------|-------------|
| 4—T2-BG6½C  | 3—T2-BG6½CO |
| 5—T2-BG7½C  | 3—T2-BG7CO  |
| 4—T2-BG7C   | 1—T2-BG7½CO |
| 6—T2-BG47½  | 1—T2-BG5½PW |
| 3—T2-BG6½PW | 2—T2-BG46   |
| 4—T2-BG46½  | 1—T2-BG8CT  |
| 4—T2-BG6½CT | 1—T2-BGPV6½ |
| 4—T2-BG7½PW | 1—T2-BG48   |
| 3—T2-BG47   | 6—T2-BG7½CT |
| 2—T2-BG7PW  | 1—T2-BG8R   |
| 2—T2-BG6C   | 1—T2-BG6R   |
| 2—T2-BG7CT  | 1—T2-BGPV7½ |
| 2—T2-BG6½R  | 1—T2-BG9C   |
| 2—T2-BG8C   | 1—T2-BG10C  |
| 2—T2-BG7R   |             |

393-108 T2-BG8910.....Each \$215 80

Packed in 2 shp ctns; wt 71 lbs.

Same as T2-BG8910 except without racks.

627-307 T2-BG8910-LR.....Each \$193 51

One in shp ctn; wt ctn 65 lbs.

## BLUE GRASS CIRCULAR BLADES

BULK PACKED—25 IN CARTON

Diameter 6½ Inches



Master comb. Flat ground. Diamond to ⅝-inch round.  
639-914 T2-BG6½-25.....Each \$2 50  
25 in shp ctn; wt ctn 13 lbs.

Standard comb. ⅝ to 1½ inch.  
640-516 T2-BG6½-25.....Each 2 46  
25 in shp ctn; wt ctn 13 lbs.

Plywood flat ground. Diamond to ⅝-inch round.  
640-698 T2-BG6½PW-25.....Each 2 81  
25 in shp ctn; wt ctn 13 lbs.

Chisel tooth comb. Diamond to ⅝-inch round arbor.  
641-167 T2-BG6½CT-25.....Each 2 46  
25 in shp ctn; wt ctn 13 lbs.

Diameter 7½ Inches

Master comb. Flat ground. Diamond to ⅝-inch round.  
640-508 T2-BG7½C-25.....Each \$2 62  
25 in shp ctn; wt ctn 16 lbs.

Standard comb. ⅝-inch round—1½-inch round.  
640-631 T2-BG47-½-25.....Each 2 54  
25 in shp ctn; wt ctn 16 lbs.

Plywood flat ground. Diamond to ⅝-inch round.  
641-092 T2-BG7½PW-25.....Each 2 63  
25 in shp ctn; wt ctn 16 lbs.

Chisel tooth comb. ⅝ to 1½-inch round—18 teeth per blade.  
641-217 T2-BG7½CT-25.....Each 2 54  
25 in shp ctn; wt ctn 16 lbs.

(Cartons Will Not Be Broken)

## POWER SAW BLADES STEEL CUTTER BLADES —BLUE GRASS—



Made of the finest quality nickel saw steel, hardened and tempered. Surface impregnated with hard chrome, stays sharp up to 5 times longer.

Rust-resistance greatly increases cutting life.

Designed for cutting corrugated or sheet roofing, black iron, furnace pipe, thin bar stock. Cuts by friction.

For electric handsaws with ⅝ or 1½-inch arbors. One in envelope.

Diameter 6½ inches.  
637-835 T2-BG6½SC.....Each \$2 69

One in env; wt each 9 ozs.

Diameter 7½ inches.  
638-122 T2-BG7½SC.....Each 2 83

One in env; wt each 14 ozs.

## DADO SETS AND CHIPPERS —BLUE GRASS—



004-986 T2-BG6½.....Set \$16 75  
One set in box; wt set 2½ lbs.

## BLUE GRASS DE LUXE CIRCULAR SAW BLADES



	Each	Style	Arbor Hole
<b>DIAMETER 5 1/2 INCHES</b>			
039-677 T2-BG5 1/2 CT	\$2 81	Chisel Tool Comb.	3/8-inch round
040-006 T2-BG5 1/2 PW	2 81	Plywood Flat Ground	3/8-inch round
<b>DIAMETER 5 3/8 INCHES</b>			
337-717 T2-BG5 3/8 PW	\$2 81	Plywood Flat Ground	3/8-inch to 1/2-inch round
<b>DIAMETER 6 INCHES</b>			
004-135 T2-BG6C	\$2 81	Master Comb. Flat Ground	3/8 to 1/2 inch
335-257 T2-BG6R	2 81	Rip	3/8 to 1/2 inch
609-784 T2-BG46	2 81	Standard Comb.	3/8 to 1/2 inch
<b>DIAMETER 6 1/2 INCHES</b>			
337-725 T2-BG6 1/2 PW	\$2 97	Plywood Flat Ground	Diamond to 5/8-inch round
004-283 T2-BG6 1/2 C	2 97	Master Comb. Flat Ground	Diamond to 5/8-inch round
612-481 T1-BG46 1/2	2 81	Standard Comb.	3/8 to 1/2 inch
334-011 T2-BG6 1/2 CO	2 81	Cross-Cut Flooring	3/8 to 1/2 inch
335-273 T2-BG6 1/2 R	2 81	Rip	3/8 to 1/2 inch
609-305 T2-BG6 1/2 HG	4 77	Hollow Ground Planer	3/8 to 1/2 inch
051-862 T2-BG6 1/2 CT	2 81	Chisel Tooth Comb.	Diamond to 5/8-inch round arbor
318-378 T2-BGPV6 1/2	4 77	Thin Rim Plywood	3/8 to 1/2 inch
342-394 T2-BG66 1/2 CT	10 12	Carbide 8-Tooth	3/8 to 1/2 inch
574-707 T2-BG6 1/2 NF	4 96	For Cutting Brass, Alum, Copper and Non-Ferrous Metals	3/8 to 1/2 inch
260-596 T2-BG24-6 1/2	12 66	Carbide 24-Tooth	3/8 to 1/2 inch
<b>DIAMETER 7 INCHES</b>			
612-531 T2-BG47	\$2 97	Standard Comb.	3/8 to 1/2 inch
004-168 T2-BG7C	3 08	Master Comb. Flat Ground	3/8 to 1/2 inch
053-272 T2-BG7CT	2 97	Chisel Tooth Comb.	3/8 to 1/2 inch
334-284 T2-BG7CO	2 97	Cross-Cut Flooring	3/8 to 1/2 inch
335-398 T2-BG7R	2 97	Rip	3/8 to 1/2 inch
338-095 T2-BG7PW	3 08	Plywood Flat Ground	Diamond to 5/8-inch to 1/2-inch round
339-697 T2-BG7HG	4 96	Hollow Ground Planer	3/8 to 1/2 inch
004-721 T2-BG67CT	11 10	Carbide 8-Tooth	3/8 to 1/2 inch
<b>DIAMETER 7 1/4 INCHES</b>			
613-026 T2-BG47 1/4	\$2 97	Standard Comb.	3/8 to 1/2-inch round
061-721 T2-BG7 1/4 C	3 08	Master Comb. Flat Ground	Diamond to 5/8-inch round
634-477 T2-BG7 1/4 CO	2 97	Cross-Cut Flooring	3/8 to 1/2 inch
241-778 T2-BG7 1/4 CT-18	2 97	Chisel Tooth Comb.	3/8 to 1/2-inch round—18 teeth per blade
634-907 T2-BG7 1/4 R	3 04	Rip	3/8 to 1/2 inch
573-394 T2-BG7 1/4 PW	3 08	Plywood Flat Ground	Diamond to 5/8-inch round
612-077 T2-BGPV-7 1/4	4 96	Thin Rim Plywood	3/8 to 1/2 inch
635-151 T2-BG7 1/4 HG	4 96	Hollow Ground Planer	3/8 to 1/2 inch
004-184 T2-BG7 1/4 CT	2 97	Chisel Tooth Comb.	Diamond to 5/8-inch round
260-646 T2-BG-24-7 1/4	14 19	Carbide 24-Tooth	3/8 to 1/2 inch
<b>DIAMETER 8 INCHES</b>			
004-192 T2-BG8C	\$ 3 59	Master Comb. Flat Ground	3/8 to 1/2 inch
333-138 T2-BG8CT	3 23	Chisel Tooth Comb.	Diamond to 5/8-inch round arbor
334-474 T2-BG8CO	3 38	Cross-Cut Flooring	3/8 to 1/2 inch
335-463 T2-BG8R	3 38	Rip	3/8 to 1/2 inch
004-754 T2-BGPV-8	5 70	Thin Rim Plywood	3/8 to 1/2 inch
004-739 T2-BG88CT	11 85	Carbide 8-Tooth	3/8 to 1/2 inch
613-034 T2-BG48	3 23	Standard Comb.	3/8 to 1/2 inch
612-465 T2-BG8PW	3 56	Plywood Flat Ground	3/8 to 1/2-inch
<b>DIAMETER 9 INCHES</b>			
642-108 T2-BG9C	\$ 4 37	Master Comb. Flat Ground	3/8 to 1/2 inch
332-254 T2-BG9CT	4 37	Chisel Tooth Comb.	3/8 to 1/2 inch
335-190 T2-BG9CO	4 37	Cross-Cut Flooring	3/8 to 1/2 inch
340-638 T2-BG9HG	7 50	Hollow Ground Planer	3/8 to 1/2 inch
613-067 T2-BG49	4 37	Standard Comb.	3/8 to 1/2 inch
418-715 T2-BG24-9	24 84	Carbide 24-Tooth	3/8 to 1/2 inch
612-796 T2-BG9PW	4 73	Plywood Flat Ground	3/8 to 1/2-inch
<b>DIAMETER 10 INCHES</b>			
004-226 T2-BG10C	\$ 4 97	Master Comb. Flat Ground	3/8 to 5/8 inch
333-328 T2-BG10CT	4 97	Chisel Tooth Comb.	3/8 to 5/8 inch
335-208 T2-BG10CO	4 97	Cross-Cut Flooring	3/8 to 5/8 inch
335-471 T2-BG10R	4 97	Rip	3/8 to 5/8 inch
341-115 T2-BG10HG	9 30	Hollow Ground Planer	3/8 to 5/8 inch
318-576 T2-BGPV-10	9 30	Thin Rim Plywood	3/8 to 5/8 inch
004-747 T2-BG610CT	13 43	Carbide 8-Tooth	3/8 to 5/8 inch
613-091 T2-BG410	4 97	Standard Comb.	3/8 to 5/8 inch
420-547 T2-BG24-10	25 73	Carbide 24-Tooth	3/8 to 1/2 inch
612-812 T2-BG10PW	5 59	Plywood Flat Ground	3/8 to 1/2 inch
<b>DIAMETER 12 INCHES</b>			
330-746 T2-BG12C	\$ 8 24	Master Comb. Flat Ground	3/4 to 1 inch
335-489 T2-BG12R	8 24	Rip	3/4 to 1 inch

Above blades one in shelf box; wt 5 3/4 inch, 6 ozs; 6 to 6 1/2 inch, 3/4 lb; 7 inch, 1 1/8 lbs; 8 1/4 inch, 1 1/4 lbs; 9 inch, 1 1/2 lbs; 10 inch, 2 lbs; 12 inch, 2 1/4 lbs.



# BLUE GRASS DELUXE BLADES

WITH HARD CHROME FINISH STAYS SHARP UP TO 5 TIMES LONGER

Blue Grass Deluxe blades are made of the finest quality chrome nickel saw steel, hardened and tempered in electrically-controlled furnaces to insure toughness and correct hardness for long wear and sharpness. Blue Grass Deluxe blades are precision-ground and filed for trouble-free service. Hard chrome finish to prevent rust and stay sharp longer.

FOR HOME WORKSHOPS, CONTRACTORS, BUILDERS, LUMBER YARDS AND FACTORIES  
WILL FIT MOST TABLE SAWS, ELECTRIC HAND SAWS AND RADIAL-ARM SAWS



HOLLOW GROUND  
PLANER for smooth  
finishing work



FLAT GROUND COMBINATION  
for rip and cross cutting



RIP for rip cutting



CROSSCUT for flooring



CHISEL TOOTH for fast ripping  
and cross cutting



THIN RIM PLYWOOD for  
smooth cutting cabinet work  
and plywood



FLAT GROUND PLYWOOD  
for smooth cross cutting  
of plywood

SPECIFY ARBOR SIZE WHEN ORDERING  
SAW BLADES OR DADO SETS

## BLUE GRASS 6 INCH DADO SETS

PRECISION-GROUND TOP QUALITY SAW STEEL



Outside saws and chippers perfectly matched to insure smooth, clean groove. Set includes two  $\frac{1}{4}$ -inch outside saws, four  $\frac{1}{4}$ -inch chippers and one  $\frac{1}{16}$ -inch chipper.

## BLUE GRASS CARBIDE TIPPED BLADES.



CARBIDE for cutting plastics,  
transite, wallboard, etc.

### HARD CHROME FINISH 8 TOOTH STYLE

Made of the finest saw steel, and teeth tipped with tungsten carbide, the hardest metal made.

New tooth design for maximum safety, projects slightly above the non-cutting edge. Gives new safety and efficiency.

Cuts tough materials like Masonite, formica, plastics, transite, asbestos, aluminum siding, and roofing and all types of wood.

Do not use for cutting stone, or ferrous metals. Do not try to sharpen or have sharpened locally as special equipment and diamond wheels are needed. Return to Belknap, for servicing.

# BELKNAP, INC.

LOUISVILLE

KENTUCKY, U.S.A.

## SAW MANDRELS

—BLUE GRASS—Ball Bearing



Made of one-piece blue iron cast housing double sealed ball bearings designed to exclude dirt and retain the lubricant.  
Can be used in the factory, in the garage, on the farm, as well as in the home work shop.

## HEAVY DUTY

Designed and constructed for high speed, heavy loads, shock loads and power transmission.

Heavy duty double sealed ball bearings.

Permanent lubrication. Ground and polished steel shaft.

Shaft 9 1/2 inches; diameter shaft 3/4 inch; saw bore 1 1/2 inch.  
388-603 T2-BG300-1/2 Each \$12 93  
One in shelf box; wt each 5 lbs.

Shaft 10 inches; diameter shaft 3/4 inch; saw bore 5/8 inch.  
388-686 T2-BG500-3/8 Each 12 56  
One in shelf box; wt each 6 lbs.

## PLANES

—BLUE GRASS—Adjustable Jack

Black cast iron frame, polished bottoms, sides and cap. Laminated knob and handle. Chrome plated lever. Chrome alloy steel cutter, adjustable brass screw.  
Over-all length 14 inches, width cut 2 inches.



020-289 T2-BG75P ..... Each \$20 92  
One in shelf box; wt each 4 1/2 lbs.



## —BLUE GRASS—Adjustable—Smooth

Black cast iron frame, polished bottoms, sides and cap. Laminated knob and handle. Chrome alloy steel cutter and brass adjusting screw.

Over-all length 9 inches; width cut 2 inches.

020-271 T2-BG74P ..... Each \$19 13  
One in shelf box; wt each 3 1/2 lbs.

## —BLUE GRASS—Adjustable—Block

Black cast iron frame, polished bottoms and sides. Chrome lever. Chrome alloy steel cutter. Brass knob on steel adjusting screw.

Over-all length 7 inches; width cut 1 1/2 inches.

020-545 T2-BG722 ..... Each \$8 20  
One in shelf box; wt each 2 lbs.



## BLUE GRASS ALUMINUM OXIDE SANDING DISCS



HANDY PACKS of 5-, 6- and 7-inch discs for sanders and home adapter kits are available in a selected grit range and are furnished with slotted 1/4-inch center holes which will accommodate arbors up to 1-inch diameter. They offer long wearing, aluminum oxide grit discs on a sturdy flexible paper backing to the home crafter.

Five Discs in Cellophane Pegboard Package  
Key for Grits

Fine—120  
Medium—80  
Coarse—50  
Very Coarse—36

Discs 5x1/4 Inches—20 Packages in Shelf Box  
For Black & Decker, Skilsaw, Clark Duo and Cummings Sanders

664-235	T2-BG61-120	Box	\$11 62
Wt box 3 lbs.			
		Medium	
664-318	T2-BG61-80	Box	\$14 58
Wt box 5 lbs.			
		Coarse	
664-409	T2-BG61-50	Box	\$19 89
Wt box 7 lbs.			
		Very Coarse	
664-672	T2-BG61-36	Box	\$23 59
Wt box 9 lbs.			
5 boxes of 20 pkgs each equals one unit.			

## ASSORTMENT—Discs 5x1/4 Inches

Includes—2 Fine, 1 Medium, 2 Coarse.

664-904 T2-BG61A ..... Box \$17 52  
5 boxes of 20 pkgs each equals one unit.

## DISCS—6x1/4 Inches

For Skilsaw, Porter-Cable D6 and Craftsman Sanders  
5 Discs in Envelope Package—20 Packages in Shelf Box

664-920	T2-BG62F	Box	\$16 71
Wt box 4 lbs.			
		Medium	
665-372	T2-BG62M	Box	\$20 24
Wt box 6 lbs.			
		Coarse	
665-455	T2-BG62C	Box	\$28 91
Wt box 8 lbs.			
5 boxes of 20 pkgs each equals one unit.			
(Boxes Will Not Be Broken)			

†On orders for 5 to 9 units (shipping cartons), 15% beyond this catalog price.  
All sandpaper items listed in catalog can be combined for the 5 unit price if all items are full units.



## SABER SAW BLADE DISPLAYS

—BLUE GRASS—

Holds 45 Cards—90 Blades of the Best Selling Styles  
Two Blades on Attractive Skin-Pack Self-Selling Card



Finest quality steel blades will fit all the popular Saber Saws. Blue Grass, Crusader, Cyclone, Black & Decker, Craftsman, Disston, McGraw-Edison, Millers Falls, Milwaukee, Pet, Powr-Kraft, Shopmate, Skil, Stanley, Wen, Wizard, Belknap, Rockwell and other saws with  $\frac{1}{4}$ -inch shanks.

Mounted on a 6-prong metal pegboard rack.

Consists of:

- 10 cards—T2-BG907—6 teeth Wood Cutting Blades
- 10 cards—T2-BG910—10 teeth Wood Cutting Blades
- 10 cards—T2-BG912—14 teeth Wood Cutting Scroll Blades
- 5 cards—T2-BG913—10 teeth Hollow Ground Blades
- 5 cards—T2-BG914—14 teeth Metal Cutting Blades
- 5 cards—T2-BG924—24 teeth Metal Cutting Blades

272-609 T2-BG900.....Each \$26 85  
One ass't in shp ctn; wt ctn  $3\frac{1}{2}$  lbs.

## SABER SAW BLADES

—BLUE GRASS—

OPEN STOCK—For T2-BG900 Display  
For  $\frac{1}{4}$ -Inch Shank Saber Saws

Designed to fit all Blue Grass, Crusader, Cyclone, Jig Saws and all others except Porter Cable and Sunbeam.

## Wood and Composition Cutting—Coarse

High carbon steel. For cutting 0 to  $\frac{3}{4}$  inch soft and hard-wood, general purpose and plunge cutting. Six teeth per inch. Over-all length 3 inches. Color black.

Two on Skin Pack Card

272-617 T2-BG907.....Card \$0 46  
(Cards Will Not Be Broken)  
10 cts in shelf box; wt box 5 ozs.

## Wood and Composition Cutting—Fine

High carbon steel. For cutting 0 to  $\frac{3}{4}$  inch soft and hard-wood, general purpose and plunge cutting. Ten teeth per inch. Over-all length 3 inches. Color black.

Two on Skin-Pack Card

272-625 T2-BG910.....Card \$0 46  
(Cards Will Not Be Broken)  
10 cts in shelf box; wt box 5 ozs.

## Wood and Composition Cutting

Alloy steel scroll saw for cutting  $\frac{1}{4}$  to  $\frac{3}{4}$  inch plywood and composition board, scroll sawing ( $\frac{3}{8}$  inch minimum radius), all woods, non-ferrous metals  $\frac{1}{16}$  to  $\frac{3}{8}$  inch thick. 14 teeth per inch.

Over-all length  $2\frac{1}{2}$  inches. Color black.

Two on Skin-Pack Card

272-633 T2-BG912.....Card \$0 54  
(Cards Will Not Be Broken)  
10 cts in shelf box; wt box 4 ozs.

## SABER SAW BLADE SETS

—BLUE GRASS—



Five-Piece Set—Fits All  $\frac{1}{4}$ -Inch  
Shank Saber Saws

Made of the finest saw steel for wood and metal cutting.

Fits the following saws: Blue Grass, Crusader, Cyclone, Wen, Shopmate, Craftsman, Millers Falls, Black & Decker, Skil, Stanley, Disston, Powr-Kraft, Belknap, McGraw Edison, Milwaukee, Pet, Rockwell, Wizard and others.

Hang-up card has complete metal and wood cutting saws.



Set consists of one each of the following:

- T2-BG907—6 teeth—For Wood Cutting
- T2-BG910—10 teeth—For Wood Cutting
- T2-BG912—14 teeth—For Wood Cutting
- T2-BG914—14 teeth—For Metal Cutting
- T2-BG924—24 teeth—For Metal Cutting

272-948 T2-BG916.....Set \$1 39  
10 sets in shelf box; wt set 1 oz.

Three-Piece Set  
Fits All  $\frac{1}{4}$ -Inch Shank Saber Saws

Made of the finest saw steel for wood cutting. Fits the following saws: Blue Grass, Crusader, Cyclone, Wen, Shopmate, Craftsman, Millers Falls, Black & Decker, Skil, Stanley, Disston, Powr-Kraft, Belknap, McGraw Edison, Milwaukee, Pet, Rockwell, Wizard and others.

Set consists of one each of the following:

- T2-BG907—6 teeth—For Wood Cutting
- T2-BG910—10 teeth—For Wood Cutting
- T2-BG912—14 teeth—For Wood Cutting

One Set on Skin-Pack Card

272-930 T2-BG915.....Set \$0 74  
10 sets in shelf box; wt set  $\frac{3}{4}$  oz.



## SABER SAW BLADES



Alloy steel. For cutting 0 to 1 inch wood, plastic laminates. Hollow ground for extra smooth finish cuts to be used with blade guide insert for splinter free cutting. Ten teeth per inch. Over-all length  $3\frac{1}{4}$  inches. Color black.

Two on Skin-Pack Card

272-641 T2-BG913.....Card \$1 03  
(Cards Will Not Be Broken)  
10 cts in shelf box; wt box 5 ozs.

## Metal Cutting

High speed steel. For cutting  $\frac{1}{16}$  to  $\frac{3}{8}$  inch mild steel, 0 to  $\frac{1}{2}$  inch non-ferrous metals, thick Formica and Masonite. 14 teeth per inch.

Over-all length  $2\frac{3}{4}$  inches. Color black.

Two on Skin-Pack Card

272-658 T2-BG914.....Card \$0 71  
(Cards Will Not Be Broken)  
10 cts in shelf box; wt box 4 ozs.

High speed steel. For cutting  $\frac{1}{8}$  to  $\frac{3}{16}$  inch ferrous metals, not recommended for non-ferrous metals, thin Formica or Masonite. 24 teeth per inch.

Over-all length  $2\frac{3}{4}$  inches. Color black.

Two on Skin-Pack Card

272-666 T2-BG924.....Card \$0 71  
(Cards Will Not Be Broken)  
10 cts in shelf box; wt box 4 ozs.

# **BELKNAP BLUE GRASS CROSS REFERENCE** **FOR ROUTER BITS**

Description	IBM Number	Belknap Blue Grass	Black & Decker	Millers Falls	Skill	Stanley
1/8-inch Straight Bit—Single Flute.....	125-724	BG403	U59009	3541C	19125	85092
1/4-inch Straight Bit—Double Flutes.....	125-872	BG408	U58987	3505C	11564	85096
3/8-inch Straight Bit—Double Flutes.....	125-906	BG410	U58990	3515C	11568	85098
1/2-inch Straight Bit—Double Flutes.....	126-086	BG412	U58993	3522C	11566	85100
3/4-inch Straight Bit—Double Flutes.....	126-102	BG416	U58997	3535C	19122	85104
1/8-inch Veining Bit.....	126-847	BG422	U59033	3606C	NA	85105
3/16-inch Veining Bit.....	126-979	BG423	U59034	NA	NA	NA
1/4-inch Veining Bit.....	127-910	BG425	U59035	NA	NA	NA
1/4-inch Corner Round Bit—1/16-inch Pilot.....	127-951	BG427	U59043	3638C	11560	85118
3/8-inch Corner Round Bit—1/16-inch Pilot.....	127-993	BG429	U59045	3644C	11559	85120
1/2-inch Corner Round Bit—1/16-inch Pilot.....	128-009	BG431	U59046	3648C	11558	85121
1/2-inch V-Groove Cutter.....	129-221	BG435	U59070	3588C	19129	85089
1/2-inch Hinge Mortising Bit.....	129-304	BG437	U59066	NA	17088	85159
3/8-inch Cove Bit—1/16-inch Pilot.....	213-074	BG439	U59055	3673C	11552	85128
1/2-inch Dovetailing Bit.....	129-742	BG442	U59079	NA	19134	85133
1/4-inch Beading Bit—1/16-inch Pilot.....	129-841	BG448	U59049	3658C	11571	85124
1/2-inch Core Box Bit.....	130-617	BG450	U59039	3632C	11555	85108
1/4-inch Roman Ogee Bit—1/16-inch Pilot.....	131-748	BG454	U59061	3705C	19136	85162
3/8-inch Rabbeting Bit—1/16-inch Pilot.....	132-688	BG458	U59064	3698C	19132	NA
1/4-inch Combination Panel Cutter.....	133-017	BG465	U59072	3686C	19142	85146
Carbide Tip Comb Flush & 22° Straight & Bevel Bit.....	133-256	BG470	76250	NA	NA	85261
Carbide Tip Flush Trim Ball Bearings Double Flute.....	133-314	BG472	76251	3563C	19627	85267
2 Flute Ball Bearing Carbide Trimmer 22° Bevel.....	211-763	BG473	76252	NA	NA	82920
1/4-inch Carbide Straight Face Single Flute.....	191-494	BG483	76205	NA	NA	85221
3/16-inch Carbide Straight Face Single Flute.....	196-550	BG485	76206	NA	NA	85224
3/8-inch Carbide Straight Face Single Flute.....	196-865	BG487	76207	NA	NA	85225
1/2-inch Carbide Straight Face Single Flute.....	211-680	BG489	76209	NA	NA	NA
Replacement Bearing.....	339-416	BG490	059125	NA	NA	NA
1/2-inch V-Groove Carbide Bit.....	326-025	BG436	NA	43725	NA	05-713
1/4-inch Rabbeting Bit.....	326-157	BG457	NA	43453	NA	NA
3/8-inch Panel Pilot Carbide Bit.....	326-207	BG467	NA	43709	NA	NA
1/4-inch Solid Carbide 7° Bevel Trim.....	326-348	BG477	76-256	43509	NA	NA
1/4-inch Flush Trim Solid Carbide.....	326-439	BG478	76-255	43512	NA	NA
3/4-inch Straight Carbide Bit.....	326-561	BG479	NA	43052	NA	NA



# ROUTER BITS

## —BLUE GRASS—



Made of high speed steel with hard chrome finish to prevent rust and corrosion. Cutting edges expertly ground for accuracy and long life. Each bit packed in plastic sleeve showing stock number, size and application.



### ROUTER BIT ASSORTMENT

Masonite display board.  
Yellow letters on blue header.  
Router bits on hanging pegs. Suitable for pegboard hanging.  
Display size 22x12 inches.

Assortment consists of one each of the following Router Bits:

- T3-BG403— $\frac{1}{8}$ -inch Straight (Single Flute)
- T3-BG408— $\frac{1}{4}$ -inch Straight (Double Flute)
- T3-BG410— $\frac{3}{8}$ -inch Straight (Double Flute)
- T3-BG412— $\frac{1}{2}$ -inch Straight (Double Flute)
- T3-BG416— $\frac{3}{4}$ -inch Straight (Double Flute)
- T3-BG422— $\frac{1}{8}$ -inch Veining Bit
- T3-BG423— $\frac{1}{4}$ -inch Veining Bit
- T3-BG425— $\frac{3}{8}$ -inch Veining Bit
- T3-BG427— $\frac{1}{4}$ -inch Corner Round Bit
- T3-BG429— $\frac{3}{8}$ -inch Corner Round Bit
- T3-BG431— $\frac{1}{2}$ -inch Corner Round Bit
- T3-BG435— $\frac{1}{2}$ -inch V Groove Cutter
- T3-BG437— $\frac{1}{2}$ -inch Hinge Mortising Bit
- T3-BG442— $\frac{1}{2}$ -inch Dovetailing Bit
- T3-BG448— $\frac{1}{4}$ -inch Beading Bit
- T3-BG450— $\frac{1}{2}$ -inch Core Box Bit
- T3-BG454— $\frac{1}{4}$ -inch Roman Ogee
- T3-BG458— $\frac{3}{8}$ -inch Rabbeting Bit ( $\frac{3}{8}$  in.)
- T3-BG465— $\frac{1}{4}$ -inch Combination Panel Cutter
- T3-BG470—Carbide Tipped Comb Straight and Bevel Trim
- T3-BG472—Flushtrim—Ballbearing

124-321 T3-BG400A ..... Each \$72 14  
One in shp etn; wt etn 10 lbs.

OPEN STOCK—For T3-BG400A Router Bit Assortment  
Each in Plastic Sleeve Showing Stock Number, Size and Application



### $\frac{1}{8}$ -INCH STRAIGHT (Single Flute)

For general purpose routing, dadoing, grooving, rabbeting, etc.  
125-724 T3-BG403 ..... Each \$1 56  
5 in shelf box; wt box 7 ozs.



### $\frac{1}{4}$ -INCH STRAIGHT (Double Flute)

For general purpose routing, dadoing, grooving, rabbeting, etc.  
125-872 T3-BG408 ..... Each \$1 56  
5 in shelf box; wt box 10 ozs.



### $\frac{3}{8}$ -INCH STRAIGHT (Double Flute)

For general purpose routing, dadoing, grooving, rabbeting, etc.  
125-906 T3-BG410 ..... Each \$2 27  
5 in shelf box; wt box 14 ozs.

### $\frac{1}{2}$ -INCH STRAIGHT (Double Flute)

For general purpose routing, dadoing, grooving, rabbeting, etc.  
126-086 T3-BG412 ..... Each \$2 63  
5 in shelf box; wt box 21 ozs.




### $\frac{3}{4}$ -INCH STRAIGHT (Double Flute)

For general purpose routing, dadoing, grooving, rabbeting, etc.  
126-102 T3-BG416 ..... Each \$4 58  
5 in shelf box; wt box 35 ozs.

### $\frac{1}{8}$ -INCH VEINING BIT

For decorating line work on flat surface.

126-847 T3-BG422 ..... Each \$1 67  
5 in shelf box; wt box 7 lbs.



### $\frac{3}{16}$ -INCH VEINING BIT

For decorating line work on flat surface.

126-979 T3-BG423 ..... Each \$1 80  
5 in shelf box; wt box 7 ozs.

### $\frac{1}{4}$ -INCH VEINING BIT

For decorating line work on flat surface.

127-910 T3-BG425 ..... Each \$1 97  
5 in shelf box; wt box 14 ozs.



## BLUE GRASS ROUTER BITS

(See Page 41 for General Description)

OPEN STOCK—For T3-BG400A Router Bit Assortment

**1/4-INCH CORNER ROUND BIT**

For decorative edging and drop-leaf table joints.  
127-951 T3-BG427.....Each \$4 19  
5 in shelf box; wt box 14 ozs.

**3/8-INCH CORNER ROUND BIT**

For decorative edging and drop-leaf table joints.  
127-993 T3-BG429.....Each \$4 50  
5 in shelf box; wt box 14 ozs.

**1/2-INCH CORNER ROUND BIT**

For decorative edging and drop-leaf table joints.  
128-009 T3-BG431.....Each \$5 21  
5 in shelf box; wt box 21 ozs.

**1/2-INCH V GROOVE CUTTER**

For lettering and sign work, etc., beveling edges and chamfering.  
129-221 T3-BG435.....Each \$3 30  
5 in shelf box; wt box 14 ozs.

Same as T3-BG435 except carbide tipped.  
326-025 T3-BG436.....Each \$5 70  
5 in shelf box; wt box 14 ozs.

**1/2-INCH HINGE MORTISING BIT**

For making mortises, butt hinge.  
129-304 T3-BG437.....Each \$3 11  
5 in shelf box; wt box 14 ozs.

**1/2-INCH DOVETAILING BIT**

For making dovetails.  
129-742 T3-BG442.....Each \$3 30  
5 in shelf box; wt box 14 ozs.

**1/4-INCH BEADING BIT**

For decorative edge and furniture work.  
129-841 T3-BG448.....Each \$4 19  
5 in shelf box; wt box 14 ozs.

**1/4-INCH ROMAN OEGEE**

For decorative edging.  
131-748 T3-BG454.....Each \$3 63  
5 in shelf box; wt box 28 ozs.


**1/2-INCH CORE BOX BIT**

For fluting flat surfaces, mantels, etc.  
130-617 T3-BG450.....Each \$3 00  
5 in shelf box; wt box 14 ozs.

**3/8-INCH RABBETING BIT**

(1 1/8 inch)


For making 3/8-inch rabbeting cuts without router guide.  
132-688 T3-BG458.....Each \$4 96  
5 in shelf box; wt box 21 ozs.

**1/4-INCH RABBETING BIT**


Same as T3-BG458 except for making 1/4-inch rabbeting cuts.  
326-157 T3-BG457.....Each \$4 96  
5 in shelf box.

**1/4-INCH COMBINATION PANEL CUTTER**

For trimming veneer and template panel routing.  
133-017 T3-BG465.....Each \$2 03  
5 in shelf box; wt box 14 ozs.


**3/8-INCH PANEL PILOT CUTTER**

Same as T3-BG465 except 3/8-inch and carbide tipped.  
326-207 T3-BG467.....Each \$4 80  
5 in shelf box.

**CARBIDE TIPPED COMBINATION STRAIGHT AND BEVEL TRIM**

Combines 22° bevel trim and flush trim cuts of veneered and Formica overlays.

133-256 T3-BG470.....Each \$3 44  
5 in shelf box; wt box 14 ozs.

**CARBIDE TIPPED FLUSHTRIM BALL BEARING**

For flush trimming of veneered and Formica overlays. Carbide tipped with ball bearing guide to prevent marring of work.

133-314 T3-BG472.....Each \$6 57  
5 in shelf box; wt box 28 ozs.

**REPLACEMENT BEARING**

For T3-BG472 and T3-BG473 Router Bits.  
339-416 T3-BG490.....Each \$2 24  
One in shelf box.

**CARBIDE SINGLE FLUTE STRAIGHT BIT**


1/4-inch bit.  
191-494 T3-BG483.....Each \$4 43  
5 in shelf box.

3/8-inch bit.  
196-550 T3-BG485.....Each 5 10  
5 in shelf box.

1/2-inch bit.  
196-865 T3-BG487.....Each 5 70  
5 in shelf box.

3/4-inch bit.  
211-680 T3-BG489.....Each 6 46  
5 in shelf box.

1/2-inch—carbide tipped.  
326-561 T3-BG479.....Each \$8 87  
5 in shelf box.

**CARBIDE TRIMMING BIT**

Two Flute Carbide Tipped 22° Bevel, Veneer and Formica Trimmer

Ball bearing pilot. 1/4-inch shank.

211-763 T3-BG473.....Each \$6 57  
5 in shelf box.



**BLUE GRASS ROUTER BITS**(See page 41 for General Description)  
OPEN STOCK—For T3-BG400A Router Bit Assortment**3/4-INCH SOLID CARBIDE  
BEVEL TRIMMING BIT**326-348 T3-BG477.....Each \$8 84  
5 in shelf box.**3/4-INCH FLUSH TRIMMING BIT  
SOLID CARBIDE**326-439 T3-BG478.....Each \$8 84  
5 in shelf box.**3/8"****3/8-INCH COVE BIT**Two flutes. 3/16-inch pilot.  
213-074 T3-BG439.....Each \$5 10  
5 in shelf box.**ROUTER BIT SETS****—BLUE GRASS—  
Five-Piece Set**

Five most popular bits for slotting, grooving, rabbeting, and free-hand routing. High speed steel, hard chrome finish.

Set includes: BG403-1/4 inch, BG408-1/4 inch and BG412-1/2 inch straight bits; BG423-3/8 inch veining bit and BG435-1/2 inch "V" grooving in blue molded plastic case, on an attractive hang-up card.

294-751 T3-BG405A.....Set \$11 15  
10 sets in shp ctn; wt ctn 3 3/4 lbs.**ROUTER BIT DISPLAY****—BLUE GRASS—**

Attractive wooden counter or wall case. Pilferproof locking device. Plexiglass front and top panels. Front opens only after releasing latch.

Cabinet size—Width 18 inches; height 18 1/2 inches; depth 5 inches.

Reorder part numbers and bit illustrations permanently printed behind each peg for better inventory control. 26 styles and sizes of the most popular numbers. High speed steel and carbide tipped router bits with hard chrome finish.

Contents of the cabinet includes one each of the following numbers.

- T3-BG403—1/4-inch Straight Bit
- T3-BG408—1/4-inch Straight Bit
- T3-BG410—3/8-inch Straight Bit
- T3-BG412—1/2-inch Straight Bit
- T3-BG416—3/4-inch Straight Bit
- T3-BG422—1/4-inch Veining Bit
- T3-BG423—3/8-inch Veining Bit
- T3-BG425—1/4-inch Veining Bit
- T3-BG427—1/4-inch Corner Round Bit
- T3-BG429—3/8-inch Corner Round Bit
- T3-BG431—1/2-inch Corner Round Bit
- T3-BG435—1/2-inch "V"-Groove Cutter
- T3-BG437—1/2-inch Hinge Mortising Bit
- T3-BG442—1/2-inch Dovetailing Bit
- T3-BG448—1/4-inch Beading Bit
- T3-BG450—1/2-inch Core Box Bit
- T3-BG454—1/2-inch Roman Ogee
- T3-BG458—3/8-inch Rabbeting Bit (3/16-inch)
- T3-BG465—1/4-inch Combination Panel Cutter
- T3-BG470—Carbide Tipped Combination (3/16-inch) Straight & Bevel Trim
- T3-BG472—Carbide Tipped (1/2-inch), Flushtrim-Ball bearing
- T3-BG473—2-Flushtrim-Ball Bearing Trimmer, Carbide (22" Bevel)
- T3-BG483—Carbide 1/4-inch Str Face
- T3-BG487—Carbide 3/8-inch Str Face
- T3-BG489—Carbide 1/2-inch Str Face
- T3-BG439—3/8-inch Cove Cutter
- T3-BG490—Replacement Ball Bearing & Slinger for 472 & 473

294-793 T3-BG500A.....Each \$102 64  
One in shp ctn; wt ctn 11 1/2 lbs.

## BENCH GRINDERS —BLUE GRASS—



Heavy gray iron base castings in modern design with mounting lugs for securing unit to a stand or a bench with bolts or lag screws. Equipped with extra heavy, adjustable, steel tool rests and wheel guards. Double shielded ball bearings which do not require further lubrication or adjustment. Pulley accommodates "V" or round belt and can be driven from below or any angle behind the Grinder. Finished in tu-tone porcelain hammertone enamel with bright plated trim.

### Medium Heavy Duty



Bearings—Double shielded ball bearings.  
Base—Heavy gray iron,  $4\frac{3}{4} \times 6\frac{3}{4}$  inches.  
Shaft—Diameter  $\frac{3}{4}$  inch; length  $11\frac{1}{4}$  inches; turned for  $\frac{3}{8}$ -inch arbor wheels. Center of shaft to base  $4\frac{3}{8}$  inches.  
"V" or round belt pulley—2 inches.  
Grinding Wheels—Vitrified, one medium and one coarse,  $7 \times 1\frac{1}{2} \times \frac{3}{8}$  inches.

### Less Motor

072-686 T13-BG725 ..... Each \$42 03  
One in shelf box; wt each 26 lbs.

## HAND TOOL GRINDERS



### —BLUE GRASS—

Heavy gray iron one-piece gear case; finished in tu-tone porcelain hammertone enamel. Machine cut helical gear and pinion; extra long bearings. Unbreakable steel handle; adjustable steel tool rest. Oversize handle grip. Equipped with high grade grinding wheel.



Grinding wheel  $5 \times 1\frac{1}{2} \times \frac{3}{8}$  inches; wt each 6 lbs.  
072-835 T13-BG5G ..... Each \$13 96  
Grinding wheel  $6 \times 1\frac{1}{2} \times \frac{3}{8}$  inches; wt each 9 lbs.  
072-843 T13-BG6G ..... Each 19 41  
Grinding wheel  $7 \times 1\frac{1}{2} \times \frac{3}{8}$  inches; wt each 10 lbs.  
072-850 T13-BG7G ..... Each 20 45  
One in shelf box.



332-965 T13-BG4G ..... Each \$10 58  
One in shelf box; wt each 3 lbs.



### —BLUE GRASS—

Heavy gray one-piece gear case; finished in tu-tone porcelain hammertone enamel. Machine cut helical gears and pinion; extra long bearings. Unbreakable steel handle; adjustable steel tool rest. Oversize handle grip. Equipped with high grade grinding wheel. Grinding wheel  $4 \times \frac{7}{8} \times 1\frac{5}{16}$  inches.

## GRINDER HEADS —BLUE GRASS—Streamlined



Heavy gray iron base  $4 \times 3\frac{3}{4}$  inches.  
Finished in tu-tone porcelain hammertone enamel with bright plated trim.  
Bearings—High speed babbitt,  $1\frac{1}{8}$  inches long.  
Shaft— $\frac{3}{8} \times 7\frac{1}{2}$  inches, turned for  $\frac{1}{2}$ -inch arbor wheels.  
Pulley—2-inch "V" type.  
Center of shaft to base  $5\frac{3}{4}$  inches.  
072-702 T13-BG2H ..... Each \$11 20  
One in shelf box; wt each  $5\frac{1}{2}$  lbs.

## GRINDER HEADS —BLUE GRASS—BENCH POWER GRINDER HEAD



Massive built modernistic design, gray work shop enamel finish. Adjustable nickel-plated tool rests. Equipped with two self-closing oil cups and finished in tu-tone porcelain hammertone enamel with bright plated trim.

Pulley accommodates V-belt, or round belt driven from any direction. Will take up to 6-inch grinding wheels.

### Specifications

Bearings—High speed babbitt,  $1\frac{3}{4}$  inches long.  
Base— $5\frac{1}{4} \times 3\frac{1}{2}$  inches.  
Shaft—Diameter  $\frac{3}{8}$  inch; length 9 inches; turned for  $\frac{1}{2}$ -inch arbor wheels.  
Center of shaft to base  $5\frac{1}{4}$  inches.  
"V" or round belt pulley 2 inches.  
Height over-all 6 inches.



072-710 T13-BG-210 ..... Each \$13 99  
One in shelf box; wt each  $6\frac{1}{2}$  lbs.



## GRINDING WHEELS

### —BLUE GRASS—



Aluminum oxide wheels.  
Designed to fit grinders most commonly used in the home workshops, garages and by some industrial customers.

Each wheel has been speed tested, balanced and faced.

Each wheel is supplied with knockout bushings for arbor sizes:  $\frac{1}{2}$ ,  $\frac{3}{8}$ ,  $\frac{3}{4}$  and 1 inch.

Assortment includes the following:

- 1—T69-BG16F—Size wheel 4x $\frac{1}{2}$ x1 in.
- 2—T69-BG16M—Size wheel 4x $\frac{1}{2}$ x1 in.
- 1—T69-BG18F—Size wheel 4x $\frac{3}{4}$ x1 in.
- 2—T69-BG18M—Size wheel 4x $\frac{3}{4}$ x1 in.
- 1—T69-BG22F—Size wheel 5x $\frac{3}{4}$ x1 in.
- 1—T69-BG22M—Size wheel 5x $\frac{3}{4}$ x1 in.
- 1—T69-BG24F—Size wheel 5x1x1 in.
- 1—T69-BG24M—Size wheel 5x1x1 in.
- 1—T69-BG30F—Size wheel 6x $\frac{3}{4}$ x1 in.
- 2—T69-BG30M—Size wheel 6x $\frac{3}{4}$ x1 in.
- 1—T69-BG32F—Size wheel 6x1x1 in.
- 1—T69-BG32M—Size wheel 6x1x1 in.

459-529 T13-BG2000

One in shp ctn; wt ctn 30 lbs.

Ass't \$50 41

## GRINDING WHEELS

Diameter 3 inches; thickness  $\frac{1}{2}$  inch;  $\frac{1}{2}$ -inch hole.

382-234 T13-BG9F—Grit No. 100

382-242 T13-BG9M—Grit No. 60

383-042 T13-BG9C—Grit No. 46

Wt  $\frac{3}{8}$  lb.

Each \$1 20

Diameter 4 inches; thickness  $\frac{1}{2}$  inch; 1-inch hole.

383-497 T13-BG16F—Grit No. 100

383-612 T13-BG16M—Grit No. 60

383-737 T13-BG16C—Grit No. 46

Wt  $\frac{3}{8}$  lb.

Each \$2 03

Diameter 4 inches; thickness  $\frac{3}{4}$  inch; 1-inch hole.

385-625 T13-BG18F—Grit No. 100

385-682 T13-BG18M—Grit No. 60

386-789 T13-BG18C—Grit No. 46

Wt  $\frac{3}{8}$  lb.

Each \$2 40

Diameter 4 inches; thickness 1 inch; 1-inch hole.

390-658 T13-BG20F—Grit No. 100

391-714 T13-BG20M—Grit No. 60

391-946 T13-BG20C—Grit No. 46

Wt 1 $\frac{1}{4}$  lbs.

Each \$2 75

Diameter 5 inches; thickness  $\frac{1}{2}$  inch;  $\frac{1}{2}$ -inch hole.

688-895 T13-BG21F—Grit No. 100

688-911 T13-BG21M—Grit No. 60

688-903 T13-BG21C—Grit No. 46

Wt 1 $\frac{1}{2}$  lbs.

Each \$3 03

Diameter 5 inches; thickness  $\frac{3}{4}$  inch; 1-inch hole.

391-979 T13-BG22F—Grit No. 100

392-399 T13-BG22M—Grit No. 60

396-481 T13-BG22C—Grit No. 46

Wt 1 $\frac{1}{4}$  lbs.

Each \$3 50

Diameter 5 inches; thickness 1 inch; 1-inch hole.

396-499 T13-BG24F—Grit No. 100

396-572 T13-BG24M—Grit No. 60

396-614 T13-BG24C—Grit No. 46

Wt 1 $\frac{3}{4}$  lbs.

Each \$3 98

Diameter 6 inches; thickness  $\frac{1}{2}$  inch; 1-inch hole.

396-622 T13-BG28F—Grit No. 100

397-174 T13-BG28M—Grit No. 60

397-182 T13-BG28C—Grit No. 46

Wt 1 $\frac{3}{4}$  lbs.

Each \$3 59

Diameter 6 inches; thickness  $\frac{3}{4}$  inch; 1-inch hole.

397-224 T13-BG30F—Grit No. 100

397-232 T13-BG30M—Grit No. 60

397-281 T13-BG30C—Grit No. 46

Wt 1 $\frac{3}{4}$  lbs.

Each \$4 16

Diameter 6 inches; thickness 1 inch; 1-inch hole.

397-299 T13-BG32F—Grit No. 100

398-149 T13-BG32M—Grit No. 60

398-206 T13-BG32C—Grit No. 46

Wt 2 $\frac{1}{4}$  lbs.

Each \$4 84

Diameter 7 inches; thickness 1 inch; 1-inch hole.

402-370 T13-BG36F—Grit No. 100

402-388 T13-BG36M—Grit No. 60

403-022 T13-BG36C—Grit No. 46

Wt 4 $\frac{1}{4}$  lbs.

Each \$6 00

Diameter 8 inches; thickness 1 inch; 1-inch hole.

407-932 T13-BG42F—Grit No. 100

410-415 T13-BG42M—Grit No. 60

410-688 T13-BG42C—Grit No. 46

Wt 4 $\frac{1}{2}$  lbs.

Each \$7 23

Diameter 10 inches; thickness 1 inch; 1-inch hole.

733-584 T13-BG52F—Grit No. 100

733-592 T13-BG52M—Grit No. 60

733-600 T13-BG52C—Grit No. 46

Wt 00 lbs.

Each \$12 10

Diameter 10 inches; thickness 1 $\frac{1}{4}$  inches; 1 $\frac{1}{4}$ -inch hole.

733-618 T13-BG56F—Grit No. 100

733-626 T13-BG56M—Grit No. 60

733-634 T13-BG56C—Grit No. 40

Wt 00 lbs.

Each \$16 65

Diameter 12 inches; thickness 2 inches; 1 $\frac{1}{4}$ -inch hole.

733-642 T13-BG68M—Grit No. 60

733-659 T13-BG68C—Grit No. 46

Wt 00 lbs.

Each \$29 25

Diameter 14 inches; thickness 2 inches; 1 $\frac{1}{4}$ -inch hole.

733-667 T13-BG71M—Grit No. 60

733-675 T13-BG71C—Grit No. 46

Wt 00 lbs.

Each \$38 98

## V-BELTS



## —BLUE GRASS—FRACTIONAL HORSE POWER

For home, farm and shop machines. Quiet running, smooth performing and long wearing. Concave side—Belts grip the pulley evenly and do not slip—last longer because belt wear is distributed evenly over the whole sidewall surface.

Bias Cut Cover—Covered with a rubber-impregnated, fabric cover which is cut on a 45 degree bias. Can be wrapped tightly around the belt and prevents any foreign material from penetrating the inner core, yet leaves belt perfectly flexible for running over pulleys.



## CONVERSION EXAMPLE: BLUE GRASS VS. GATES

Blue Grass No. 4L290 Same as Gates No. 2290  
3L—1 4L—2 5L—3

		Gates No.	Each			Gates No.	Each
723-601	T7-8G3L180	3/4x18 in—1180	\$1 21	724-005	T7-8G4L250	1/2x25 in—2250	\$1 27
723-619	T7-8G3L190	3/4x19 in—1190	1 21	724-013	T7-8G4L260	1/2x26 in—2260	1 29
723-627	T7-8G3L200	3/4x20 in—1200	1 21	724-021	T7-8G4L270	1/2x27 in—2270	1 32
723-635	T7-8G3L210	3/4x21 in—1210	1 21	724-039	T7-8G4L280	1/2x28 in—2280	1 34
723-643	T7-8G3L220	3/4x22 in—1220	1 21	724-047	T7-8G4L290	1/2x29 in—2290	1 36
723-650	T7-8G3L230	3/4x23 in—1230	1 21	724-054	T7-8G4L300	1/2x30 in—2300	1 37
723-668	T7-8G3L240	3/4x24 in—1240	1 21	724-062	T7-8G4L310	1/2x31 in—2310	1 39
723-676	T7-8G3L250	3/4x25 in—1250	1 21	724-070	T7-8G4L320	1/2x32 in—2320	1 41
723-684	T7-8G3L260	3/4x26 in—1260	1 23	724-088	T7-8G4L330	1/2x33 in—2330	1 43
723-692	T7-8G3L270	3/4x27 in—1270	1 25	724-096	T7-8G4L340	1/2x34 in—2340	1 46
723-700	T7-8G3L280	3/4x28 in—1280	1 29	724-104	T7-8G4L350	1/2x35 in—2350	1 48
723-718	T7-8G3L290	3/4x29 in—1290	1 29	724-112	T7-8G4L360	1/2x36 in—2360	1 51
723-726	T7-8G3L300	3/4x30 in—1300	1 32	724-120	T7-8G4L370	1/2x37 in—2370	1 53
723-734	T7-8G3L310	3/4x31 in—1310	1 33	724-138	T7-8G4L380	1/2x38 in—2380	1 56
723-742	T7-8G3L320	3/4x32 in—1320	1 35	724-146	T7-8G4L390	1/2x39 in—2390	1 61
723-759	T7-8G3L330	3/4x33 in—1330	1 36	724-153	T7-8G4L400	1/2x40 in—2400	1 64
723-767	T7-8G3L340	3/4x34 in—1340	1 38	724-161	T7-8G4L410	1/2x41 in—2410	1 67
723-775	T7-8G3L350	3/4x35 in—1350	1 41	724-179	T7-8G4L420	1/2x42 in—2420	1 69
723-783	T7-8G3L360	3/4x36 in—1360	1 43	724-187	T7-8G4L430	1/2x43 in—2430	1 72
723-791	T7-8G3L370	3/4x37 in—1370	1 46	724-195	T7-8G4L440	1/2x44 in—2440	1 76
723-809	T7-8G3L380	3/4x38 in—1380	1 49	724-203	T7-8G4L450	1/2x45 in—2450	1 80
723-817	T7-8G3L390	3/4x39 in—1390	1 52	724-211	T7-8G4L460	1/2x46 in—2460	1 82
723-825	T7-8G3L400	3/4x40 in—1400	1 55	724-229	T7-8G4L470	1/2x47 in—2470	1 84
723-833	T7-8G3L410	3/4x41 in—1410	1 59	724-237	T7-8G4L480	1/2x48 in—2480	1 83
723-841	T7-8G3L420	3/4x42 in—1420	1 61	724-245	T7-8G4L490	1/2x49 in—2490	1 87
723-858	T7-8G3L430	3/4x43 in—1430	1 63	724-252	T7-8G4L500	1/2x50 in—2500	1 89
723-866	T7-8G3L440	3/4x44 in—1440	1 65	724-260	T7-8G4L510	1/2x51 in—2510	1 91
723-874	T7-8G3L450	3/4x45 in—1450	1 68	724-278	T7-8G4L520	1/2x52 in—2520	1 92
723-882	T7-8G3L460	3/4x46 in—1460	1 70	724-286	T7-8G4L530	1/2x53 in—2530	1 94
723-890	T7-8G3L480	3/4x48 in—1480	1 75	724-294	T7-8G4L540	1/2x54 in—2540	1 96
723-908	T7-8G3L490	3/4x49 in—1490	1 78	724-302	T7-8G4L550	1/2x55 in—2550	1 98
723-916	T7-8G3L500	3/4x50 in—1500	1 80	724-310	T7-8G4L560	1/2x56 in—2560	2 01
723-924	T7-8G4L170	1/2x17 in—2170	1 27	724-328	T7-8G4L570	1/2x57 in—2570	2 04
723-932	T7-8G4L180	1/2x18 in—2180	1 27	724-336	T7-8G4L580	1/2x58 in—2580	2 06
723-940	T7-8G4L190	1/2x19 in—2190	1 27	724-344	T7-8G4L590	1/2x59 in—2590	2 08
723-957	T7-8G4L200	1/2x20 in—2200	1 27	724-351	T7-8G4L600	1/2x60 in—2600	2 11
723-965	T7-8G4L210	1/2x21 in—2210	1 27	724-369	T7-8G4L610	1/2x61 in—2610	2 13
723-973	T7-8G4L220	1/2x22 in—2220	1 27	724-377	T7-8G4L620	1/2x62 in—2620	2 15
723-981	T7-8G4L230	1/2x23 in—2230	1 27	724-385	T7-8G4L630	1/2x63 in—2630	2 18
723-999	T7-8G4L240	1/2x24 in—2240	1 27	724-393	T7-8G4L640	1/2x64 in—2640	2 20
Loose.				724-401	T7-8G4L650	1/2x65 in—2650	2 23
				724-419	T7-8G4L660	1/2x66 in—2660	2 25
				Loose.			



## V-BELTS

## —BLUE GRASS—FRACTIONAL HORSE POWER

For home, farm and shop machines. Quiet running, smooth performing and long wearing. Concave side—Belts grip the pulley evenly and do not slip—last longer because belt wear is distributed evenly over the whole sidewall surface.

Bias Cut Cover—Covered with a rubber-impregnated, fabric cover which is cut on a 45 degree bias. Can be wrapped tightly around the belt and prevents any foreign material from penetrating the inner core, yet leaves belt perfectly flexible for running over pulleys.

## CONVERSION EXAMPLE: BLUE GRASS VS. GATES

Blue Grass No. 4L290 Same as Gates No. 2290

3L—1 4L—2 5L—3

		Gates No.	Each			Gates No.	Each
724-427	T7-8G4L670	1/2x67 in-2670	\$2 27	724-674	T7-8G5L360	3/4x36 in-3360	\$1 97
724-435	T7-8G4L680	1/2x68 in-2680	2 31	724-682	T7-8G5L370	3/4x37 in-3370	2 00
724-443	T7-8G4L690	1/2x69 in-2690	2 34	724-690	T7-8G5L380	3/4x38 in-3380	2 05
724-450	T7-8G4L700	1/2x70 in-2700	2 36	724-708	T7-8G5L390	3/4x39 in-3390	2 11
724-468	T7-8G4L710	1/2x71 in-2710	2 41	724-716	T7-8G5L400	3/4x40 in-3400	2 19
724-476	T7-8G4L720	1/2x72 in-2720	2 45	724-724	T7-8G5L410	3/4x41 in-3410	2 25
724-484	T7-8G4L730	1/2x73 in-2730	2 47	724-732	T7-8G5L420	3/4x42 in-3420	2 31
724-492	T7-8G4L740	1/2x74 in-2740	2 48	724-740	T7-8G5L430	3/4x43 in-3430	2 36
724-500	T7-8G4L760	1/2x76 in-2760	2 53	724-757	T7-8G5L440	3/4x44 in-3440	2 41
724-518	T7-8G4L780	1/2x78 in-2780	2 60	724-765	T7-8G5L450	3/4x45 in-3450	2 45
724-526	T7-8G4L800	1/2x80 in-2800	2 68	724-773	T7-8G5L460	3/4x46 in-3460	2 51
724-534	T7-8G4L820	1/2x82 in-2820	2 77	724-781	T7-8G5L470	3/4x47 in-3470	2 56
724-542	T7-8G4L850	1/2x85 in-2850	2 89	724-799	T7-8G5L480	3/4x48 in-3480	2 61
724-559	T7-8G4L980	1/2x98 in-2980	3 38	724-807	T7-8G5L490	3/4x49 in-3490	2 66
724-567	T7-8G5L230	3/4x23 in-3230	1 55	724-815	T7-8G5L500	3/4x50 in-3500	2 70
724-575	T7-8G5L240	3/4x24 in-3240	1 55	724-823	T7-8G5L510	3/4x51 in-3510	2 75
724-583	T7-8G5L260	3/4x26 in-3260	1 60	724-831	T7-8G5L520	3/4x52 in-3520	2 79
724-591	T7-8G5L280	3/4x28 in-3280	1 67	724-849	T7-8G5L540	3/4x54 in-3540	2 87
724-609	T7-8G5L290	3/4x29 in-3290	1 71	724-856	T7-8G5L550	3/4x55 in-3550	2 90
724-617	T7-8G5L300	3/4x30 in-3300	1 74	724-864	T7-8G5L560	3/4x56 in-3560	2 92
724-625	T7-8G5L310	3/4x31 in-3310	1 79	724-872	T7-8G5L570	3/4x57 in-3570	2 95
724-633	T7-8G5L320	3/4x32 in-3320	1 83	724-880	T7-8G5L580	3/4x58 in-3580	2 97
724-641	T7-8G5L330	3/4x33 in-3330	1 87	724-898	T7-8G5L590	3/4x59 in-3590	2 99
724-658	T7-8G5L340	3/4x34 in-3340	1 91	724-906	T7-8G5L600	3/4x60 in-3600	3 01
724-666	T7-8G5L350	3/4x35 in-3350	1 93	724-914	T7-8G5L610	3/4x61 in-3610	3 30
Loose.				724-922	T7-8G5L620	3/4x62 in-3620	3 05
				724-930	T7-8G5L630	3/4x63 in-3630	3 08
				724-948	T7-8G5L640	3/4x64 in-3640	3 11
				724-955	T7-8G5L650	3/4x65 in-3650	3 15
				724-963	T7-8G5L660	3/4x66 in-3660	3 19
				724-971	T7-8G5L670	3/4x67 in-3670	3 23
				724-989	T7-8G5L680	3/4x68 in-3680	3 28
				724-997	T7-8G5L690	3/4x69 in-3690	3 32
				725-002	T7-8G5L700	3/4x70 in-3700	3 35
				725-010	T7-8G5L710	3/4x71 in-3710	3 38
				725-028	T7-8G5L720	3/4x72 in-3720	3 43
				725-036	T7-8G5L730	3/4x73 in-3730	3 48
				725-044	T7-8G5L760	3/4x76 in-3760	3 59
				725-051	T7-8G5L780	3/4x78 in-3780	3 68
				725-069	T7-8G5L800	3/4x80 in-3800	3 79
				725-077	T7-8G5L820	3/4x82 in-3820	3 89
				725-085	T7-8G5L900	3/4x90 in-3900	4 28
				725-093	T7-8G5L920	3/4x92 in-3920	4 36
				725-101	T7-8G5L940	3/4x94 in-3940	4 47
				725-119	T7-8G5L980	3/4x98 in-3980	4 71
				Loose.			

## PUTTY KNIFE AND SCRAPER DISPLAY PANELS



### —BLUE GRASS—

3/4-inch tempered masonite display panel painted yellow. Attractive four-color header. Size panel 24x12 1/2 inches.

Can be used for wall or pegboard mounting.

High carbon tool steel blades, hardened and tempered, mirror finished. One piece of steel from tip of blade through end of handle. Blue shatterproof plastic handles with built-in large grommets for hanging.

Display consists of:

- 6—T3-BG19E-1 1/4—Putty Knives; width 1 1/2 in.
- 6—T3-BG19S-1 1/4—Putty Knives; width 1 1/2 in.
- 6—T3-BG20-1 1/4—Putty Chisels; width 1 1/2 in.
- 6—T3-BG21E-3—Scraping Knives; width 3 in.
- 4—T3-BG21S-3—Scraping Knives; width 3 in.
- 6—T3-BG22E-4—Dry Wall Knives; width 4 in.
- 4—T3-BG22E-5—Dry Wall Knives; width 5 in.
- 4—T3-BG22E-6—Dry Wall Knives; width 6 in.

431-320 T3-BG2069 ..... Each \$99 68  
One in shp ctn; wt ctn 13 lbs.



### —BLUE GRASS—

3/4-inch tempered masonite display panel painted yellow. Attractive four-color header. Size panel 24x12 1/2 inches. Can be used for wall or pegboard mounting.

High carbon tool steel blades, hardened and tempered. One piece of steel from tip of blade through end of handle. Handles are made of genuine American walnut firmly attached to blade by a compression rivet. Handle has built-in grommet for hanging.



Display consists of:

- 6—T3-BG94S-1 1/4—Putty Knives; width 1 1/2 in.
- 6—T3-BG94E-1 1/4—Putty Knives; width 1 1/2 in.
- 6—T3-BG96-1 1/4—Putty Chisels; width 1 1/2 in.
- 6—T3-BG97S-3—Wall Scrapers; width 3 in.
- 6—T3-BG97E-3—Wall Scrapers; width 3 in.
- 4—T3-BG99E-5—Dry Wall Knives; width 5 in.
- 4—T3-BG99E-6—Dry Wall Knives; width 6 in.

147-603 T3-BG2070 ..... Each \$70 26  
One in shp ctn; wt ctn 14 lbs.



## PUTTY KNIVES —BLUE GRASS—



High carbon tool steel blade, hardened and tempered, mirror finished.

One piece of steel from tip of blade through end of handle. Blue shatterproof plastic handle with built-in large grommets for hanging.

Mounted on a colorful display card.

Width blade 1 1/2 inches.

### Flexible Blade

635-474 T3-BG19E-1 1/4 ..... Each \$1 73  
10 in shelf box; wt box 1 1/4 lbs.

### Stiff Blade

635-490 T3-BG19S-1 1/4 ..... Each 1 73  
10 in shelf box; wt box 1 1/4 lbs.



## PUTTY CHISELS —BLUE GRASS—Heavy Duty

High carbon tool steel blade, hardened and tempered, mirror finished.



One piece of steel from tip of blade through end of handle. Blue shatterproof plastic handle with built-in large grommets for hanging. Ideal for chipping off old putty, scraping on paint, pry open cans, etc.

Mounted on a colorful display card.

Width blade 1 1/2 inches.

635-516 T3-BG20-1 1/4 ..... Each \$1 89  
10 in shelf box; wt box 1 1/4 lbs.



### —BLUE GRASS—



High carbon tool steel blades, hardened and tempered, mirror finished. Hard-

wood handles. One brass compression rivet and one large hollow rivet for hanging and displaying. Entire tool dipped in lacquer. Cast metal bolster. Attractively packed on 3-color card. Used for removing hardened putty and heavy-duty use in general. Width blade 1 1/2 inches.

### Extra Stiff Blade

088-047 T3-BG96-1 1/4 ..... Each \$1 53  
12 in shelf box; wt each 3/8 lb.



## SCRAPING KNIVES —BLUE GRASS—

High carbon tool steel blade, hardened and tempered, mirror finished.

One piece of steel from tip of blade through end of



handle. Blue shatterproof plastic handle with built-in large grommets for hanging.

Ideal for scraping off paints, patch plaster, remove wall-paper, apply cements, etc.

Mounted on a colorful display card.

Width blade 3 inches.

### Flexible Blade

635-581 T3-BG21E-3 ..... Each \$2 30  
10 in shelf box; wt box 1 1/2 lbs.

### Stiff Blade

635-599 T3-BG21S-3 ..... Each \$2 30  
10 in shelf box; wt box 2 1/4 lbs.



# **DRY WALL KNIVES**

## **—BLUE GRASS—FLEXIBLE JOINT KNIVES**



High carbon tool steel blade, hardened and tempered, mirror finished.

One piece of steel from tip of blade through end of handle. Blue shatterproof plastic handle with built-in

large grommets for hanging.

Ideal for patching plaster, cement-type dry wall joints, remove wallpaper, scrape paint, etc.

### **Flexible Blade**

Width 4 inches.  
636-811 T3-BG22E-4 ..... Each \$2 83  
10 in shelf box; wt box 1 1/4 lbs.

Width 5 inches.  
636-829 T3-BG22E-5 ..... Each 3 17  
10 in shelf box; wt box 1 1/4 lbs.

Width 6 inches.  
636-845 T3-BG22E-6 ..... Each 3 64  
10 in shelf box; wt box 2 lbs.

## **—BLUE GRASS—**

Hardened and tempered tool steel, mirror finish. Unique special grind; full thickness of blade extends to within 2 inches of edge of tool, giving strength where needed and flexibility required at edge. Prevents rivet springing from overload use. Rosewood handles, brass compression rivets.



### **Elastic Blades**

Width blade 5 inches.  
021-337 T3-BG99E-5 ..... Each \$2 62  
6 in shelf box; wt each 5 ozs.

Width blade 6 inches.  
021-345 T3-BG99E-6 ..... Each 2 75  
6 in shelf box; wt each 6 ozs.

# **WALL SCRAPERS**

## **—BLUE GRASS—**



High carbon tool steel blades, hardened and tempered, mirror finished. Hardwood handles. One brass compression rivet and one large hollow rivet for hanging and displaying. Entire tool dipped in lacquer. Attractively packed on 3-color cards. Width blade 3 inches.

021-584 T3-BG97E-3—Elastic Blade ..... Each \$1 60

021-592 T3-BG97S-3—Stiff Blade ..... Each 1 50  
6 in shelf box; wt each 1/4 lb.

# **PUTTY KNIVES**

## **—BLUE GRASS—**

High carbon tool steel blades, hardened and tempered, mirror finished. Hardwood handles. One brass compression rivet and one large hollow rivet for hanging and displaying. Entire tool dipped in lacquer. Attractively packed on 3-color cards. Width blade 1 1/4 inches.

021-659 T3-BG94E-1 1/4—Elastic Blade ..... Each \$1 17

021-667 T3-BG94S-1 1/4—Stiff Blade ..... Each 1 10  
12 in shelf box; wt each 1/6 lb.

# **DRAW KNIVES**

## **—BLUE GRASS—**



Manufactured from carbon tool steel, heat-treated for maximum life and oxide finished to help protect from rust. Furnished with large hardwood handles.

Blade width 1 3/8 inches; length 10 inches.  
520-510 T3-BG177-10 ..... Each \$16 78  
6 in shp ctn; wt ctn 9 lbs.

# **FIBRE CUTTER KNIVES**

## **—BLUE GRASS—**

Adjustable heavy-duty model. Die-cast zinc, enameled finish, blade locks in three positions: fully extended, carton

opening, or closed for maximum safety. Surgical quality, extra heavy precision blades. Five blades included with each knife at no extra cost. Blister carded.

Length 6 inches.

258-590 T3-BG1 ..... Each \$2 06  
6 in shelf box; wt box 2 lbs.

### **FIBRE CUTTER KNIFE BLADES**

Heavy-duty surgical quality steel. Ground cutting edge.

#### **Five Blades on Blister Card**

258-608 T3-BG18L5 ..... Pkg \$0 83  
(Packages Will Not Be Broken)  
12 pkgs in shelf box; wt box 1 lb.

## WOOD CHISEL DISPLAY PANELS



## —BLUE GRASS—

1/4-inch tempered masonite display panel painted yellow. Attractive four-color header. Size panel 24x12 1/2 inches. Can be used for wall or peg-board mounting.

Chisel blades are made of highly polished alloy steel, with precision balance. Blue Belkoid handle with metal cap on end. Handle constructed to stay bonded to blade.

Over-all length 6 3/4 to 9 inches according to size.

Blade length 2 1/8 to 3 1/8 inches according to size.

Display consists of:

- 2—T3-BG1247-2—Width 1/4 inch
- 2—T3-BG1247-3—Width 3/8 inch
- 3—T3-BG1247-4—Width 1/2 inch
- 3—T3-BG1247-5—Width 5/8 inch
- 3—T3-BG1247-6—Width 3/4 inch
- 3—T3-BG1247-8—Width 1 inch
- 2—T3-BG1247-10—Width 1 1/4 inches
- 2—T3-BG1247-12—Width 1 1/2 inches

358-978 T3-BG2222.....Each \$120 49  
One in ship ctn; wt ctn 17 lbs.

## WOOD CHISEL SETS

## —BLUE GRASS—



Precision balanced, highly polished alloy steel blades with razor sharp edges that can be sharpened again and again. Sturdy blue Belkoid handle with steel cap specially constructed to stay bonded.


Set consists of one each of the following:

- T3-BG1247-2—Width 1/4 inch; length 7 1/4 inches
- T3-BG1247-3—Width 3/8 inch; length 7 3/8 inches
- T3-BG1247-4—Width 1/2 inch; length 8 inches
- T3-BG1247-5—Width 5/8 inch; length 8 1/2 inches
- T3-BG1247-6—Width 3/4 inch; length 8 3/4 inches
- T3-BG1247-8—Width 1 inch; length 9 inches
- T3-BG1247-10—Width 1 1/4 inches; length 9 1/4 inches
- T3-BG1247-12—Width 1 1/2 inches; length 9 1/2 inches

025-494 T3-BG1247AK.....Set \$36 47  
One set in shelf box; wt set 3 lbs.

## WOOD CHISEL ASSORTMENTS

## —BLUE GRASS—



Butt chisel design. Three-inch blade length. Long life impact resistant plastic handle.

Black metal steel cap—for hammer blows.

Produced to Government specification GGG-C-311.

Blade, barrel and shank are forged from one piece of high carbon tool steel.

Two zone heat treatment and temper for keen, long lasting cutting edge.

Blades are ground and polished. Large hand fitting plastic handle designed for firm grip.

Cards have general use instructions on back as well as sharpening information.

Made in U.S.A.

Size display 24x12 1/2 inches.

Display assortment consists of the following wood chisels:

- 2—T3-BG1147-1/4
- 2—T3-BG1147-3/8
- 3—T3-BG1147-1/2
- 3—T3-BG1147-5/8
- 3—T3-BG1147-3/4
- 2—T3-BG1147-1
- 2—T3-BG1147-1 1/4
- 2—T3-BG1147-1 1/2
- 1—T3-BG1147-2
- 1—Display Board

477-901 T3-BG1147A.....Each \$84 06  
One ass't in ship ctn; wt ctn 16 lbs.

## WOOD CHISELS

## —BLUE GRASS—



Blade highly polished alloy steel, with precision balance. Blue Belkoid handle with metal cap on end. Handle constructed to stay bonded to blade.

Over-all length 6 3/4 to 9 inches according to size.

Blade length 2 1/8 to 3 1/8 inches according to size.

Width 1/4 inch.  
025-411 T3-BG1247-2.....Each \$4 80

Width 3/8 inch.  
025-429 T3-BG1247-3.....Each 4 85

Width 1/2 inch.  
025-437 T3-BG1247-4.....Each 5 03

Width 5/8 inch.  
025-445 T3-BG1247-5.....Each 5 10

Width 3/4 inch.  
025-452 T3-BG1247-6.....Each 5 31

Width 1 inch.  
025-460 T3-BG1247-8.....Each 5 90

Width 1 1/4 inches.  
025-478 T3-BG1247-10.....Each 6 90

Width 1 1/2 inches.  
025-486 T3-BG1247-12.....Each 7 69  
6 in shelf box.



## WOOD CHISELS —BLUE GRASS—



Blade highly polished carbon steel with precision balance.  
Handle high impact plastic with steel cap to absorb impact shock.

Length blade 3 inches; over-all length 8 1/4 inches.

1/4-inch cut.		
475-889	T3-BG1147-1/4	Each \$3 67
3/8-inch cut.		
475-897	T3-BG1147-3/8	Each 3 67
1/2-inch cut.		
475-905	T3-BG1147-1/2	Each 3 83
5/8-inch cut.		
475-913	T3-BG1147-5/8	Each 3 90
3/4-inch cut.		
475-921	T3-BG1147-3/4	Each 4 00

1-inch cut.		
475-939	T3-BG1147-1	Each 4 17
1 1/4-inch cut.		
475-947	T3-BG1147-1 1/4	Each 4 58
1 1/2-inch cut.		
475-954	T3-BG1147-1 1/2	Each 5 47
2-inch cut.		
475-962	T3-BG1147-2	Each 5 75
2 in shelf box.		

## WOOD CHISEL ASSORTMENTS —BLUE GRASS—ALL STEEL



Deep hardened alloy steel, hammer forged, accurately hardened and tempered.

Round head provides greater striking surface. Razor-like cutting edges.

Assortment consists of one each of the following:

Size	
3/8 inch; T3-BG830-3,	
1/2 inch; T3-BG830-4,	
5/8 inch; T3-BG830-5,	
3/4 inch; T3-BG830-6,	
7/8 inch; T3-BG830-7,	
1 inch; T3-BG830-8,	



026-062	T3-BG830A	Ass't \$24 98
One ass't in shelf box; wt ass't 3 1/4 lbs.		

### OPEN STOCK—For T3-BG830A Assortment

Cutting edge 3/8 inch; length 7 inches.		
026-070	T3-BG830-3	Each \$3 08
6 in shelf box; wt each 2 1/2 ozs.		
Cutting edge 1/2 inch; length 7 1/2 inches.		
026-088	T3-BG830-4	Each 3 36
6 in shelf box; wt each 3/4 lb.		
Cutting edge 5/8 inch; length 8 inches.		
026-096	T3-BG830-5	Each 3 56
6 in shelf box; wt each 1/2 lb.		
Cutting edge 3/4 inch; length 9 inches.		
026-104	T3-BG830-6	Each 4 00
6 in shelf box; wt each 1/2 lb.		
Cutting edge 7/8 inch; length 9 inches.		
026-112	T3-BG830-7	Each 4 95
6 in shelf box; wt each 3/4 lb.		
Cutting edge 1 inch; length 9 1/2 inches.		
026-120	T3-BG830-8	Each 5 13
6 in shelf box; wt each 5/6 lb.		

## WOOD CHISEL HANDLES —BLUE GRASS—SOCKET FIRMER



Selected and well seasoned, second growth hickory, highly polished, leather capped.

Size 1 inch; for chisels 3/8 inch to 1/2 inch.		
026-310	T1-BG7471	Each \$1 89
12 in shelf box; wt each 1 1/2 ozs.		
Size 2 inch; for chisels 5/8 inch to 3/4 inch.		
026-328	T1-BG7472	Each \$1 89
12 in shelf box; wt each 1 3/4 ozs.		
Size 3 inch; for chisels 1 inch to 1 1/2 inch.		
026-336	T1-BG7473	Each \$1 89
12 in shelf box; wt each 2 1/2 ozs.		

## WOOD CHISEL ASSORTMENTS —BLUE GRASS—



Assortment contains 20 chisels, 5 each of the following:

T4-BG6470—Electrician's Chisel
T4-BG6471—Floor Chisel
T4-BG6472—Floor Chisel
T4-BG6473—Floor Chisel

721-985	T4-BG6807A	Ass't \$99 60
One ass't in shp ctn; wt ctn 21 lbs.		

### OPEN STOCK—For T4-BG6807A Assortment ELECTRICIAN CHISEL

Shorter handle enables electricians to use this chisel in tight crowded spaces.

Cut 2 3/4 inches; length 8 inches.		
722-025	T4-BG6470	Each \$5 25
10 in shp ctn; wt each 1 lb.		


### FLOOR CHISEL

Thin cutting blade is rugged because of fine steel and careful heat treatment. Use for rough cutting and trimming hard or soft woods, removing tongue and groove flooring. Large head adds usefulness and life.

Cut 2 inches; length 10 inches.		
722-033	T4-BG6471	Each \$4 90
10 in shp ctn; wt each 1.1 lb.		
Cut 2 1/2 inches; length 10 inches.		
722-041	T4-BG6472	Each 5 47
10 in shp ctn; wt each 1.3 lbs.		
Cut 3 inches; length 11 inches.		
722-058	T4-BG6473	Each \$6 40
10 in shp ctn; wt each 1.6 lbs.		

## EXTRUDED ALUMINUM LEVELS

—BLUE GRASS—HEAVY-DUTY—Six Vials  
CARPENTER'S




The frame is made of heavy-duty extruded aluminum I-Beams, sized to assure maximum strength and straightness compatible with level length. Sides and edges are parallel and true. Level has blue baked enamel interior with natural finish aluminum edges. Adjustable and replaceable vial assemblies.

Size 1 1/4 x 2 3/4 x 18 inches.	Each	\$6 27
005-660 T5-BG14-18	One in shelf box; 12 in shp ctn; wt ctn 12 lbs.	
Size 1 1/4 x 2 3/4 x 24 inches.	Each	6 53
007-112 T5-BG14-24	One in shelf box; 12 in shp ctn; wt ctn 15 lbs.	
Size 1 1/4 x 2 3/4 x 28 inches.	Each	6 90
013-730 T5-BG14-28	One in shelf box; 12 in shp ctn; wt ctn 18 lbs.	
Size 1 1/4 x 2 3/4 x 30 inches.	Each	7 25
013-839 T5-BG14-30	One in shelf box; 12 in shp ctn; wt ctn 20 lbs.	
Size 1 1/4 x 2 3/4 x 36 inches.	Each	7 76
013-946 T5-BG14-36	One in shelf box; 12 in shp ctn; wt ctn 24 lbs.	

### MASON'S

Size 1 1/4 x 2 3/4 x 48 inches.	Each	\$9 75
014-175 T5-BG14-48	One in shelf box; 12 in shp ctn; wt ctn 26 lbs.	

### —BLUE GRASS—HEAVY-DUTY




The frame is made of heavy-duty extruded aluminum I-Beams, sized to assure maximum strength and straightness compatible with level length. Sides and edges are parallel and true. Level has blue baked enamel interior with natural finish aluminum edges. Adjustable and replaceable vial assemblies.

Size 1 1/4 x 2 3/4 x 72 inches.	Each	\$18 05
014-209 T5-BG14-72	One in shp ctn; wt ctn 6 1/4 lbs.	
Size 1 1/4 x 2 3/4 x 78 inches.	Each	19 05
014-456 T5-BG14-78	One in shp ctn; wt ctn 6 1/4 lbs.	

## MAGNETIC EXTRUDED LEVELS

—BLUE GRASS—



The frame is made of extruded aluminum I-Beam with closed end construction for maximum strength without added weight. This series of levels has a protected magnetic base, has one plumb vial, one top reading level vial, and one 45° vial. Level has blue baked enamel finish. Levels furnished with adjustable and replaceable vial assemblies.

Length 24 inches.	Each	\$12 08
015-123 T5-BG25-24M	12 in shelf box; wt box 20 lbs.	
Length 48 inches.	Each	21 92
015-271 T5-BG25-48M	12 in shelf box; wt box 40 lbs.	

## MAGNESIUM LEVELS

—BLUE GRASS—EXTRUDED MAGNESIUM



Frame is made of extruded magnesium I-beam, having 40% more durability than aluminum. Extremely light weight. Sides and edges are true and parallel. Replaceable vial assemblies.

6 Vials		
Size 1 1/4 x 2 3/4 x 24 inches.	Each	\$13 34
027-292 T5-BG24M	One in shelf box; wt each 1 1/2 lbs.	
Size 1 1/4 x 2 3/4 x 28 inches.	Each	15 68
027-300 T5-BG28M	One in shelf box; wt each 1 3/4 lbs.	
Size 1 1/4 x 2 3/4 x 30 inches.	Each	16 39
027-318 T5-BG30M	One in shelf box; wt each 2 lbs.	
Size 1 1/4 x 2 3/4 x 48 inches.	Each	22 59
027-326 T5-BG48M	One in shelf box; wt each 2 1/2 lbs.	
Size 1 1/4 x 2 3/4 x 72 inches.	Each	31 61
671-339 T5-BG72M	One in shelf box; wt each 7 lbs, 8 ozs.	
Size 1 1/4 x 2 3/4 x 78 inches.	Each	34 92
257-501 T5-BG78M	One in shelf box; wt each 8 lbs, 8 ozs.	

### REPLACEMENT VIAL AND CASE

For Blue Grass magnesium levels.  
Contains: One vial, one case, two screws.  
Use for level or plumb replacement.

257-816 T5-BG020M	Each	\$1 96
One in bag.		



## ALUMINUM LEVEL ASSORTMENTS

—BLUE GRASS—  
HEAVYWEIGHT—PROFESSIONAL

Properly display the levels your customers are asking for—with an attractive three-color sign on the merchandiser. These levels have glass protective windows sealed to protect the vials from moisture and dirt.

They have gold interior surfaces and brilliant blue exterior edges.

These are heavyweight castings—designed for the person that takes pride in his tools.

Assortment includes:

- 1 only—T5-BG4518—Cast Aluminum Level; 4 plumb-2 level vials; 18-inch length
- 2 only—T5-BG4524—Cast Aluminum Level; 4 plumb-2 level vials; 24-inch length
- 1 only—T5-BG4528—Cast Aluminum Level; 4 plumb-2 level vials; 28-inch length
- 1 only—T5-BG4530—Cast Aluminum Level; 4 plumb-2 level vials; 30-inch length
- 2 only—T5-BG4548—Cast Aluminum Level; 4 plumb-2 level vials; 48-inch length
- 1—Merchandiser—NO CHARGE

080-259 T5-BG4500LA ..... Each \$99 05  
One ass't in shp ctn; wt ctn 22 lbs.

## ALUMINUM LEVELS

—BLUE GRASS—HEAVYWEIGHT—PROFESSIONAL

Heavyweight aluminum casting. Glass protective windows sealed to protect the vials from moisture and dirt. Gold interior and blue exterior edges. Four plumbs and two levels.

—BLUE GRASS—HEAVY-DUTY



All vials set in shockproof plastic units

Four plumbs and two levels.

027-334 T5-BG4518 ..... Each \$10 26  
One in shelf box; wt each 1½ lbs.

## CARPENTER'S

Length 24 inches; height 2½ inches; width ¾ inch.

027-359 T5-BG4524 ..... Each \$11 15

Length 28 inches; height 2½ inches; width ¾ inch.

027-367 T5-BG4528 ..... Each 11 70  
One in shelf box; wt each 2½ lbs.

Length 30 inches; height 2½ inches; width 1½ inches.

080-242 T5-BG4530 ..... Each 14 07  
One in shelf ctn; wt ctn 2½ lbs.

## MASON'S

Length 48 inches; height 2½ inches; width 1½ inches.

160-705 T5-BG4548 ..... Each \$20 36  
12 in shelf box; wt each 4 lbs.

## ALUMINUM LEVELS

—BLUE GRASS—



## Medium Weight

Die-cast aluminum levels features reinforced corners and an eye-appealing merchandiser.

Extra heavy window protect and seal vials from moisture and dirt.

All levels have blue interior and exterior edges, one edge has a yellow rule silk screened on it.

Display includes two each of the following:

- T5-BG184MD—18-inch—2 plumb—2 level vials
- T5-BG244MD—24-inch—2 plumb—2 level vials
- T5-BG246MD—24-inch—4 plumb—2 level vials
- T5-BG286MD—28-inch—4 plumb—2 level vials

210-286 T5-BG8MD ..... Each \$67 84  
One in shp ctn; wt ctn 15 lbs.

OPEN STOCK—  
For T5-BG8MD Display

- 18 inch—2 plumb—2 level vials. .... Each \$7 67
- 202-143 T5-BG184MD ..... Each \$7 67  
One in shp ctn; wt ctn 1½ lbs.
- 24 inch—2 plumb—2 level vials. .... Each 8 26
- 202-457 T5-BG244MD ..... Each 8 26  
One in shp ctn; wt ctn 1½ lbs.
- 24 inch—4 plumb—2 level vials. .... Each 8 69
- 205-005 T5-BG246MD ..... Each 8 69  
One in shp ctn; wt ctn 1½ lbs.
- 28 inch—4 plumb—2 level vials. .... Each 9 30
- 210-146 T5-BG286MD ..... Each 9 30  
One in shp ctn; wt ctn 2 lbs.

## REPLACEMENT VIAL AND CASE

For Blue Grass Heavy-Duty Extruded Aluminum Levels

Nos: T5-BG14-18, T5-BG14-24, T5-BG14-28, T5-BG14-30, T5-BG14-36, T5-BG14-48, T5-BG14-72 and T5-BG14-78.

Contains—One vial, one case, two screws.

Use for level or plumb replacements.

553-222 T5-BG1400 ..... Each \$1 08  
One in bag.

## WOOD LEVELS —BLUE GRASS—

Fine selected woods, thoroughly seasoned, highly polished and finished; weatherproof and warp-proof by a special chemical treating process. Alcohol-filled vials are sensitive with accurate indicator marks on glass, and permanently set in shockproof plastic units, absolutely dustproof, protected by heavy crystals, set with moistureproof sealer.

**CARPENTER'S—2 Vials, 1 Level, 1 Plumb**  
Plain Ends. With Hand Grips



California Sugar Pine. Painted English Vermillion Red  
Size 2 1/2 x 1 1/2 x 18 inches.

027-078 T5-BG9-18 ..... Each \$5 01  
One in shelf box; wt each 3/4 lb.

Size 2 1/2 x 1 1/2 x 24 inches.  
027-086 T5-BG9-24 ..... Each 5 58  
One in shelf box; wt each 1 1/4 lbs.

**CARPENTER'S—2 Vials, Top View Level,**  
One Protected Plumb. Plain Ends. With Hand Grips



California Sugar Pine. Painted English Vermillion Red  
Size 2 1/2 x 1 1/2 x 12 inches.

027-045 T5-BG11-12 ..... Each \$4 40  
One in shelf box; wt each 3/4 lb.

Size 2 1/2 x 1 1/2 x 18 inches.  
027-052 T5-BG5-18 ..... Each 4 51  
One in shelf box; wt each 3/4 lb.

Size 2 1/2 x 1 1/2 x 24 inches.  
027-060 T5-BG5-24 ..... Each 5 29  
One in shelf box; wt each 1 1/4 lbs.

**CARPENTER'S—4 Vials, 2 Levels, 2 Plumbs**  
Plain Ends. With Hand Grips.



California Sugar Pine. Painted English Vermillion Red  
Size 2 1/2 x 1 1/2 x 24 inches.

027-094 T5-BG7-24 ..... Each \$8 54  
One in shelf box; wt each 1 1/4 lbs.

Size 2 1/2 x 1 1/2 x 30 inches.  
027-102 T5-BG7-30 ..... Each 9 90  
One in shelf box; wt each 1 3/4 lbs.

**CARPENTER'S—6 Vials, 2 Levels, 4 Plumbs**  
With Hand Holes



**Full Double Angle Brass Bound—African**  
**Mahogany—Natural Varnish Finish**

Size 2 3/4 x 1 x 24 inches.  
027-128 T5-BG6-24 ..... Each \$18 15  
One in shelf box; wt each 1 1/2 lbs.

Size 2 3/4 x 1 x 30 inches.  
027-136 T5-BG6-30 ..... Each 19 28  
One in shelf box; wt each 1 3/4 lbs.

## WOOD LEVELS —BLUE GRASS—

Fine selected woods, thoroughly seasoned, highly polished and finished; weatherproof and warp-proof by a special chemical treating process. Alcohol-filled vials are sensitive with accurate indicator marks on glass, and permanently set in shockproof plastic units, absolutely dustproof, protected by heavy crystals, set with moistureproof sealer.



**Full Double Angle Brass Bound—African Mahogany**  
**Natural Varnish Finish**

Size 2 3/4 x 1 x 36 inches.  
484-659 T5-BG4-36 ..... Each \$22 64  
12 in shelf box; wt each 2 3/4 lbs.

Size 2 3/4 x 1 x 42 inches.  
484-725 T5-BG4-42 ..... Each 24 33  
12 in shelf box; wt each 3 lbs.

Size 2 3/4 x 1 x 48 inches.  
027-144 T5-BG4-48 ..... Each 24 70  
12 in shelf box; wt each 3 1/2 lbs.

**Full Double Aluminum Bound—California Sugar Pine**  
**Natural Varnish Finish**

027-151 T5-BG24-48 ..... Each \$23 34  
6 in shelf box; wt each 3 1/2 lbs.

**California Sugar Pine Frame**  
**Brass Anchored. Angle Bound**  
With Phillips Head Screws

Six vials; size 2 3/4 x 1 x 48 inches.  
027-219 T5-BG40PA-48 ..... Each \$22 50  
12 in shelf box; wt each 3 1/2 lbs.

**STRAIGHT EDGE LEVEL—6 Vials, 4 Plumbs—One**  
level for natural position and one level for use on headers.  
Has large hand hole and two hang holes. Also hinged  
blocks for setting door and window frames.



**Solid Mahogany—Natural Varnish Finish**

With metal ends; size 5 inches through center, 1 inch wide  
and 6 feet, 5 1/4 inches long.

027-193 T5-BG78 ..... Each \$44 07  
One in shelf box; wt each 6 lbs.

## LEVEL MERCHANDISER AND ASSORTMENTS —BLUE GRASS—



Mahogany bracket with Blue Grass trademark  
in eye-attracting colors.

Four heavy brass hooks on each side make it  
possible to display a full line of popular-selling  
levels. Can easily and firmly be attached to a  
wall column or tool display cabinet by using three  
wood screws furnished.

Assortment includes one each of the following:

T5-BG24-48-inch Level  
T5-BG4-48-inch Level  
T5-BG6-30-inch Level  
T5-BG7-30-inch Level  
T5-BG9-24-24-inch Level  
T5-BG5-24-24-inch Level  
T5-BG9-18-18-inch Level  
T5-BG5-18-18-inch Level  
Plus FREE Display Bracket.

027-037 T5-BG1LD ..... Each \$97 61  
One in 2 shp ctns; wt ctns 14 lbs.



## TORPEDO AND LINE LEVEL ASSORTMENTS

—BLUE GRASS—



Display your torpedos and line level for maximum customer exposure. Attractive three-color metal merchandiser, designed for pegboard hanging, torpedos in plastic hanging pouches, line levels carded.

Assortment includes:  
6 only—T5-BG7-9—Aluminum Torpedo Levels  
6 only—T5-BG7-9M—Magnetic Aluminum Torpedo Levels  
12 only—T5-BG5S—Line Levels  
1—Merchandiser—NO CHARGE

080-176 T5-BG900A ..... Ass't \$69 60  
One ass't in shp etn; wt etn 10 lbs.

## MAGNETIC TORPEDO LEVELS

—BLUE GRASS—



Made of special alloy for use by professionals and home utility workmen. Accurate permanently marked vials-level, plumb, 45°. Displayed in an attractive, heavy gauge, protective carrying pouch. Length 9 inches. Blue and silver finish.

Base is grooved for pipework, shafting, conduit, etc. Contains permanent magnet which will hold itself unaided to a metallic surface.

080-119 T5-BG7-9M ..... Each \$5 38  
12 in shelf box; wt etn 4½ lbs.

—BLUE GRASS—With Plumb and Level



Made of special alloy, producing a tough casting that is both durable and lightweight. Furnished with a grooved edge for leveling, shafting, conduct, etc. Accuracy that can be depended upon. Furnished with one level, one plumb, and one 45° cat's-eye vial.

Each Torpedo Level individually packaged in a plastic pouch. Length 9 inches.

027-623 T5-BG7-9 ..... Each \$4 00  
6 in shelf box; wt box 3 lbs.

## LINE AND SURFACE LEVELS

—BLUE GRASS—



Made of polished ¾-inch hexagonal aluminum tubing with Cat's-Eye vial. Length 3 inches.

A favorite with masons and carpenters.

Attractively carded for display on a red, blue and gold card.

668-871 T5-BG5S ..... Each \$1 11  
12 in shelf box; wt box ½ lb.



## BRASS PLUMB BOB DISPLAYS

—BLUE GRASS—



Maximum customer exposure and turnover is provided with this attractive three-color metal merchandiser. Merchandiser is designed for pegboard hanging, and comes complete with the most popular assortment of precision brass plumb bobs, with replaceable hardened steel points.

Assortment consists of:

3 only—TBG8BP—8-ounce Brass Plumb Bobs  
3 only—TBG12BP—12-ounce Brass Plumb Bobs  
2 only—TBG16BP—16-ounce Brass Plumb Bobs  
2 only—TBG18BP—18-ounce Brass Plumb Bobs  
1 only—Merchandiser—NO CHARGE  
Each plumb bob individually boxed.

284-497 T3-BG818P ..... Each \$84 97  
One ass't in shp etn; wt etn 10½ lbs.

## PLUMB BOBS

—BLUE GRASS—



Fine brass body screw cap.

Hardened steel tip.

Diameter 1¼ inches; length 4.8 inches.

444-844 T3-BG8BP ..... Each \$6 46

One in shelf box; wt each 8 ozs.

Diameter 1¼ inches; length 5½ inches.

445-874 T3-BG12BP ..... Each 7 95

One in shelf box; wt each 12 ozs.

Diameter 1¼ inches; length 6 inches.

445-924 T3-BG16BP ..... Each 10 25

One in shelf box; wt each 16 ozs.

Diameter 1¼ inches; length 6½ inches.

451-179 T3-BG18BP ..... Each 10 62

One in shelf box; wt each 18 ozs.



## CABLE CORD

—BLUE GRASS—Natural Cotton



High grade cotton twine, three-cable construction.

Excellent for use as chalk line, mason line, trot line, staging, parcel tying, gardening twine, etc.

Each ball labeled and skin packed. Pull from center ball keeps twine clean and the ball intact.

Size 21; 4-ounce balls; 180 feet in ball.  
216-226 T5-BG21-¼ ..... Each \$0 90  
12 balls in plastic bag; wt bag 3 lbs.

Size 21; 8-ounce balls; 360 feet in ball.  
218-412 T5-BG21-½ ..... Each 1 63  
12 balls in plastic bag; wt bag 7 lbs.  
(Bags Will Not Be Broken)

## MASON LINES

—BLUE GRASS—



## Nylon

Gold-covered nylon is of a twisted construction. Abrasive-resistant, rotproof and can be stored while wet without damage. Resistant to oil, grease, gasoline and mildew.

100-Foot Hanks Connected—18 Thread  
414-607 T5-BG18GN-100 Each \$0 83  
(Boxes Will Not Be Broken)  
12 hanks in shelf box; wt box 1 lb.

## Cotton

Yellow-colored cotton yarn is of a twisted construction. Meets the requirements of the most demanding professional.  
100-Foot Hanks Connected—18 Thread  
414-656 T5-BG18YC-100 Each \$0 60  
(Boxes Will Not Be Broken)  
12 hanks in shelf box; wt box 1 1/4 lbs.

## —BLUE GRASS—Natural Cotton—Braided

Solid braided.  
Pre-stretched.  
Manufactured from high grade cotton yarns.  
Hundreds of uses, many suggested on carton.

Size 3 1/2; 3/4-inch diameter; 48-foot hanks.  
Breaking strength 100 lbs.  
222-612 T5-BG48-3 1/2

Each \$1 14  
12 hanks in shelf box; wt box 3 lbs.

Size 4; 1/2-inch diameter; 48-foot hanks.

Breaking strength 135 lbs.  
223-792 T5-BG48-4

Each \$1 24  
12 hanks in shelf box; wt box 3 1/2 lbs.  
(Boxes Will Not Be Broken)



## —BLUE GRASS—Yellow Cotton



High quality yellow cotton yarn construction. Tops in strength and performance.

100 feet in ball; 18 thread.

219-774 T5-BG18Y-100 Each \$0 60

12 balls in shelf box; wt box 1 1/4 lbs.

(Boxes Will Not Be Broken)

## CHALK LINES

## —BLUE GRASS—Braided Nylon

Over four times the strength of cotton cords of equal size.

Superior resistance to abrasion over other fibers. Will not ravel like twisted lines. Does not absorb moisture.

Size 2; 1/8-inch diameter; 100 feet in tube.

220-061 T5-BG2-100 Each \$1 00

(Boxes Will Not Be Broken)  
12 tubes in shelf box; wt box 2 1/2 lbs.



## —BLUE GRASS—White Cotton

Manufactured from high quality cotton yarns. Balanced construction to minimize raveling.

Tops in strength and performance.

All natural cotton color.



50 feet in ball; 15 thread.  
214-809 T5-BG15-50 Each \$0 33

12 balls in shelf box; wt box 3/4 lb.

50 feet in ball; 18 thread. Each 35

12 balls in shelf box; wt box 7/8 lb.

50 feet in ball; 21 thread. Each 37

12 balls in shelf box; wt box 1 lb.

50 feet in ball; 24 thread. Each 40

12 balls in shelf box; wt box 1 1/4 lbs.

100 feet in ball; 21 thread. Each 57

12 balls in shelf box; wt box 1 3/4 lbs.

100 feet in ball; 24 thread. Each 60

12 balls in shelf box; wt box 2 lbs.

200 feet in ball; 24 thread. Each 1 10

216-093 T5-BG24-200

12 balls in shelf box; wt box 3 1/4 lbs.

(Boxes Will Not Be Broken)



# **NYLON CHALK LINE** —BLUE GRASS—



Especially suited for carpentry and masonry work. Constructed from filament nylon and specially treated to hold knots securely. Lasts many times longer than cotton lines due to nylon's resistance to rot, abrasion, oil, grease, gasoline and water. Color is silvery white. Packaged in labeled tube with skin-tight film overwrap.

Safe working load is 1/5 listed breaking strength. Does not apply under exceptional conditions such as shock load, sustained load, knotting, etc.

Size 18; approx avg breaking strength 170 lbs; approx ft in tube 275; wt each 4 ozs. Each \$1 03

460-154 T5-8G184N ..... Each 1 81

Size 18; approx avg breaking strength 170 lbs; approx ft in tube 545; wt each 8 ozs. Each 1 81

460-204 T5-8G188N ..... Each 1 03

Size 21; approx avg breaking strength 210 lbs; approx ft in tube 215; wt each 4 ozs. Each 1 03

460-287 T5-8G214N ..... Each 1 81

Size 21; approx avg breaking strength 210 lbs; approx ft in tube 430; wt each 8 ozs. Each 1 81

460-519 T5-8G218N ..... Each 1 81

12 tubes in shelf box.

## **CHALK LINE REFILLS**



### —BLUE GRASS—

Micro-fine chalk for all reel type chalk line boxes.

Packed in new easy-fill cylinder type containers, 12 to display carton.

Gives up to five times more marking power. Choice of 4 colors: dark blue, dark red, yellow and white.

Color of cap shows color of chalk.

### **One Ounce Tubes**

295-287 T5-8G118L—Dark blue

295-303 T5-8G11R—Dark Red

295-311 T5-8G11Y—Yellow

295-329 T5-8G11W—White

(Cartons Will Not Be Broken)

12 in display ctn; wt ctn 3/4 lb.

Each \$0 28



### —BLUE GRASS—

#### **4-Ounce Plastic Squeeze Bottle**

451-229 T5-8G48L—Blue

452-037 T5-8G48R—Red

24 in shp ctn; wt ctn 7 1/2 lbs.

Each \$0 54

#### **8-Ounce Plastic Squeeze Bottle**

345-132 T5-8G88L—Blue

345-181 T5-8G88R—Red

24 in shp ctn; wt ctn 14 lbs.

Each 72

# **MARKING CHALK** —BLUE GRASS—



Ultra-fine Chalk for all reel type chalkline boxes. Packaged in new easy-fill cylinder type containers. Choice of four colors: Blue, red, yellow and white.

### **Six-Pound Plastic Jug**

387-886 T5-8G56B—Blue  
387-993 T5-8G56R—Red  
388-017 T5-8G56Y—Yellow  
388-066 T5-8G56W—White  
4 in shp ctn;  
wt ctn 24 lbs.

Each \$5 57

### **Eight-Ounce Squeeze Bottle**

386-870 T5-8G8100B—Blue  
387-233 T5-8G8100R—Red  
387-597 T5-8G8100Y—Yellow  
387-647 T5-8G8100W—White

Each \$0 74

10 in shelf box  
40 in shp ctn; wt ctn 8 lbs.

### **Four-Ounce Squeeze Bottle**

386-169 T5-8G4100B—Blue  
386-334 T5-8G4100R—Red  
386-540 T5-8G4100Y—Yellow  
386-805 T5-8G4100W—White

Each \$0 63

10 in shelf box;  
40 in shp ctn; wt ctn 8 lbs.



# **CHALK LINE BOXES** —BLUE GRASS—



Will mark on any surface, including wood, brick, stone and metal. Die-cast aluminum case is light in weight. Durable enamel finish. Nylon line on "pop-in" reel for easy replacement. Slide action lock and hook ring provides true plumb-bob action. Lock releases automatically on rewind. When not in use handle lies flush with case. Plumb bob tip opens for quick easy filling with powdered chalk. Locked, it is leak-proof. Supplied without chalk. Individually packaged.

Length cord 50 feet.

258-053 T3-8G50E—Each \$2 79

One in shelf box; wt each 1/4 lb.

Length cord 100 feet.

258-376 T3-8G100E—Each 3 46

One in shelf box; wt each 9/16 lb.

### —BLUE GRASS—

#### **Also Use as a Plumb Bob**

Self-chalking easy action reel. Precision made with fewer working parts. Durable aluminum alloy box is leakproof and practically damageproof.

Lifetime nylon slide-fill opening, easier to fill without spilling. Reversible line guides, self-locking plated handle. Hold-tite plated anchor ring.

Length cord 50 feet.

553-768 T5-8G50CB—Each \$1 75

Length cord 100 feet.

553-776 T5-8G100CB—Each 1 93

One in shelf box; wt each 3/4 lb.



## SQUARE DISPLAYS

—BLUE GRASS—

### SQUARE MERCHANDISER ASSORTMENT



Bright zinc-plated wire display rack with attractive red, blue and yellow sign.

Rack makes it possible to display a complete line of squares with a variety of finishes. Suitable for pegboard hanging.

Assortment includes eight squares and wire display rack as follows:

- 1—T5-BGFA100—Aluminum Square
- 1—T5-BGFC100—Copper Square
- 2—T5-BGC-316—Copper Squares
- 2—T5-BGFB14—Blued Squares
- 2—T5-BG3SP—Polished Squares

With each assortment display rack FREE.

276-378 T5-BG88RFD..... Each \$76 28  
One in 2 shp etns; wt 15 lbs.

## INCH-METRIC RAFTER SQUARES

—BLUE GRASS—



This is the only square on the market with inch-metric graduations. The front of the square contains inch graduations. The back contains metric graduations.

The front contains  $\frac{1}{8}$  inch graduations and the rafter framing rule. The back is graduated in centimeters. Polished steel finish (black figures).

Size 16x24 inches.  
080-101 T5-BG300M..... Each \$7 85  
6 in shelf box; wt etn 12 lbs.

## SQUARES

—BLUE GRASS—

### RAFTER FRAMING SQUARES



Solid sheet steel. Full directions for using the Rafter Roof Framing Square and other scales on enclosed pamphlet. In addition, this square has the Brace Measure, the octagon and 1-100 scale. Graduated face  $\frac{1}{8}$ ,  $\frac{1}{4}$  inch. Back  $\frac{1}{8}$ ,  $\frac{1}{12}$ ,  $\frac{1}{10}$  inch. Body 24x2 inches; tongue width  $1\frac{1}{2}$ x16 inches.

Old copper finish (white figures).  
028-241 T5-BGFC100..... Each \$12 56  
6 in shelf box; wt each 2½ lbs.

Same as T5-BGFC100 square, except that the 1-100 scale is omitted and the graduations are not as varied or complete. Full directions for using the Rafter Roof Framing Square plainly stamped on the square, making it a complete tool in itself.

Graduated face  $\frac{1}{8}$ ,  $\frac{1}{4}$ ,  $\frac{1}{2}$  inch; back  $\frac{1}{12}$ ,  $\frac{1}{4}$  inch. Body 24x2 inches; tongue width  $1\frac{1}{2}$  inches; length 16 inches.

Old copper finish (white figures).  
028-266 T5-BGC-316..... Each \$10 99  
6 in shelf box; wt each 2½ lbs.

Polished finish.  
028-274 T5-BGP316..... Each 9 35  
3 in shelf box; wt each 2½ lbs.

## —BLUE GRASS—

### STANDARD STEEL SQUARES

With the Essex's Board and Brace Measure, octagon and 1-100 scales. Without varied graduations of the No. 100. Graduated face  $\frac{1}{8}$ ,  $\frac{1}{4}$  inch; back  $\frac{1}{12}$ ,  $\frac{1}{4}$  inch. Body 24x2 inches; tongue width  $1\frac{1}{2}$  inches; length 16 inches.

Polished finish.  
028-290 T5-BG3SP..... Each \$9 08  
6 in shelf box; wt each 2½ lbs.

## —BLUE GRASS—

### ALUMINUM RAFTER FRAMING SQUARE

Full directions for using the rafter framing rule and scales on enclosed pamphlet. In addition, this square has the brace measure, the octagon and 1-100 scale. Graduated face  $\frac{1}{8}$ ,  $\frac{1}{4}$  inch. Back  $\frac{1}{12}$ ,  $\frac{1}{16}$ ,  $\frac{1}{10}$  inch. Body 24x2 inches; tongue  $1\frac{1}{2}$ x16 inches.

274-605 T5-BGFA100..... Each \$10 74  
6 in shelf box; wt box 5 lbs.

## —BLUE GRASS—

### BLUED RAFTER FRAMING SQUARE


This square has the rafter framing rule and Essex Board Measure. Graduated face  $\frac{1}{8}$ ,  $\frac{1}{4}$  inch. Back  $\frac{1}{8}$ ,  $\frac{1}{4}$  inch. Body 24x2 inches; tongue width  $1\frac{1}{2}$ x16 inches.

275-388 T5-BGFB14..... Each \$6 42  
6 in shelf box; wt box 5 lbs.



# GIANT SQUARES

—BLUE GRASS—ALUMINUM DRYWALL



For drywall cutting and layout, also plywood and sheet metal work. Head and blade of treated aluminum, securely riveted with fine rivets. Head has lipped edge.

Large  $\frac{1}{8}$ -inch markings can be read from either end. Holes in blade for marking studs at 16-inch centers.


Aluminum finish with blue markings.

Length head 22 inches; length blade 48 inches.

407-445 T4-BG482GS ..... Each \$9 27  
One in tube; wt each 3 lbs.

# TRY SQUARES

—BLUE GRASS—



Mahogany handle with brass edge plate.

Blade has etched English graduations on top of blade and metric graduations on bottom of blade.

Length blade 6 inches.

147-223 T5-BG6T ..... Each \$6 00  
6 in shelf box.

Length blade 8 inches.

147-249 T5-BG8T ..... Each \$6 34  
6 in shelf box.

# T-SQUARES

—BLUE GRASS—ALUMINUM



Used for layout drafting and general purpose work. Head is made of .250 gauge treated, aluminum. Blade is .125 gauge 2-inch wide aluminum. Large  $\frac{1}{8}$ -inch markings on each edge. Five rivets hold head and blade.

Aluminum finish with blue markings.

Length blade 24 inches.

406-785 T5-BG124TS ..... Each \$6 64  
3 in shelf box; wt each  $\frac{3}{4}$  lb.

Length blade 48 inches.

406-876 T5-BG148TS ..... Each \$9 25  
3 in shelf box; wt each 2 lbs.

# TRY SQUARE/MITRE SQUARE/ANGLE FINDER



## —BLUE GRASS—

Reads any angle instantly.

Checks true horizontal and vertical lines.

Lays off 45° and 90° angles.

Measures up to 12 inches in 8ths, 16ths and 32nds.

Increase accuracy on many jobs. Save time and mistakes with new improved try square/mitre square. You read angles, check levels, measure inches and lay guidelines—all with one heavy-duty tool. Die-cast head, steel ruler, angle finder of chip-proof ABS plastic.

Handy, hardened steel scriber for marking wood, metal or glass. Angle finder measures 0° to 90° in any quadrant. Not affected by magnetic field, heat or cold.


Movable head on steel ruler. Steel drawbolt with brass knurled nut locks head at any position.

Handy chart on back of angle finder shows degrees in angles converted to pitch per inch and foot.

370-924 T5-BGCSG12 ..... Each \$5 28  
One in shelf box; wt 1 lb.

# COMBINATION SQUARES

—BLUE GRASS—



Combination Square can be used as a Try Square, Mitre Square, Depth and Marking Gauge, Precision Machine Cast-Iron Head with etched blade that is 12 inches long and

one inch wide and grooved so that handle may be moved, locked at any point by metal adjusting screw with enclosed spring. Vial in handle permits leveling and plumbing. Hardened steel scriber with metal grip is set in handle. Graduated in eighths and sixteenths on one side of blade and sixteenths and thirty seconds on other side.

Packed one in a chipboard box.

557-975 T5-BG12M ..... Each \$7 16  
10 in shelf box; 40 in shp etn; wt etn 41 lbs.

# ALUMINUM YARDSTICKS

—BLUE GRASS—



Aluminum. Made from  $1\frac{1}{4}$  x .070-inch material with clear, easy-to-read markings graduated in eighths on one edge and sixteenths on the other. Individually paper wrapped.

379-677 T5-BG36Y ..... Each \$1 58  
10 in shelf box; wt each  $4\frac{1}{2}$  ozs.

## STRAIGHT EDGE RULES —BLUE GRASS—ALUMINUM



Made from .125 gauge flexible aluminum, 2-inches wide. Clear, large, easy to read numbers can be read from either end. Calibrations in 16ths on both edges.

Natural aluminum finish with blue markings.

Length 72 inches.

406-884 T4-BG372SE ..... Each \$6 89  
One in tube; wt each 1 1/4 lbs.

Length 48 inches.

407-072 T4-BG348SE ..... Each \$4 07  
3 in tube; wt each 1 1/4 lbs.

## —BLUE GRASS—ALUMINUM METER STICK



Specially tempered .090 gauge 1 1/4-inch wide aluminum. Large, clear centimeter marks on one edge, inches on the other edge. Metric conversions also noted. Hanger hole for display or storage. This stick makes metric measurement or layout fast and easy.

Natural aluminum finish with blue markings.

590-752 T5-BG39-M ..... Each \$1 59  
10 in tube; wt each 4 1/2 ozs.

## TAPE AND RULE DISPLAY PANELS —BLUE GRASS—



Consists of the following:

- 1-T5-BG61 1/4—Tape Rule
- 1-T5-BG101 1/4—Tape Rule
- 1-T5-BGPT-12L—Tape Rule
- 1-T5-BGKPT-12L—Tape Rule
- 1-T5-BGKPT-16L—Tape Rule
- 2-T5-BG66W—Tape Rule
- 2-T5-BG1010W—Tape Rule
- 2-T5-BG1212W—Tape Rule
- 1-T5-BG9316W—Tape Rule
- 3-T5-BG46—Zig Zag Rule
- 1-T5-BG750WT—Steel Tapes
- 1-T5-BG7100WT—Steel Tapes
- 1-T5-BGY12—Steel Tapes
- 1-T5-BGY16—Steel Tapes
- 1-T5-BGY25—Steel Tapes

004-812 T5-BG77TA ..... Each \$119 73  
One in shp ctn;  
wt ctn 16 lbs.

## STEEL TAPE RULES —BLUE GRASS—Thin Blade



Chrome-plated, die-cast case with Blue Grass blue and marigold colors prevailing on one side.

Serrated edge provides a firm non-slip grip. 1/4 inch wide white clad blade, jet black markings.

Blade is graduated in consecutive inches to 16ths inch, first 6 inches to 32nds inch. Strong, extra long end hook for accurate hook over measuring

Length 6 feet.

236-091 T5-BG61-1/4 ..... Each \$2 10  
6 in shelf box; wt each 4 ozs.

Length 10 feet.

236-208 T5-BG101-1/4 ..... Each 2 95  
6 in shelf box; wt each 6 ozs.



## STEEL TAPE RULES

### —BLUE GRASS—



Black markings. Marked consecutive inches to 16ths bottom edge. Top edge feet and inches to 16ths. First 12 inches to 32nds. Foot number repeated each inch in red. 16-inch centers marked in red. Die-cast case. Self-adjusting end hooks.

In two-toned blue display package.

### 1/2 Inch Wide Blade—With Belt Clip

Length 6 feet.

024-026 T5-BG66W ..... Each \$3 17  
Length 10 feet.

024-042 T5-BG1010W ..... Each 4 32  
Length 12 feet.

024-059 T5-BG1212W ..... Each 4 88  
6 in shelf box; wt each 4 ozs.

### 3/4 Inch Wide Blade—With Belt Clip

Length 16 feet.

206-987 T5-BG9316W ..... Each 8 86  
6 in shelf box; wt each 5 ozs.

## —BLUE GRASS—POSITIVE LOCK-POWER



Push-button (power) rewind. Release pressure, blade stops and holds position. Lever-lock for extra-positive hold. Bright chrome die-cast case with blue trim. Self-adjusting end-hook. New formula, epoxy coating has unsurpassed blade protection. Improved removable belt clip. Hang-up display package.



### With White 1/2 Inch Wide Blade

Color-coded markings: Color blocks flag each foot and 16-inch centers. Red figures identify inches in each foot. Consecutive inch figures in black. Graduated both edges to 16ths inch; first 12 inches bottom edge to 32nds inch.

Length 12 feet.

551-630 T5-BGPT12L ..... Each \$4 87  
6 in shelf box; wt box 3 1/4 lbs.

### With White 3/4 Inch Wide Blade

Color-coded markings: Color blocks flag each foot and 16-inch centers. Red figures identify inches in each foot. Consecutive inch figures in black. Graduated both edges to 16ths inch; first 12 inches bottom edge to 32nds inch.

Back of blade: Direct reading inside measure in inches to 16ths inch along top edge. Ten reference tables, such as screw, lumber and nail sizes also in black.

Length 12 feet.

551-721 T5-BGKPT12L ..... Each \$6 38  
6 in shelf box; wt box 4 lbs.

Length 16 feet.

551-739 T5-BGKPT16L ..... Each 7 93  
6 in shelf box; wt box 4 1/2 lbs.



## STEEL TAPE RULES

### —BLUE GRASS—



Lightweight, durable, polished chrome case made of Cycloc.

Positive action toggle lock for extra positive hold and blade return control. Rubber shock absorber cushions blade return. Rigid  $\frac{3}{4}$ -inch yellow blade has bold black and red markings and a tough clear epoxy coating for longer wear. Convenient belt hook.

Length 12 feet.  
411-454 T5-BGY12 ..... Each \$6 35  
6 in shelf box; wt box 3 lbs.

Length 16 feet.  
414-615 T5-BGY16 ..... Each 7 93  
6 in shelf box; wt box 3  $\frac{1}{2}$  lbs.

Length 25 feet.  
629-006 T5-BGY25 ..... Each 8 74  
6 in shelf box; wt box 4  $\frac{1}{2}$  lbs.

## STEEL TAPES

### —BLUE GRASS—White Blade



Durable baked and mar-resistant white line over tempered steel.

Coated with clear plastic, bold black markings. Red foot figure repeated each inch.

Blade is  $\frac{3}{8}$  inch wide, marked in feet, inches and 8ths inch. Has folding hook ring. Blades are marked with 16-inch centers for stud placement.

In hang-up display package. Case has heavy blue vinyl cover over rust-resistant, welded metal case liner. Stainless steel edge band.



Length 50 feet.  
023-549 T5-BG750WT ..... Each \$11 17  
One in shelf box; wt box 6  $\frac{1}{4}$  lbs.

Length 100 feet.  
023-564 T5-BG7100WT ..... Each 15 99  
One in shelf box; wt box 7 lbs.

## STEEL TAPE REFILLS

### Length 50 Feet

For T5-BG750WT tapes.  
138-214 T48-OHW223 ..... Each \$6 40  
One in shelf box.

### Length 100 Feet

For T5-BG7100WT tapes.  
140-160 T48-OHW226 ..... Each \$10 66  
One in shelf box.

## TAPE RULE ASSORTMENTS

### —BLUE GRASS—SUPER-LOK



Super-Lok assortment contains the four most popular sizes of  $\frac{3}{4}$ -inch chrome tapes, plus the new 1 inch x 20 feet.

The unbreakable chrome-plated cycloc cases are light-weight but strong.

Easy-to-read yellow blades. Its positive lock prevents the blade from slipping back into case.

With every Display you will receive 1 FREE chrome-plated  $\frac{3}{4}$  inch x 20 feet and 1 FREE  $\frac{3}{4}$  inch x 25 feet. Plus a coupon that entitles you to one FREE 1 inch x 25 feet chrome Super-Lok.

**A \$33.40 total retail value absolutely FREE!**

Total Retail of Display including Bonus Tapes is \$197.84.

Dealer Cost, \$109.23. Dealer Profit 45%.

Assortment contains the following tapes:

- 2—T5-BG7912— $\frac{3}{4}$  inch x 12 feet
- 3—T5-BG7916— $\frac{3}{4}$  inch x 16 feet.
- 3—T5-BG7920— $\frac{3}{4}$  inch x 20 feet
- 3—T5-BG7925— $\frac{3}{4}$  inch x 25 feet
- 5—T5-BG8020—1 inch x 20 feet
- (Coupon)—T5-BG8025—1 inch x 25 feet

Plus FREE display.

392-829 T5-BG7980A ..... Each \$115 14  
One ass't in shp ctn; wt ctn 15  $\frac{1}{2}$  lbs.

## OPEN STOCK—For T5-BG7980A

### Tape Rule Assortment

Length 12 feet; width  $\frac{3}{4}$  inch.  
393-017 T5-BG7912 ..... Each \$5 40  
6 in shelf box.

Length 16 feet; width  $\frac{3}{4}$  inch.  
393-116 T5-BG7916 ..... Each 6 71  
6 in shelf box.

Length 20 feet; width  $\frac{3}{4}$  inch.  
392-860 T5-BG7920 ..... Each 7 10  
6 in shelf box.

Length 25 feet; width  $\frac{3}{4}$  inch.  
393-140 T5-BG7925 ..... Each 7 59  
6 in shelf box.

Length 20 feet; width 1 inch.  
393-256 T5-BG8020 ..... Each 8 03  
6 in shelf box.

Length 25 feet; width 1 inch.  
393-272 T5-BG8025 ..... Each 9 21  
6 in shelf box.

## TAPE AND RULE DISPLAY PANELS

### —BLUE GRASS—



Consists of one each of the following:

- T5-BG611 $\frac{1}{4}$ —Tape Rule
- T5-BG101 $\frac{1}{4}$ —Tape Rule
- T5-BG66W—Tape Rule
- T5-BG1010W—Tape Rule
- T5-BG1212W—Tape Rule
- T5-BG9316W—Tape Rule
- T5-BG46—Zig Zag Rule
- T5-BG1028—Tape Rule
- T5-BG1228—Tape Rule
- T5-BG1238—Tape Rule
- T5-BG1638—Tape Rule
- T5-BG2538—Tape Rule
- T5-BG2548—Tape Rule
- T5-BG750WT—Steel Tapes
- T5-BG7100WT—Steel Tapes

735-761 T5-BG80TA...Each \$100 94  
One in shp ctn; wt ctn 16 lbs.

## POWER TAPES

### —BLUE GRASS—

Lightweight, durable, polished chrome case made of Cycloac.

Positive action toggle lock for extra positive hold and blade return control. Rubber shock absorber cushions blade return. Rigid yellow blade has bold black and red markings and a tough clear epoxy coating for longer wear. Convenient belt hook.



### $\frac{1}{2}$ -Inch Blade

Length 10 feet. 735-704 T5-BG1028...Each \$4 10

Length 12 feet. 735-712 T5-BG1228...Each 4 80  
6 in shp ctn; wt ctn 3 lbs.

### $\frac{3}{4}$ -Inch Blade

Length 12 feet. 735-720 T5-BG1238...Each \$6 30

Length 16 feet. 735-738 T5-BG1638...Each 7 83

Length 25 feet. 735-746 T5-BG2538...Each 8 66  
6 in shp ctn; wt ctn 3 lbs.

### One-Inch Blade

Length 25 feet. 735-753 T5-BG2548...Each \$9 75  
6 in shp ctn; wt ctn 5 lbs.

## ZIGZAG RULES

### —BLUE GRASS—EXTENSION



Boxwood finish; first section of rule fitted with graduated brass slide; brass lock joints and strike plates.

Blue end tips. Length 6 feet; with extension slide 6 $\frac{1}{2}$  feet. Cardboard sleeve for pegboard mounting.  
022-566 T5-BG46...Each \$6 51  
6 in shelf box; wt each 3 ozs.

## NAIL SET MERCHANDISERS

### —BLUE GRASS—

Merchandise constructed of wood, attractively finished, and silk-screened in blue with an eye-appealing display card.

Merchandise includes the following nail sets:

- 10 only—T5-BG227-1
- 16 only—T5-BG227-2
- 6 only—T5-BG227-3
- 4 only—T5-BG227-4

573-600 T5-BG227-36M...Each \$38 88  
One in shp ctn; wt each 3 $\frac{1}{2}$  lbs.



## NAIL SETS

### —BLUE GRASS—



Forged from first quality tool steel; knurled round barrel with non-rolling

square head blued finish throughout; length 4 inches. Diameter  $\frac{1}{4}$  inch.

- 023-168 T5-BG227-1—Size point  $\frac{1}{32}$  inch...Each \$1 08
  - 023-176 T5-BG227-2—Size point  $\frac{1}{16}$  inch...Each 1 08
  - 023-184 T5-BG227-3—Size point  $\frac{3}{32}$  inch...Each 1 08
  - 023-192 T5-BG227-4—Size point  $\frac{1}{8}$  inch...Each 1 08
- (Boxes Will Not Be Broken)  
12 in shelf box; wt box 1 lb.

Assortment consists of 12; four  $\frac{1}{32}$ , four  $\frac{1}{16}$  and four  $\frac{1}{8}$ .  
023-200 T5-BG227-A...Ass't \$12 98  
One ass't in shelf box; wt ass't  $\frac{3}{4}$  lb.



# AUGER BIT

—BLUE GRASS—



		Size, in.	Each	Wt each, ozs
028-860	T3-8G47-5	5/16	\$2 87	2
028-886	T3-8G47-7	3/8	2 95	3
028-894	T3-8G47-8	1/2	2 95	4
028-902	T3-8G47-9	5/8	3 03	4
028-910	T3-8G47-10	3/4	3 04	4
028-928	T3-8G47-11	7/8	3 37	4 1/2
028-936	T3-8G47-12	1 1/8	3 48	5
028-944	T3-8G47-13	1 1/4	3 60	5
028-969	T3-8G47-15	1 3/8	3 88	7
028-985	T3-8G47-17	1 1/2	4 72	8
028-993	T3-8G47-18	1 5/8	4 94	8
029-009	T3-8G47-20	1 3/4	5 39	8
029-017	T3-8G47-22	1 7/8	6 29	8
029-025	T3-8G47-24	1 3/2	6 97	8

One in plastic pouch.

# SHIP AUGER BITS

—BLUE GRASS—



Length twist 12 inches; length over-all about 17 inches

		Size, in.	Each	Wt each, ozs
030-288	T3-8G16-5	5/16	\$ 7 11	4 1/4
030-296	T3-8G16-6	3/8	7 89	4 1/4
030-304	T3-8G16-7	1/2	7 89	4 1/2
030-312	T3-8G16-8	5/8	7 89	5
030-320	T3-8G16-9	3/4	8 33	5 1/2
030-338	T3-8G16-10	7/8	8 33	8
030-346	T3-8G16-11	1 1/8	8 56	8 1/2
030-353	T3-8G16-12	1 1/4	9 22	9
030-361	T3-8G16-13	1 3/8	9 44	9
030-379	T3-8G16-14	1 1/2	9 44	13
030-387	T3-8G16-15	1 5/8	10 44	13 1/2
030-395	T3-8G16-16	1	11 22	15

6 in shelf box.

# COUNTERSINKS

—BLUE GRASS—



Cast steel, blued finish, polished head.  
Length 3 3/4 inches.

Rosehead—For Brass

1/4-inch cutting head.  
031-070 T3-8G15 1/2 ..... Each \$2 15  
6 in shelf box; wt each 1 1/2 ozs.

# EXPANSIVE BITS

—BLUE GRASS—MICRO-DIAL



Micrometer dial size adjustment.  
Drop forged in one piece from special analysis steel; heat-treated full length. Medium slow screw pitch. Easy-reading dial markings; positive blade lock. Highly polished finish.  
Each in a plastic pouch. Two cutters are supplied with each bit.

Small size, bores 5/8 to 1 3/4 inches.  
232-124 T3-8G54EB ..... Each \$7 31  
6 in shelf box; wt box 2 1/4 lbs.

Large size, bores 3/4 to 3 inches.  
255-919 T3-8G55EB ..... Each 8 14  
6 in shelf box; wt box 3 1/2 lbs.

## EXTRA CUTTERS

For T3-8G55EB and T65-22A Expansive Bits

606-244 T65-141—Cuts 1 1/2 to 3 in. .... Each \$1 71  
6 in shelf box.

—BLUE GRASS—



Quick size adjustment.  
Drop forged in one piece from special analysis steel; heat-treated full length. Medium slow screw pitch. Wedge type blade lock is positive in action. Highly polished finish.  
Each in a plastic pouch. Two cutters are supplied with each bit.

Small size, bores 3/8 to 1 3/4 inches.  
256-347 T3-8G56EB ..... Each \$6 49  
6 in shelf box; wt box 2 lbs.

Large size, bores 7/8 to 3 inches.  
256-826 T3-8G57EB ..... Each 7 18  
6 in shelf box; wt box 3 1/4 lbs.

## EXTRA CUTTERS

For T3-8G56EB and T3-8G57EB Expansive Bits

030-866 T65-11S—Cuts 5/8 to 1 in. .... Each \$1 38  
030-874 T65-21S—Cuts 1 to 1 1/2 in. .... Each 1 38  
030-882 T65-31L—Cuts 3/4 to 1 1/2 in. .... Each 1 41  
030-890 T65-41L—Cuts 1 1/2 to 3 in. .... Each 1 55  
12 in box.

## SCREWDRIVER DISPLAY PANELS



## —BLUE GRASS—

## Blue Plastic Handle

3/4-inch tempered masonite display panel painted yellow.

Attractive four-color header.

Size panel 24x12 1/2 inches.

Blank price marking circles.

Can be used for wall or pegboard mounting.

Merchandise includes 3 each of the following:

- T2-BG47BH-3—Machinist Screwdrivers
- T2-BG47BH-4—Machinist Screwdrivers
- T2-BG47BH-5—Machinist Screwdrivers
- T2-BG47BH-6—Machinist Screwdrivers
- T2-BG47BH-8—Machinist Screwdrivers
- T2-BG83-1 1/2—Stubby Screwdrivers
- T2-BG17CB-4—Cabinet Screwdrivers
- T2-BG17CB-6—Cabinet Screwdrivers
- T2-BG17CB-8—Cabinet Screwdrivers
- T2-BG82-4—Square Shank Screwdrivers
- T2-BG82-6—Square Shank Screwdrivers
- T2-BG7PB-1—Phillips Screwdrivers
- T2-BG7PB-2—Phillips Screwdrivers
- T2-BG27PB-2—Phillips Screwdrivers
- 120-196 T2-BG7777..... Each \$97 13

One ass't in shp ctn; wt ctn 14 lbs.

## SCREWDRIVERS

## —BLUE GRASS—Machinist's Type



Extra quality chrome vanadium alloy round steel blades. Correctly hardened and tempered the entire length. Fluted blue colored plastic handles.

- Blade length 3 in.; over-all 6 1/2 in.; wt each 1/8 lb.
- 036-657 T2-BG47BH-3—Diam blade 1/16 in..... Each \$1 59
- Blade length 4 in.; over-all 7 1/2 in.; wt each 3 ozs.
- 036-665 T2-BG47BH-4—Diam blade 1/8 in..... Each 1 66
- Blade length 5 in.; over-all 8 3/4 in.; wt each 3/4 lb.
- 036-673 T2-BG47BH-5—Diam blade 3/16 in..... Each 2 11
- Blade length 6 in.; over-all 10 1/4 in.; wt each 1 1/2 lb.
- 036-681 T2-BG47BH-6—Diam blade 1/4 in..... Each 2 44
- Blade length 8 in.; over-all 13 in.; wt each 3 1/2 lb.
- 036-699 T2-BG47BH-8—Diam blade 3/8 in..... Each 3 18
- Blade length 10 in.; over-all 15 in.; wt each 3 3/4 lb.
- 036-707 T2-BG47BH-10—Diam blade 1/2 in..... Each 3 49

6 in shelf box.

## SCREWDRIVERS

## —BLUE GRASS—Square Shank



Blades made from the finest alloy steel, hardened full length. Shockproof, unbreakable, blue Tenite plastic handles.

Deep flutes insure "leverage" grip.

- Blade length 4 inches; over-all 8 inches; wt each 3/4 lb.
- 036-616 T2-BG82-4—Diam blade 3/16 in..... Each \$2 58
- Blade length 6 inches; over-all 10 inches; wt each 3/4 lb.
- 036-624 T2-BG82-6—Diam blade 3/16 in..... Each 3 49
- Blade length 8 inches; over-all 12 inches; wt each 1 1/4 lb.
- 036-632 T2-BG82-8—Diam blade 3/16 in..... Each 3 80
- Blade length 10 inches; over-all 14 inches; wt each 3 3/4 lb.
- 036-640 T2-BG82-10—Diam blade 3/16 in..... Each 4 11

6 in shelf box.

## —BLUE GRASS—CABINET TYPE



Blade made of special analysis steel, properly hardened and tempered, straight taper point. Well finished and polished. Hammer forged. Blue Belkoid handle.

- Blade length 4 inches; wt each 1 1/4 lb.
- 036-715 T2-BG17-C84—Diam blade 1/8 in..... Each \$1 43
- Blade length 5 inches; wt each 1 1/4 lb.
- 275-438 T2-BG17-C85—Diam blade 1/8 in..... Each 1 61
- Blade length 6 inches; wt each 1 1/4 lb.
- 036-731 T2-BG17-C86—Diam blade 1/8 in..... Each 1 70
- Blade length 8 inches; wt each 1 1/4 lb.
- 036-749 T2-BG17-C88—Diam blade 1/8 in..... Each 1 92

6 in shelf box.

## PHILLIPS SCREWDRIVERS

## —BLUE GRASS—



Made of alloy steel.

The wing type blade construction holds them securely in the handle. The blue Belkoid handles are practically indestructible and are made and designed to stand a lot of hard, heavy work. The deep flutes give a good grip.

- Size 3 inches; diameter blade 3/16 in.
- 036-806 T2-BG7PB-1..... Each \$1 44
- 6 in shelf box; wt each 1 1/4 lb.
- Size 4 inches; diameter blade 1/4 in.
- 036-814 T2-BG7PB-2..... Each 1 95
- 6 in shelf box; wt each 3/4 lb.
- Size 6 inches; diameter blade 3/8 in.
- 036-822 T2-BG7PB-3..... Each 2 52
- 6 in shelf box; wt each 3/4 lb.

## STUBBY

- Alloy steel, blue Belkoid handles.
- Size 1 inch; diameter blade 3/16 in.
- 036-830 T2-BG27PB-1..... Each \$1 61
- 12 in shelf box; wt each 1 1/4 lb.
- Size 1 1/2 inches; diameter blade 1/4 in.
- 036-848 T2-BG27PB-2..... Each 1 82
- 12 in shelf box; wt each 3/4 lb.



# SCREWDRIVER DISPLAY PANELS

—BLUE GRASS—



Finest alloy steel, chrome plated. Bolstered heavy-duty blade, winged shank. Precision cross-ground tip. Cushion grip handle. Color—beige and blue.  
Masonite display board painted yellow. Yellow letters on blue header. Tab across front shows numbers, sizes and price markings. Suitable for pegboard hanging.

Display size 22x12 inches.

Display includes two each of the following:

- T2-BG84-3—3x $\frac{1}{4}$ -inch Mechanics Round
- T2-BG84-4—4x $\frac{1}{4}$ -inch Mechanics Round
- T2-BG84-6—6x $\frac{1}{4}$ -inch Mechanics Round
- T2-BG84-8—8x $\frac{1}{4}$ -inch Mechanics Round
- T2-BG85-3—3x $\frac{1}{8}$ -inch Electricians Round
- T2-BG85-6—6x $\frac{1}{8}$ -inch Electricians Round
- T2-BG85-8—8x $\frac{1}{8}$ -inch Electricians Round
- T2-BG86-1 $\frac{1}{4}$ —1 $\frac{1}{4}$ x $\frac{1}{4}$ -inch Mechanics Square
- T2-BG86-4—4x $\frac{1}{4}$ -inch Mechanics Square
- T2-BG86-6—6x $\frac{1}{4}$ -inch Mechanics Square
- T2-BG86-8—8x $\frac{1}{4}$ -inch Mechanics Square
- T2-BG87-2—1 $\frac{1}{4}$ -inch No. 2 pt Phillips Stubby
- T2-BG88-1—3-inch No. 1 pt Phillips Regular
- T2-BG88-2—4-inch No. 2 pt Phillips Regular
- T2-BG88-3—6-inch No. 3 pt Phillips Regular

539-403 12-BG888

One in shp ctn; wt ctn 13 lbs.

Each \$86 52

## OPEN STOCK—For T2-BG888 Screwdriver Display Board

		Each		Wt Box, lbs
525-246	T2-BG84-3	\$2 42	3x $\frac{1}{4}$ -inch Mechanics Round	1 $\frac{1}{2}$
525-253	T2-BG84-4	2 75	4x $\frac{1}{4}$ -inch Mechanics Round	2
525-709	T2-BG84-6	3 01	6x $\frac{1}{4}$ -inch Mechanics Round	2 $\frac{1}{2}$
536-714	T2-BG84-8	3 82	8x $\frac{1}{4}$ -inch Mechanics Round	3
536-722	T2-BG85-3	2 29	3x $\frac{1}{8}$ -inch Electricians Round	1 $\frac{1}{2}$
537-118	T2-BG85-6	2 60	6x $\frac{1}{8}$ -inch Electricians Round	2
537-829	T2-BG85-8	2 75	8x $\frac{1}{8}$ -inch Electricians Round	2
538-033	T2-BG86-1 $\frac{1}{4}$	1 93	1 $\frac{1}{4}$ x $\frac{1}{4}$ -inch Mechanics Square	1 $\frac{1}{2}$
538-090	T2-BG86-4	3 04	4x $\frac{1}{4}$ -inch Mechanics Square	2
538-108	T2-BG86-6	3 82	6x $\frac{1}{4}$ -inch Mechanics Square	2 $\frac{1}{2}$
538-132	T2-BG86-8	4 58	8x $\frac{1}{4}$ -inch Mechanics Square	3 $\frac{1}{2}$
538-348	T2-BG87-2	2 26	1 $\frac{1}{4}$ -inch No. 2 pt. Phillips Stubby	1
538-785	T2-BG88-1	2 10	3-inch No. 1 pt. Phillips Regular	1 $\frac{1}{2}$
538-801	T2-BG88-2	2 40	4-inch No. 2 pt. Phillips Regular	2 $\frac{1}{2}$
538-793	T2-BG88-3	3 49	6-inch No. 3 pt. Phillips Regular	2 $\frac{1}{2}$

6 in shelf box.

## SCREWDRIVERS

### —BLUE GRASS—STUBBY



Blades made from the finest alloy steel, hardened full length. Shockproof, unbreakable, blue Temite plastic handles. Deep flutes insure perfect

hand fit and powerful grip.

Ideal for use in small tight places.

Blade width  $\frac{1}{4}$  inch; blade length 1 $\frac{1}{2}$  inches; over-all length 3 $\frac{1}{2}$  inches.

036-756 T2-BG83-1 $\frac{1}{2}$ .....Each \$1 51  
6 in shelf box; wt each  $\frac{1}{16}$  lb.

### —BLUE GRASS—MACHINIST'S TYPE



Extra quality chrome vanadium steel blades, polished finish, tempered and hardened. Blade extends clear through handle and is riveted through ferrule and blade. Hardwood fluted handle, black rubberized finish.

Blade length 4 in.; over-all 9 in.; wt each  $\frac{1}{4}$  lb.

036-566 T2-BG47W-4—Diam blade  $\frac{1}{4}$  in.....Each \$3 18

Blade length 5 in.; over-all 10 $\frac{1}{2}$  in.; wt each  $\frac{3}{8}$  lb.

036-574 T2-BG47W-5—Diam blade  $\frac{5}{16}$  in.....Each 3 64

Blade length 6 in.; over-all 11 $\frac{1}{2}$  in.; wt each  $\frac{1}{2}$  lb.

036-582 T2-BG47W-6—Diam blade  $\frac{3}{8}$  in.....Each 3 84

Blade length 8 in.; over-all 15 in.; wt each  $\frac{3}{4}$  lb.

036-590 T2-BG47W-8—Diam blade  $\frac{7}{8}$  in.....Each 4 70

Blade length 10 in.; over-all 17 in.; wt each  $\frac{3}{4}$  lb.

036-608 T2-BG47W-10—Diam blade  $\frac{1}{2}$  in.....Each 4 92

6 in shelf box.

## SCREWDRIVERS

—BLUE GRASS—  
SQUARE POINT—SHURLOX TYPE

All with modern triple blue stripe on crystal clear plastic handle with standard color code tip. Nickel chrome vanadium alloy steel blades.

No. 1 point fits 5, 6, 7—coded green.	
660-233 T2-BG31SP-1	Each \$1 79
No. 2 point fits 8, 9, 10—coded red.	
660-944 T2-BG31SP-2	Each 1 90
No. 3 point fits 12, 14 $\frac{1}{2}$ —coded black.	
665-034 T2-BG31SP-3	Each 1 98
6 in shelf box.	

SCREW HOLDING SCREWDRIVERS  
—BLUE GRASS—

Plastic handled screw-holding screwdrivers in triple blue and white. Rustproof tempered high tensile steel. High torsion helical spring steel grips. Shockproof handle does not retain grease or oils. Carded. Slotted end.

	Blade size, in.	Wt box, lbs	Each
475-988 T2-BGx21	$\frac{1}{8}$ x2 $\frac{1}{2}$	$\frac{1}{2}$	\$1 35
475-996 T2-BGx41	$\frac{1}{8}$ x4	$\frac{3}{4}$	1 59
476-002 T2-BGx53	$\frac{3}{16}$ x5	1	1 99
476-010 T2-BGx63	$\frac{3}{16}$ x6	1 $\frac{1}{2}$	2 07
6 eds in shelf box.			


## PHILLIPS HEAD

534-339 T2-BG1P—No. 1 point	Each \$2 07
534-347 T2-BG2P—No. 2 point	Each 2 23
6 eds in shelf box.	

SCREWDRIVER SETS  
—BLUE GRASS—

All screwdriver blades contain extra quality chrome vanadium alloy steel, correctly tempered and hardened. Handles are of extruded plastic, comfortable to the hand.

## Four-Piece Set



Consists of one each of the following:


- $\frac{3}{16}$ x6 inches round shanks
- $\frac{1}{4}$ x4 inches round shanks
- No. 1 Phillips
- No. 2 Phillips

227-645 T5-BG4T	Set \$6 61
One set in shelf box; wt box 1 $\frac{1}{4}$ lbs.	

## Seven-Piece Set

Consists of one each of the following:

- $\frac{5}{16}$ x6-in. round shanks
- $\frac{3}{16}$ x3-in. round shanks
- $\frac{1}{2}$ x3-in. round shanks
- No. 1 Phillips
- No. 2 Phillips
- $\frac{1}{4}$ x4-in. square shanks



227-918 T5-BG7T	Set \$9 15
One set in shelf box; wt box 1 $\frac{1}{2}$ lbs.	

## CLUTCH HEAD SCREWDRIVERS

—BLUE GRASS—



Plastic handled clutch head screwdrivers, triple blue and white. Rustproof tempered high tensile steel blade with clutch head, precision ground to fit preferred "G" type screws.

	Bit size, in.	Blade, in.	Wt box, lbs	Each
476-028 T2-BGCL3- $\frac{3}{32}$	$\frac{3}{32}$	$\frac{3}{4}$ x4	1 $\frac{3}{4}$	\$1 99
476-036 T2-BGCL4- $\frac{1}{8}$	$\frac{1}{8}$	$\frac{3}{4}$ x4	1 $\frac{3}{4}$	1 99
476-044 T2-BGCL5- $\frac{1}{4}$	$\frac{1}{4}$	$\frac{3}{4}$ x6	2 $\frac{1}{4}$	2 39
476-051 T2-BGCL6- $\frac{5}{16}$	$\frac{5}{16}$	$\frac{3}{4}$ x6	2 $\frac{3}{4}$	2 63
6 in shelf box.				

SCREWDRIVER BITS  
—BLUE GRASS—

Best quality crucible analysis steel, hammer forged, full polished; tip cross ground.

## Straight Sizes

Size $\frac{1}{4}$ x4 $\frac{1}{4}$ inches.	
035-436 T2-BG547-4	Each \$1 62
12 in shelf box; wt box 10 $\frac{1}{2}$ ozs.	
Size $\frac{5}{16}$ x4 $\frac{1}{2}$ inches.	
035-444 T2-BG547-5	Each 1 64
12 in shelf box; wt box 14 ozs.	
Size $\frac{3}{8}$ x4 $\frac{1}{2}$ inches.	
035-451 T2-BG547-6	Each 1 72
12 in shelf box; wt box 13 $\frac{1}{2}$ ozs.	
Size $\frac{1}{2}$ x4 $\frac{3}{4}$ inches.	
035-469 T2-BG547-8	Each 1 80
12 in shelf box; wt box 15 ozs.	

SCRATCH AWLS  
—BLUE GRASS—

Hardened, taper-forged steel, mirror polished with blade set completely through handle, peened over and polished flush with handle. Lacquered hardwood handle. Length blade 5 inches.



548-172 T5-BG449HA	Each \$1 96
12 in shelf box; wt box 2 lbs.	

—BLUE GRASS—



Blade made of high quality tool steel, hardened and tempered.

Handle made of unbreakable tenite. Color blue.	
Length over-all 6 $\frac{1}{4}$ inches; length blade 4 $\frac{1}{2}$ inches.	
031-872 T5-BG450HA	Each \$1 89
6 in shelf box; wt each $\frac{3}{4}$ lb.	



## SPINDLES

—BLUE GRASS—



A basic collection of fine, hardwood furniture components. Easy to assemble into all types of furniture—free-standing, wall anchored or floor-to-ceiling. Available with smooth, professional-quality walnut finish. All wooden parts of fine furniture quality, two inches in diameter.



SPANISH

EARLY  
AMERICAN

MEDITERRANEAN

EARLY AMERICAN—20 in Carton			
205-905	T5-BG101E8W—Lgth 8 in.; wt ctn 7 lbs.	Ctn	\$28 06
207-258	T5-BG101E10W—Lgth 10 in.; wt ctn 8 lbs.	Ctn	30 90
208-264	T5-BG101E-12W—Lgth 12 in.; wt ctn 9 lbs.	Ctn	33 30
208-603	T5-BG101E-14W—Lgth 14 in.; wt ctn 10 lbs.	Ctn	37 20

(Cartons Will Not Be Broken)

MEDITERRANEAN—20 in Carton			
208-611	T5-BG104M-8W—Lgth 8 in.; wt ctn 9 lbs.	Ctn	\$28 20
210-062	T5-BG104M-10W—Lgth 10 in.; wt ctn 10 lbs.	Ctn	30 90
210-179	T5-BG104M-12W—Lgth 12 in.; wt ctn 11 lbs.	Ctn	33 30
210-252	T5-BG104M-14W—Lgth 14 in.; wt ctn 12 lbs.	Ctn	37 20

(Cartons Will Not Be Broken)

SPANISH—20 in Carton			
210-526	T5-BG103S-8W—Lgth 8 in.; wt ctn 7 lbs.	Ctn	\$28 20
210-583	T5-BG103S-10W—Lgth 10 in.; wt ctn 8 lbs.	Ctn	30 90
210-740	T5-BG103S-12W—Lgth 12 in.; wt ctn 9 lbs.	Ctn	33 30
211-060	T5-BG103S-14W—Lgth 14 in.; wt ctn 10 lbs.	Ctn	37 20

(Cartons Will Not Be Broken)

## SPINDLE ACCESSORIES

—BLUE GRASS—



## SIX-INCH WALNUT BASE BLOCKS

20 in Carton

211-110	T5-BG104B-GW	Ctn	\$24 30
---------	--------------	-----	---------

Wt ctn 7 lbs.

## WALNUT ACORN FINIALS—25 in Carton

Size 2 1/2 inches.

211-128	T5-BG104A-7W	Ctn	\$22 50
---------	--------------	-----	---------

Wt ctn 3 1/2 lbs.

## WALNUT BALL FINIALS—25 in Carton

Size 2 1/2 inches.

212-225	T5-BG104B-8W	Ctn	\$22 50
---------	--------------	-----	---------

Wt ctn 3 1/2 lbs.

## WALNUT SPACERS—25 in Carton

212-134	T5-BG104S-9W	Ctn	\$12 75
---------	--------------	-----	---------

Wt ctn 1 1/2 lbs.

## WALNUT SHELVES

No Notch—Size 14x36 inches—Five in Carton

212-183	T5-BG301AW	Ctn	\$41 70
---------	------------	-----	---------

Wt ctn 45 lbs.

## WALNUT SHELVES

One Notch—Size 14x35 1/2 inches—Five in Carton

212-316	T5-BG301BW	Ctn	\$41 70
---------	------------	-----	---------

Wt ctn 45 lbs.

## WALNUT SHELVES

Two Notch—Size 14x35 inches—Five in Carton

212-449	T5-BG-301CW	Ctn	\$41 70
---------	-------------	-----	---------

Wt ctn 45 lbs.

(Cartons Will Not Be Broken On All Above Items)



## SPINDLES

—BLUE GRASS—



Made from finest kiln-dried hardwoods, cut from 2 1/2-inch stock in three authentic styles. Smoothly sanded for perfect finishing.

## EARLY AMERICAN—20 in Carton

661-397	T5-BG101E8—Length 8 in.; wt ctn 4 lbs.	Ctn	\$25 91
661-454	T5-BG101E10—Length 10 in.; wt ctn 4 lbs.	Ctn	30 33
661-777	T5-BG101E12—Length 12 in.; wt ctn 5 lbs.	Ctn	32 34
662-015	T5-BG101E14—Length 14 in.; wt ctn 6 lbs.	Ctn	36 58

(Cartons Will Not Be Broken)

## TRADITIONAL—20 in Carton

662-767	T5-BG102T14—Length 14 in.; wt ctn 6 lbs.	Ctn	\$28 91
---------	--	-----	---------

(Cartons Will Not Be Broken)


## SPANISH—20 in Carton

662-783	T5-BG103S8—Length 8 in.; wt ctn 3 lbs.	Ctn	\$19 00
662-924	T5-BG103S10—Length 10 in.; wt ctn 4 lbs.	Ctn	20 15
663-542	T5-BG103S12—Length 12 in.; wt ctn 5 lbs.	Ctn	21 27

(Cartons Will Not Be Broken)

# SPINDLE-CRAFT ACCESSORIES

—BLUE GRASS—



Wood accessories are made from the finest kiln-dried hardwoods. All are smoothly sanded for perfect finishing.

SIX-INCH BASE BLOCKS—20 in Carton		Ctn \$23 73
663-666 T5-BG104B6 (Cartons Will Not Be Broken) 20 in shp etn; wt etn 8 lbs.		
BALL FINIALS—25 in Carton		Ctn \$22 26
664-136 T5-BG104B8 (Cartons Will Not Be Broken) 25 in shp etn; wt etn 4 lbs.		
ACORN FINIALS—25 in Carton		Ctn \$21 97
663-880 T5-BG104A7 (Cartons Will Not Be Broken) 25 in shp etn; wt etn 4 lbs.		
SPACERS—25 in Carton		Ctn \$12 33
665-448 T5-BG104S9 (Cartons Will Not Be Broken) 25 in shp etn; wt etn 1½ lbs.		
3½-INCH CONNECTOR—In Sets of Four—25 Sets in Carton		Ctn \$12 59
665-521 T5-BG105C1 (Cartons Will Not Be Broken) 25 (sets of 4) in shp etn; wt etn 6 lbs.		
TENSION HARDWARE—In Sets of Two—25 Sets in Carton		Ctn \$10 74
669-895 T5-BG105C3 (Cartons Will Not Be Broken) 25 (sets of 2) in shp etn; wt etn 4 lbs.		
CONCEALED CONNECTOR—In Sets of Four—25 Sets in Carton		Ctn \$10 74
669-010 T5-BG105C2 (Cartons Will Not Be Broken) 25 (sets of 4) in shp etn; wt etn 4½ lbs.		
SHELVES		
No Notch—Size 14x36 Inches—Five in Carton		Ctn \$41 70
212-498 T5-BG401A—Birch Veneer (Cartons Will Not Be Broken) 5 in shp etn; wt etn 35 lbs.		
One Notch—Size 10x36 Inches—Five in Carton		Ctn \$25 27
680-272 T5-BG201B (Cartons Will Not Be Broken) 5 in shp etn; wt etn 38 lbs.		
One Notch—Size 14x35½ Inches—Five in Carton		Ctn \$41 70
212-522 T5-BG401B—Birch Veneer (Cartons Will Not Be Broken) 5 in shp etn; wt etn 35 lbs.		
Two Notch—Size 10x36 Inches—Five in Carton		Ctn \$25 27
682-815 T5-BG201C (Cartons Will Not Be Broken) 5 in shp etn; wt etn 40 lbs.		
Two Notch—Size 14x35 Inches—Five in Carton		Ctn \$41 70
212-563 T5-BG401C—Birch Veneer (Cartons Will Not Be Broken) 5 in shp etn; wt etn 35 lbs.		



## WOOD LEGS



Made from the finest kiln-dried hardwoods, cut from 2 1/4-inch stock in three authentic styles. Smoothly sanded for perfect finishing.

## SPANISH—Twelve in Carton

679-738	T5-BGHS6—Length 6 in.; wt ctn 6 lbs.	Carton	\$13 56
680-124	T5-BGHS12—Length 12 in.; wt ctn 10 lbs.	Carton	22 00
680-249	T5-BGHS16—Length 16 in.; wt ctn 14 lbs.	Carton	28 40
680-348	T5-BGHS22—Length 22 in.; wt ctn 17 lbs.	Carton	38 52
681-890	T5-BGHS28—Length 28 in.; wt ctn 20 lbs.	Carton	45 08

(Cartons Will Not Be Broken)

## EARLY AMERICAN—Twelve in Carton

682-435	T5-BGHE6—Length 6 in.; wt ctn 6 lbs.	Carton	\$14 80
684-233	T5-BGHE12—Length 12 in.; wt ctn 10 lbs.	Carton	21 80
684-498	T5-BGHE16—Length 16 in.; wt ctn 14 lbs.	Carton	28 40
685-347	T5-BGHE22—Length 22 in.; wt ctn 17 lbs.	Carton	36 04
685-925	T5-BGHE28—Length 28 in.; wt ctn 20 lbs.	Carton	45 08

(Cartons Will Not Be Broken)

## TRADITIONAL—Twelve in Carton

686-436	T5-BGHT6—Length 6 in.; wt ctn 6 lbs.	Carton	\$14 80
688-085	T5-BGHT12—Length 12 in.; wt ctn 10 lbs.	Carton	22 00
690-255	T5-BGHT16—Length 16 in.; wt ctn 14 lbs.	Carton	28 40
693-663	T5-BGHT22—Length 22 in.; wt ctn 17 lbs.	Carton	38 00
693-861	T5-BGHT28—Length 28 in.; wt ctn 20 lbs.	Carton	45 08

(Cartons Will Not Be Broken)



(Spanish) (Early American) (Traditional)

## TOP PLATES

## —BLUE GRASS—WITH SCREWS AND GLIDES

Heavy-gauge stamped steel top plates and glides.

50 in Carton

694-927 T5-BG551

(Cartons Will Not Be Broken)

50 in shp ctn; wt ctn 19 lbs.

Carton \$20 02



## TOP PLATES

## SET OF 4 PLATES—For All Blue Grass Wood Legs

Heavy-gauge stamped steel—3 1/2 x 2 1/2 inches. With 2 holes for angle or straight leg mounting.

201-822 T5-BGTP Set \$1 00

One set in plastic bag; 12 in shelf box; wt set 12 ozs.

## FLOOR GLIDES

## SET OF 4—For All Blue Grass Wood Legs

Brass plated. One inch long, 3/4-inch diameter.

214-213 T5-BGFG1 Set \$1 15

One set in plastic bag; 12 in shelf box; wt set 12 ozs.

## LEG BRACES

## —BLUE GRASS—

Length 12 inches


Brass-plated braces for wood or steel tubular legs 16 inches or over. Strengthens legs, prevents furniture from swaying. Simple screw attachment. Just drill holes in legs and attach to leg under table. Screws furnished. 4 braces to a set in a plastic bag with illustrated header.

Set of 4

548-719 T5-BGLB1 Set \$3 43

12 sets in shp ctn;

wt ctn 25 lbs.



BRASS PLATED  
LEG BRACE

## WOOD LEGS



## —BLUE GRASS—CLASSIC SQUARE—Unfinished

Made of fine furniture quality, kiln-dried hardwood, smoothly sanded, ready for finishing.

Extra heavy top plate holds legs securely in straight or flared position.

Easy to attach—just attach plate to furniture with screws supplied and screw leg into plate.

Four in Set

Length 4 inches.

031-617 T5-BG4WS Set \$4 16

6 sets in shp ctn; wt ctn 7 lbs.

Length 6 inches.

032-433 T5-BG6WS Set 4 50

6 sets in shp ctn; wt ctn 8 lbs.

Length 8 inches.

035-642 T5-BG8WS Set 5 48

6 sets in shp ctn; wt ctn 10 lbs.

Length 12 inches.

035-659 T5-BG12WS Set 5 87

6 sets in shp ctn; wt ctn 12 lbs.

Length 16 inches.

042-556 T5-BG16WS Set 7 05

6 sets in shp ctn; wt ctn 15 lbs.

Length 18 inches.

046-979 T5-BG18WS Set 7 35

6 sets in shp ctn; wt ctn 16 lbs.

Length 22 inches.


047-787 T5-BG22WS Set 8 25

6 sets in shp ctn; wt ctn 17 lbs.

Length 28 inches.

048-199 T5-BG28WS Set 10 05

6 sets in shp ctn; wt ctn 22 lbs.



(All Above Packed One Set in Shelf Box)

## WOOD LEGS

## —BLUE GRASS—OPEN STOCK

## Four in Set



Length 4 inches.	
319-988 T5-BGWL4.....Set	\$4 16
6 sets in shp ctn; wt ctn 8 lbs.	
Length 6 inches.	
320-804 T5-BGWL6.....Set	4 49
6 sets in shp ctn; wt ctn 10 lbs.	
Length 8 inches.	
320-820 T5-BGWL8.....Set	5 48
6 sets in shp ctn; wt ctn 12 lbs.	
Length 12 inches.	
322-016 T5-BGWL12.....Set	5 87
6 sets in shp ctn; wt ctn 15 lbs.	
Length 14 inches.	
326-603 T5-BGWL14.....Set	6 69
6 sets in shp ctn; wt ctn 17 lbs.	
Length 16 inches.	
326-751 T5-BGWL16.....Set	7 05
6 sets in shp ctn; wt ctn 18 lbs.	
Length 18 inches.	
326-777 T5-BGWL18.....Set	7 35
6 sets in shp ctn; wt ctn 21 lbs.	
Length 22 inches.	
330-852 T5-BGWL22.....Set	8 23
6 sets in shp ctn; wt ctn 25 lbs.	
Length 28 inches.	
333-195 T5-BGWL28.....Set	10 05
6 sets in shp ctn; wt ctn 30 lbs.	

(All Above Packed One Set in Shelf Box)

—BLUE GRASS—  
EARLY AMERICAN—Unfinished

Made of fine furniture quality, kiln-dried hardwood, smoothly sanded, ready for finishing.

Extra heavy top plate holds legs securely in straight or flared position.

Easy to attach—just attach plate to furniture with screws supplied and screw leg into plate.

## Four in Set


Length 4 inches.	
225-250 T5-BG4EAW.....Set	\$4 16
6 sets in shp ctn; wt ctn 9 lbs.	
Length 6 inches.	
225-912 T5-BG6EAW.....Set	4 49
6 sets in shp ctn; wt ctn 11 lbs.	
Length 8 inches.	
227-595 T5-BG8EAW.....Set	5 48
6 sets in shp ctn; wt ctn 12 lbs.	
Length 12 inches.	
227-926 T5-BG12EAW.....Set	5 87
6 sets in shp ctn; wt ctn 17 lbs.	
Length 14 inches.	
228-262 T5-BG14EAW.....Set	6 69
6 sets in shp ctn; wt ctn 18 lbs.	
Length 16 inches.	
228-411 T5-BG16EAW.....Set	7 05
6 sets in shp ctn; wt ctn 21 lbs.	
Length 18 inches.	
229-302 T5-BG18EAW.....Set	7 35
6 sets in shp ctn; wt ctn 24 lbs.	
Length 22 inches.	
229-856 T5-BG22EAW.....Set	8 24
6 sets in shp ctn; wt ctn 27 lbs.	
Length 28 inches.	
230-391 T5-BG28EAW.....Set	10 05
6 sets in shp ctn; wt ctn 33 lbs.	

(All Above Packed One Set in Shelf Box)



## SAWHORSE BRACKETS

## —BLUE GRASS—For 2x4 Lumber



Tough, serviceable sawhorse brackets constructed of heavy gauge steel for heavy-duty applications.

Grips legs and rails securely. Jaws of bracket have teeth to assure positive grip on the crossbar.

These brackets make a suitable base for virtually any type of table top surface.

Attractively packaged in self-display carry-home wrapper.

254-185 T3-BG1SH.....Pair	\$1 64
One pr in shelf box; 10 pr in shp ctn; wt ctn 20 lbs.	

## CARPENTER'S APRONS

—BLUE GRASS—  
BIB NAIL TYPE

With web hammer loop, large pockets.

Two large flared nail pockets at waist and 2 side small tool pockets.

Pad and pencil pocket on bib.

Interlocking binding secures nail pockets.

Double-stitched, bar tacked.

Made in fine quality eight-ounce duck.



032-565 T5-BG47.....Each	\$4 02
(Packages of 6 Will Not Be Broken)	
6 in pkg; 1 pkg in shelf box; wt each 1 1/2 lb.	

## —BLUE GRASS—NAIL TYPE



All-purpose waist nail apron. Five handy pockets.

Two large flared and one small center nail pockets.

Strong hammer loop on side.

Two small tool pockets, 3 inches wide by 6 inches deep.

All pockets canvas bound. Made in fine quality 8-ounce duck.

032-557 T5-BG117.....Each	\$2 34
(Packages of 6 Will Not Be Broken)	
6 in pkg; 1 pkg in shelf box; wt each 1 1/4 lb.	



## CARPENTER'S APRONS

### —BLUE GRASS—BIB APRON



#### 14-Pocket

Made of 8-ounce quality white duck.

Wide full coverage bib with pad and pencil pocket, and shoulder straps.

Double tier of pockets at waist featuring 2 large hand-flared, one medium size nail pocket, 2 small nail pockets, 3 small center pockets, and 4 side small tool pockets.

Wide web canvas hammer strap on right and left side.

Apron 21 inches long, 24 inches wide, full front coverage.

032-573 T5-BG137 ..... Each \$4 52

(Packages of 3 Will Not Be Broken)

3 in pkg; 1 pkg in shelf box; wt each 1/2 lb.

## TRUCKER'S APRONS

### —BLUE GRASS— SPLIT-LEG TRUCKER AND HANDLERS WORK APRON

Made of heavy 11-ounce dark brown duck.

Woven-to-bib canvas crisscross over-shoulder straps.

Large partitioned waist pocket. Bib and pencil pocket.

Closed crotch construction.

Harness snap and ring on each leg strap.

36 inches long (knee length).

044-180 T5-BG8103 ..... Each \$6 53  
6 in shp ctn; wt ctn 5 lbs.



## WAIST APRONS

### —BLUE GRASS—

With Snap-On Web Belt

Carpenter and construction worker's split-leg leather waist apron.

Designed for rough carpenters, farmers, construction workers and many segments of the building trades. Free leg action for climbing,

kneeling or bending. Nails can't spill.

Pockets: Two large inside and two smaller outside permanently pouched nail pockets. Two punch or nail set plus two small tool and handy pencil pockets.

All pockets leather bound for long wear.

Wide heavy side hammer and tool loops on each side.


2 1/4-inch wide army pistol type, web adjustable snap-on belt. Saddle stitched and capped rivet construction.

032-581 T5-BG810 ..... Each \$22 80  
One in shelf box; wt each 2 lbs.



## WAIST APRONS

### —BLUE GRASS—



Economy carpenter-construction worker's two-bag apron. Made of beige suede leather. Features two large size nail pockets, two outside finish nail pockets, small tool or pencil pocket, and leather hammer loop on

each side, plus leather area between the two large pockets for a steel rule tape. Two-inch wide brown polypropylene web belt with slide and hook fastener.

175-315 T5-BG5099 ..... Each \$14 01  
50 in shp ctn.

## UTILITY BELT TOOL CARRIERS

### —BLUE GRASS—

8-9-ounce top grain leather.

Four tool slots, large center loop for hammer, "T" tape chain, and tool snap.

Ideal for handyman or hobbyist.

Mounted on attractive display card.

253-187 T5-BG836 ..... Each \$2 33  
One in shelf box; 12 in shp ctn; wt ctn 4 lbs.



## ROOFERS HIP PADS

### —BLUE GRASS—



Made of one-piece die-molded foam rubber that has a ruflex surface. Pad adjusts quickly to all sized legs. Pad cushions hip when sitting on roof. Ventilating holes keep body cool under pad. Leather loop adjusting snaps adjust pad to short or tall men. Leg strap prevents pad from slipping up. 20-inches long x 11 1/2-inches wide. 24-inches wide at leg flaps.

040-204 T5-BG9941—For Right Hander

040-212 T5-BG9942—For Left Hander

Loose; wt each 3 lbs. Each \$12 30

## LEATHER POCKETS AND POUCHES

### —BLUE GRASS— DRYWALL TOOL HOLDER

Heavy-duty top grain cowhide, capped rivets at stress points. Wide 3 1/2-inch tunnel belt loop. Pocket includes: Pencil slot, cutting knife scabbard, hook knife sheath, all-around cutter holder, box rule pocket plus roomy steel tape holder. Hammer loop 11 1/2 inches long x 10 1/2 inches wide.

035-071 T5-BG815 ..... Each \$10 60  
One in shelf box; wt each 3/4 lb.



## LEATHER POCKETS AND POUCHES

## —BLUE GRASS—

Designed for Electricians, Servicemen, TV and Radiomen, Maintenance and Linemen



A kit that literally saves hours of on-the-job time, doubles tool capacity, yet is compact and functional and gives organized finger-tip control of tools.

Two large flared inside pockets with leather center divider.

Three screwdriver slots on back wall.

Two flared 2 1/2 x 5 1/2-inch and one wider 4 x 5 1/2-inch flared front pockets.

Swing chain with "T" for

friction tape reversible to left side. Tunnel belt loop.

Outside tapered hammer or large tool loop.

Saddle stitched, chrome capped rivet construction.

Over-all size: 8x10 inches.

032-607 T5-8G806 ..... Each \$12 13

One in shelf box; wt each 1 1/4 lbs.

—BLUE GRASS—UTILITY POUCH  
Four-Pocket

Beautifully made in 6 to 7-ounce top grain natural tan saddle strap cowhide. Large capacity inside permanently pouched 6x6 1/2-inch inside pocket, with strap divider at top to hold tools upright.

Three outside 2-inch wide hand-flared small tool pockets.

Double saddle stitched, brass rivets.

Over-all size, 6x9 inches.

Swing "T" friction tape chain.

Open screwdriver slot on each side.

032-599 T5-8G802 ..... Each \$10 53

One in shelf box; wt each 3/4 lb.

—BLUE GRASS—  
UTILITY POUCH

Electrician's Repair and Serviceman's Four-Pocket



Eight compartments. Double stitched for independent pocket suspension. Has three outside two-inch wide small tool pockets, one large 6x6 1/2-inch permanently pouched inside pocket, two open-end screwdriver slots, swing "T" friction tape chain, hammer loop and small tool snap. Wide tunnel belt loop.

Over-all size 7 1/2 x 9 inches.

253-419 T5-8G838 ..... Each \$10 16

One in shelf box.

—BLUE GRASS—DRYWALL TOOL

Box shaped upright design. Top grain cowhide. 2x2-inch chrome steel hammer loop stays out straight and rigid. Lock stitch capped rivet construction.

All-around cutter and saw sheaths. Pockets for knives, rules, punches and pencils. Double leather puncture proof bottom.

Size—Width 8 inches; depth 9 1/2 inches.

036-202 T5-8G814 ..... Each \$11 04

One in shelf box; wt each 3/4 lb.



—BLUE GRASS—  
Five-Pocket Kit  
With Tape Chain



A neat multi-use kit beautifully made in 6 to 8-ounce top grain saddle leather. This kit features one large inside and two 1 1/2 x 5-inch flared front pockets plus two outside open end tool slots for longer screwdrivers, tools, etc. Swing "T" chain tape holder, capped rivet construction. Size 8x9 inches.

032-631 T5-8G804 ..... Each \$6 91

One in shelf box; wt each 1/2 lb.

—BLUE GRASS—  
TACKER GUN POCKET

Made of top grain leather. Size 6 1/2 x 8 1/2 inches.

Will accommodate all popular size tacker guns—Arrow, Swingline, Duo Fast, Bostick, Craftsman.

303-396 T5-8G543 ..... Each \$7 47

Loose.



—BLUE GRASS—  
TAPE HOLDER

Made of top grain saddle leather. For 16, 20 and 25-foot tapes. Wide belt slots. One-hand push-up design with safety strap that pulls through back when not in use.

253-229 T5-8G837 ..... Each \$3 39

One in shelf box;

12 in shp etn; wt etn 6 lbs.



—BLUE GRASS—  
ECONOMY POUCH  
Five Pockets

Made of top grain saddle leather.

Features large pre-formed one-inch deep back pocket, two pre-formed front pockets, two screwdriver side pockets.

Fits on up to 2-inch belt.

Over-all size 8x8 1/2 inches.

253-179 T5-8G835 ..... Each \$7 96

One in shelf box;

12 in shp etn; wt etn 6 lbs.





## LEATHER POCKETS AND POUCHES



—BLUE GRASS—  
TOOL HOLDER  
Single Pocket—All-Purpose

Pouch has large one-inch deep pre-formed single pocket, front strap for extra tools.

Over-all size 6x8 inches.

253-054 T5-8G831.....Each \$4 20  
One in shelf box;  
12 in shp ctn; wt ctn 5 lbs.



## —BLUE GRASS—NAIL BAG—With Hammer Loop



Quality cowhide. Large 10x10-inch nail pocket stays permanently flared for ready access. Leather bound for long wear.

Rip-proof steel stitching. Stress points reinforced with capped rivets.

Wide tunnel belt loop.

255-463 T5-8G816.....Each \$7 33  
One in shelf box; wt each 3/4 lb.



## —BLUE GRASS—

## 3-POCKET UTILITY TOOL POUCH

Top grain cowhide. A medium-sized, general-purpose tool holder for repairmen, hobbyist, etc. Pouch features large center pocket with screwdriver slots on back wall. Two pre-formed front pockets for pliers and tools.

Over-all size 5 1/2 x 8 1/4 inches.

295-626 T5-8G825.....Each \$7 93  
One in shelf box.



—BLUE GRASS—  
KNIFE OR SMALL TOOL  
SHEATH

Made of heavy harness leather. Base is slotted to slip on belt. Bottom of pocket is open to prevent accumulation of dirt or water.

Over-all size: 3 1/2 x 8 1/4 inches.

648-881 T5-8G519.....Each \$2 00  
One in shelf box.



—BLUE GRASS—  
DE LUXE NAIL BAG

Big Six-Pocket Construction Worker's Nail and Tool Bag for Right or Left Hand Workers



Used as off-the-hip nail and tool bag by lathers, carpenters and many construction tradesmen. Made of genuine leather. Large flared nail pocket and a front nail pocket. Four small tool pockets. Two hammer loops, wide belt loop.

Rip-proof steel stitching.

186-585 T5-8G847.....Each \$9 13  
One in poly bag; wt each 1 1/4 lbs.



—BLUE GRASS—SPRINGER SWINGER  
HAMMER HOLDER



Base is made of heavy 8-9-ounce strap leather. Hammer loop is made of 1/4-inch diameter wire and is spring-loaded so it always returns to horizontal position when hammer is removed. This unique feature makes for easy insertion as the user always knows the position of the loop. Metal hammer loop is rectangular in shape to conform to shape of hammer.

147-256 T5-8G542  
One in shelf box. Each \$1 93



—BLUE GRASS—  
NAIL BAG

Made of genuine leather. Completely bound binding to secure bag edge. All stress points are reinforced with rivets.

Wide tunnel belt loop.

Size pocket 10x10 inches flared.

186-551 T5-8G840.....Each \$8 15  
One in poly bag; wt each 1 lb.



—BLUE GRASS—NAIL BAG

Strong white duck, completely bound binding to secure bag edge. All stress points reinforced with rivet. Wide tunnel belt loop. Size pocket 10x10 inches, flared.

036-228 T5-8G817.....Each \$2 85  
(Packages Will Not Be Broken)  
3 in pkg; 1 pkg in shelf box;  
wt each 3 1/2 ozs.



—BLUE GRASS—  
HAMMER HOLDER

Two pieces of genuine leather sewn together to form a thickness of 1/4 inch. 1/4-inch galvanized steel hammer loop riveted into leather.

Length 9 1/4 inches; width 5 3/4 inches. Light tan color.

169-094 T5-8G824.....Each \$2 73  
One in shelf box; wt each 1/4 lb.



## LEATHER POCKETS AND POUCHES

—BLUE GRASS—  
HAMMER HOLDER

Made of heavyweight strap leather. Holder has 2x2-inch steel hammer or hatchet loop. Wide belt slots.

272-872 T5-BG828 ..... Each \$1 55  
One in shelf box; wt each  $\frac{1}{2}$  lb.

—BLUE GRASS—  
HAMMER HOLDER  
Made in top grain saddle leather, double riveted at loop.  
032-680 T5-BG809  
One in shelf box; Each \$1 38  
wt each  $\frac{1}{2}$  lb.



—BLUE GRASS—  
HAMMER POUCH  
Top grain saddle leather. Double riveted on both sides of loop. Will hold hammers or hatchets.  
Size  $5\frac{1}{2} \times 4\frac{1}{4}$  inches.  
Belt slots—2 inches for belt.


240-598 T5-3G85 ..... Each \$0 90  
Loose.

—BLUE GRASS—  
RIGID BACK—PLUMB BOB HOLDER

Top grain saddle leather. Safety snap strap and wide belt slots that take belts up to  $2\frac{1}{2}$  inches wide.

Holds 12 to 16-ounce bobs.  
Over-all size  $3 \times 8\frac{3}{4}$  inches.

295-634 T5-BG826 ..... Each \$2 63  
One in shelf box.

—BLUE GRASS—  
STEEL TAPE HOLDER

Made of top grain saddle leather. For large 20-foot tapes. Wide belt slots. One-hand push-up design with safety strap that pulls through back when not in use.

272-880 T5-BG829 ..... Each \$2 40  
One in shelf box; wt each  $\frac{1}{2}$  lb.

—BLUE GRASS—  
STEEL TAPE POCKET  
With Safety Snap Strap

Open bottom, finger push-up design. Top grain saddle leather. Wide belt slots. Can be used with or without safety snap; strap pushes through back when not in use.

Mounted on attractive colored display card for hanging.

Tape pocket size  $3 \times 3 \times 1\frac{1}{4}$  inches.

Takes Large Tapes, 10, 12 and 16 Feet Long;  
 $\frac{3}{4}$  and 1 Inch Wide

631-176 T5-BG822 ..... Each \$2 40  
One in shelf box; wt each 7 ozs.

—BLUE GRASS—  
RULE POCKET

Can be used for folding rules, large side cutting pliers, and other elongated tools. Top grain cowhide. Strong riveted construction. Bottom side openings to prevent accumulation of water or dirt. Pocket size—Width  $2\frac{1}{2}$  inches; length  $6\frac{1}{2}$  inches.

031-476 T5-BG820 ..... Each \$3 33  
One in shelf box;  
12 in shp ctn; wt each  $\frac{1}{4}$  lb.

—BLUE GRASS—  
BELT SLOT AXE SHEATH

For hand axes. Beautifully made of 5-ounce top grain leather.  
Size  $4 \times 7\frac{1}{4}$  inches.

032-672 T5-BG811 ..... Each \$3 13  
One in shelf box; wt each  $\frac{1}{4}$  lb.



## —BLUE GRASS—PLIER POCKET

Top grain leather.

Open end, accommodates various length pliers, tools, shears, etc. Size  $3\frac{1}{2} \times 8\frac{1}{2}$  inches.

032-656 T5-BG801 ..... Each \$1 68  
One in shelf box; wt each  $\frac{1}{8}$  lb.



## —BLUE GRASS—PLIER POCKET

Top grain leather.

Open end, accommodates various length pliers, tools, shears, etc. Size  $3\frac{1}{2} \times 8\frac{1}{2}$  inches.

363-101 T5-BG839 ..... Each \$2 13  
One in shelf box; wt box  $\frac{1}{8}$  lbs.



## LEATHER POCKETS AND POUCHES

—BLUE GRASS—  
ELECTRICIAN'S POCKET

Heavy leather. Can be riveted to belt. Deep plier pocket, takes up to 9-inch side cutting pliers.

Pocket for 6-foot box rule. Full length, open end screwdriver side slot. Two large "quick release" harness snaps. Pockets have bottom side openings to prevent accumulation of water or dirt. Over-all size 6½x10½ inches.

036-210 T5-BG818 ..... Each \$7 97  
One in shelf box; wt each ¾ lb.

## LEATHER TOOL HOLDER BELTS

—BLUE GRASS—



Every kit buyer wants a separate belt. Beautifully made in 6

to 8-ounce saddle top grain. Strong buckle. 1¾ inches wide.

Two size ranges fit all waists up to 46 inches. Color: Saddle tan. State size range. 28 to 44-inch waist.

032-706 T5-BG813 ..... Each \$4 41  
One in shelf box; wt each ½ lb.

## WEB TOOL HOLDER BELTS

—BLUE GRASS—Heavy-Duty



Brown web 2¼ inches wide, adjustable work belt with heavy nickel hardware.

Belt adjusts to 46-inch waist.

Packaged in a blue cardboard sleeve.

298-653 T5-BG88WB ..... Each \$2 65  
One in shelf box.

## MASON'S TOOL BAGS

—BLUE GRASS—



Heavy-duty, fine quality tool bag made of one-piece heavy No. 8—20-ounce white duck.

Deep and roomy and built around a light, strong 12-gauge steel frame.

Has large 9x11-inch inside tool pocket with leather handles and straps with buckle closure.



Also has strong sturdy masonite bottom with bottom studs and top grain leather reinforcement covering entire bottom and extending 3 inches up each side.

Length 22 inches; width 6 inches; depth 15 inches.

276-261 T5-BG1000 ..... Each \$17 27  
One in shp ctn; wt ctn 3½ lbs.

## MASON'S TOOL BAGS



—BLUE GRASS—



Made with 12-gauge recessing steel frame and heavy 16-ounce white army duck. Handles, buckles, billets, and canvas are riveted to frame. Lock stitch sewing with waxed linen thread assures long life. Strong 20-point waterproof board bottoms. 9x11-inch inside tool pocket.

Size over-all 20x16 inches.

032-714 T5-BG800-20 ..... Each \$19 53

One in shelf box; wt each 3 lbs.

## TOOL BOX RACK LESS TOOLS



—BLUE GRASS—


Rack FREE with 12 tool boxes of any choice except T7-SP19 and T5-BG167.

297-861 T5-BG44R ..... NO CHARGE



**BLUE GRASS TOOL BOXES**

Electrically welded heavy gauge steel. Baked enamel blue textured finish. Plated hardware.  
**CARPENTER'S CHEST—LIFT-OUT TRAY**




Size 9x8x32 Inches

032-722 T5-BG932 ..... Each \$32 24  
 One in shp ctn; wt each 14½ lbs.

**MECHANICS' TOOL BOX—LIFT-OUT TRAY**

Size 8x9x18 Inches

216-937 T5-BG1718 ..... Each \$18 05  
 One in shp ctn; wt each 10 lbs.

**MECHANICS' BOX**

Four cantilever type trays—two lower trays have four partitions each—two top trays are plain. Two drawbolts, one with eye for padlocking.

Cover has continuous piano type hinges.

Size  
 8½x10x21 Inches  
 589-382 T5-BG7721 ..... Each \$40 66  
 One in shp ctn;  
 wt each 13½ lbs.

**BLUE GRASS TOOL BOXES**

Features "Tote Tray", 20¼x8¼x2¼ inches with tubular handle. Comfort grip handles on cover with which padlock may be used.



Size 7¼x8½x21 Inches

032-730 T5-BG721 ..... Each \$19 38  
 One in shp ctn; wt each 11 lbs.

**GENERAL PURPOSE BOX**

The tray in No. T5-BG-7720 tool box is partitioned as illustrated and tray in No. T5-BG718 and No. T5-BG-720 has one socket wrench partition. One drawbolt with eye for padlocking.



Size 9x8x18 Inches

Equipped with one catch.  
 518-183 T5-BG718 ..... Each \$19 08  
 One in shp ctn; wt each 9 lbs.

Size 8x9x20 Inches

Equipped with two catches.  
 032-797 T5-BG720 ..... Each \$20 77  
 One in shp ctn; wt each 12 lbs.



Electrically welded heavy-gauge steel.  
 Baked enamel blue textured finish.

Plated hardware.  
 Length 16 inches;  
 width 7½ inches;  
 depth 7½ inches.

One tray—Depth 1½ inches.

291-948 T5-BG167 ..... Each \$12 36  
 One in shp ctn;  
 wt ctn 6½ lbs.



## BLUE GRASS TOOL BOXES

Electrically welded heavy-gauge steel. Baked enamel blue textured finish. Plated hardware.



With compartment lift-out tray.

Size 9x8x20 inches

572-701 T5-BG1720

Each \$18 27

One in shp etn; wt each 12 lbs.



Size 10x11x20 inches

513-978 T5-BG1721

Each \$25 68

One in shp etn; wt each 11 lbs.



Inside drawer size—  
8 3/4 x 2 1/4 x 18 1/4 inches.  
Till in top size—  
8 3/4 x 2 3/4 x 19 3/4 inches.

Size  
10 1/4 x 8 1/2 x 20 inches

572-834 T5-BG3720

Each \$32 66

One in shp etn; wt each 17 lbs.

## UTILITY TOOL BOX



Cantilever box fully partitioned tray is ideal for small parts—plenty of storage room below tray.

Size 6x8x16 inches

572-842 T5-BG2716

Each \$15 35

One in shp etn; wt each 9 lbs.



## POINTING TROWELS

—BLUE GRASS—



Forged of one piece crucible steel, taper ground, spring point; polished and etched blade; four-inch polished maple

handle; heavy steel ferrule; blue lacquered shank.

Blade 5 inches; heel 2 3/8 inches; weight 1/4 pound.

034-066 T5-BG41-5

Blade 6 inches; heel 2 3/4 inches; weight 1/2 pound.

034-082 T4-BG41-6

6 in shelf box.

Each \$3 50



## BRICK TROWELS

—BLUE GRASS—Narrow London Pattern

Forged in one piece from highest grade trowel steel; tempered, taper ground, hand smithed and polished; straight post with handle set for correct balance, 6-inch hardwood handle securely attached; polished steel ferrule.

Blade 11 inches; heel 4 3/4 inches; weight 1 1/4 pounds.

033-506 T4-BG249-11

Blade 11 1/2 inches; heel 5 inches; weight 1 3/4 pounds.

033-514 T4-BG249-11 1/2

2 in shelf box.

Each \$9 68



—BLUE GRASS—Philadelphia Pattern



Forged in one piece from highest grade trowel steel; tempered, taper ground, hand smithed and polished;

straight post with handle set for correct balance, 6-inch handle securely attached; polished steel ferrule.

Blade 11 inches; heel 5 1/2 inches; weight 1 1/4 pounds.

033-704 T4-BG259-11

2 in shelf box.

Each \$9 68

## DARBIES

—BLUE GRASS—ALUMINUM



Made from 1/8-inch smooth aluminum with 18-inch rib securely fastened.

Smooth hardwood handle—attached with aluminum nut countersunk on working surface, with soft sponge rubber callous preventer.

Length 42 inches; width 3 1/2 inches.

037-259 T4-BG96APD

3 in shelf box; wt each 3 1/4 lbs.

Each \$5 32

## PLASTERER'S FINISHING TROWELS

—BLUE GRASS—California Pattern



A high quality lightweight trowel with drop forged aluminum shank, ten hardened steel rivets. Blade of special high carbon Swedish spring steel, polished. Hardwood handle.

Blade 11x4 1/2 inches.


062-026 T4-BG401-11

Blade 11 1/2 x 4 1/2 inches.

034-256 T4-BG401-11 1/2

Each \$6 06  
3 in shelf box; wt each 1 1/4 lbs.

## DRY WALL TOOLS



### —BLUE GRASS— WIDE BLADE KNIFE For Dry Wall Work

Six-inch semi-flexible wide blade knife and scraper.

080-424 T4-BG1066 Each \$2 20  
12 in shelf ctn; wt ctn 4 lbs.

### —BLUE GRASS— ALUMINUM HAWK For Dry Wall Work

Aluminum Hawk with lip on one edge complete with large comfortable smooth handle and callous preventer. Counter-sunk aluminum nut makes positive handle attachment to blade.

Size 12x6 inches. 12-gauge lip rises 1½ inches.  
080-622 T4-BG1061 Each \$4 34  
One in shelf ctn; wt ctn 1½ lbs.



### —BLUE GRASS—CORNER TROWEL For Dry Wall Work



Flexible stainless steel corner trowel for applying tape in corners. Mounting is heat-treated aluminum with extra large comfortable smooth handle.

Thumb rest provides ease of operation, get full leverage without exertion.

080-804 T4-BG1065 Each \$4 40  
One in shelf ctn; wt ctn 1 lb.

### —BLUE GRASS—FINISHING TROWEL For Dry Wall Work

Set of three interchangeable blades and holder for perfect combination to apply tape and blend topping compound on dry wall work. Thumb rest provides ease of operation, get full leverage without exertion.


One high carbon flexible steel blade 8x4 inches, concave working edge.

One high carbon flexible steel blade 11x4 inches, concave working edge.

One high carbon flexible steel blade 11x4 inches, straight working edge.

One aluminum holder with comfortable large smooth handle.

082-024 T4-BG1060 Each \$6 00  
One in shelf ctn; wt ctn 1½ lbs.



## DRY WALL TOOLS

### —BLUE GRASS—CURVED BLADE TROWEL For Dry Wall Work

High carbon steel flexible curved blade trowels—¾-inch concave, heat-treated aluminum mounting is securely attached to blades with closely placed hardened rivets. Trowel furnished with extra large smooth comfortable handle.



Size 10x4½ inches.

082-412 T4-BG1062 Each \$7 00  
One in shelf ctn; wt ctn 1 lb.

Size 12x4½ inches.

082-826 T4-BG1063 Each \$7 00  
One in shelf ctn; wt ctn 1 lb.



Size 14x4½ inches.

082-834 T4-BG1064 Each \$7 47  
One in shp ctn; wt ctn 1½ lbs.

## PLASTERING HAWKS

### —BLUE GRASS—Aluminum

12-gauge, hard rolled aluminum with round corners to prevent bending. Serrated working face extends in a circular pattern near all edges and to a degree prevents plaster dripping or slipping off. One-piece zinc handle mounting, with bolt extending back through entire handle. Callous-preventing ring supplied with each hawk.



Size 8x8 inches.  
037-200 T4-BG518 Each \$4 26  
4 in shelf box; wt each 1½ lbs.

Size 13½x13½ inches.  
037-218 T4-BG130 Each 5 69  
4 in shelf box; wt each 2½ lbs.

## MARGIN TROWELS

### —BLUE GRASS—



Forged in one piece from the highest grade trowel steel, tempered, taper ground and polished.

Smooth, sturdy hardwood handles driven on hand-crippled tang.

Size blade 1½x5 inches.  
037-150 T4-BG42-1½ Each \$3 77  
6 in shelf box; wt each ¾ lb.

Size blade 2x5 inches.  
037-168 T4-BG42-2 Each 3 77  
6 in shelf box; wt each ¾ lb.



# FLOATS

## —BLUE GRASS—ALUMINUM ANGLE



Magnesium extrusion with polished face and sides.

Sides  $\frac{3}{8}$  inch high with beveled ends. Wood handle of special type fastened with two countersunk head screws.

Size 10x3 $\frac{3}{4}$  inches.

037-424 T4-BG132 ..... Each \$3 11  
4 in shelf box; wt each 1 lb.

## —BLUE GRASS—ALUMINUM

Smooth flat aluminum blade with sturdy, smooth, easy-to-grip handle. Size blade 13x4x.081 inches.



037-440 T4-BG547AF ..... Each \$1 70  
6 in shelf box; wt each  $\frac{1}{2}$  lb.

## —BLUE GRASS—CORK FACED



Special type of handle fastened with two screws to the seasoned and treated wood back faced with high quality  $\frac{3}{4}$  inch cork. Size 12x5 inches.

037-267 T4-BG231 ..... Each \$3 15  
4 in shelf box; wt each 1 $\frac{1}{2}$  lbs.

## —BLUE GRASS—MOLDED RUBBER

Molded black rubber pad with a very dense texture. Securely cemented to aluminum backing. Smooth wood handle. Size 9x4 inches,  $\frac{5}{8}$ -inch pad.



329-078 T4-BG407 ..... Each \$3 43  
One in shelf box; 24 in shp ctn; wt ctn 24 lbs.

## —BLUE GRASS—RUBBER FACED



Red fine pore rubber firmly cemented to aluminum plate attached to smooth natural finish hardwood easy-to-grip handle.

Size 8x3 $\frac{3}{4}$ x $\frac{3}{4}$  inches.

037-291 T4-BG84F ..... Each \$2 23  
6 in shelf box; wt each  $\frac{5}{8}$  lb.

## —BLUE GRASS—Wood

Manufactured from seasoned clear cedar. Length 14 inches; width 3 $\frac{3}{4}$  inches; thickness  $\frac{5}{8}$  inch.



037-317 T4-BG531C ..... Each \$1 87  
6 in shelf box; wt each  $\frac{3}{4}$  lb.

# FLOATS

## —BLUE GRASS—Wood



Manufactured from seasoned clear cedar.

Length 12 inches; width 5 inches; thickness  $\frac{3}{4}$  inch.

037-309 T4-BG530A ..... Each \$1 87  
4 in shelf box; wt each 1 lb.

## —BLUE GRASS—EXTRUDED MAGNESIUM

The magnesium float, popular with the cement finisher, is a very hard, lightweight and long wearing float.

Size 3 $\frac{1}{2}$ x16 inches.



419-747 T4-BG516 ..... Each \$7 02  
One in shelf box; 12 in shp ctn; wt each 25 ozs.

Size 3 $\frac{1}{2}$ x20 inches.

388-280 T4-BG520 ..... Each 7 87  
4 in shelf box; 12 in shp ctn; wt each 28 ozs.

## —BLUE GRASS—VINYL FOAM



Vinyl foam is firmly cemented to an aluminum plate, attached to a smooth natural finished wood easy-to-grip handle.

Size  $\frac{5}{8}$ x4x10 inches. Cellophane wrapped.

297-184 T4-BG548 ..... Each \$2 27  
4 in shelf box; wt box 2 lbs.

# TROWEL MERCHANDISERS

## —BLUE GRASS—

Merchandise consists of the following:

- 4—T4-BG400-14 Trowels
- 4—T4-BG400-16 Trowels
- 2—T4-BG403-14 Trowels
- 2—T4-BG401-11 $\frac{1}{2}$  Trowels
- 1—Merchandise (FREE)

256-966 T4-BG-TM ..... Each \$75 42  
Packed in 2 shp ctns; wt 16 lbs.



## CEMENT FINISHING TROWELS

—BLUE GRASS—California Pattern



High quality Swedish spring steel blade, finest finish. Shank for 14-inch blade is fastened with 12 hardened steel rivets, and 16-inch with 14 hardened steel rivets. Smooth hardwood handle.

Blade 14x4 inches. Each \$6 15  
034-538 T4-BG400-14

Blade 16x4 inches. Each 6 50  
034-546 T4-BG400-16

Blade 14x3 1/2 inches. Each 6 35  
034-553 T4-BG403-14  
3 in shelf box; wt each 1 3/4 lbs.



### —BLUE GRASS—STANDARD EDGER

Cast iron, aluminum finish. Highly polished work surface. Brown stained birch handle. Size: 5x2 3/4 inches; radius 3/8 inch; depth 1/2 inch. Both ends round.

037-663 T4-BG5CE  
6 in shelf box; Each \$2 18  
wt box 5 1/2 lbs.



### —BLUE GRASS—

#### LONG NARROW EDGER

Aluminum finish, highly polished work surface, smooth birch stained handle. Size 7 1/4 x 2 x 3/8-inch radius.

170-183 T4-BG7CE  
6 in shelf box; Each \$2 37  
wt box 2 lbs.



### —BLUE GRASS—Straight Handle Pattern

High quality Swedish spring steel blade, finest finish. Shank for 14-inch blade is fastened with 12 hardened steel rivets and 16-inch with 14 hardened steel rivets. Smooth hardwood handle.

Blade 14x4 inches. Each \$6 51  
680-215 T4-BG400S-14

Blade 16x4 inches. Each 6 50  
680-264 T4-BG400S-16  
3 in shelf box; wt each 1 3/4 lbs.



## CEMENT FINISHING TOOLS

### —BLUE GRASS—STRAIGHT END EDGER



Cast iron, aluminum finish. Highly polished work surface. Brown stained birch handles.

Size 5 3/4 x 2 3/4 inches; radius 3/8 inch; depth 1/2 inch. One end round, one end straight.

037-705 T4-BG6CE  
6 in shelf box; Each \$2 18  
wt box 5 1/2 lbs.

### —BLUE GRASS—STRAIGHT END JOINTER



Aluminum finish. Highly polished work surface.

Brown stained birch handle.

Size 5 3/4 x 2 3/4 inches; cuts 1/2 inch deep; 3/8 inch wide.

One end round, one end straight.

170-738 T4-BG4CJ Each \$2 18  
6 in shelf box; wt box 2 lbs.



### —BLUE GRASS—WIDE JOINTER



Aluminum finish, highly polished work surface, smooth birch handle, brown stain.

Size 5 1/2 inches long; 4 1/2 inches wide; cuts 3/8 inch deep; 1/2 inch wide.

176-289 T4-BG3CJ  
6 in shelf box; Each \$2 55  
wt box 2 1/2 lbs.

### —BLUE GRASS—STANDARD JOINTER



Cast iron, aluminum finish. Highly polished work surface. Brown stained handle.

Size: 6x2 3/8 inches. Cuts 1/2 inch deep x 3/8 inch wide. Both ends round.

037-721 T4-BG2CJ  
6 in shelf box; Each \$2 18  
wt box 5 1/2 lbs.





## MASON CHISEL ASSORTMENTS —BLUE GRASS—



Assortment contains 19 chisels:

- 3—T4-BG6335
- 5—T4-BG6333
- 5—T4-BG6334
- 6—T4-BG6332

721-993 T4-BG6808A ..... Ass't \$69 44  
One ass't in shp ctn; wt ctn 22.4 lbs.

### OPEN STOCK—For T4-BG6808A Assortment MASON CHISEL

Designed for cutting cement block, cinder block, birch and veined stone such as Arizona, crab orchard, etc. Thin, strong blade assures clean work—is easily sharpened. Targethead design.

Cut  $1\frac{3}{4}$  inches; length  $7\frac{1}{2}$  inches.  
722-066 T4-BG6332 ..... Each \$3 14  
10 in shp ctn; wt each 1 lb.

Cut  $1\frac{3}{4}$  inches; length  $7\frac{1}{2}$  inches.  
722-074 T4-BG6333 ..... Each 3 42  
10 in shp ctn; wt each 1.1 lbs.

Cut  $2\frac{1}{4}$  inches; length  $7\frac{1}{2}$  inches.  
722-082 T4-BG6334 ..... Each 4 00  
10 in shp ctn; wt each 1.7 lbs.

Cut  $2\frac{3}{4}$  inches; length  $7\frac{1}{2}$  inches.  
722-090 T4-BG6335 ..... Each 4 50  
10 in shp ctn; wt each 1.8 lbs.

## MASON'S LINE BLOCKS



—BLUE GRASS—  
Made of mahogany.  
Tooled for accurate  
alignment.

037-978 T5-BG90L8  
Pair \$1 00  
Loose; wt pr 2 ozs.

## BRICK CHISEL ASSORTMENTS —BLUE GRASS—



Assortment contains 17 chisels:

- 2—T4-BG214D
- 3—T4-BG5D
- 4—T4-BG3D
- 4—T4-BG314D
- 4—T4-BG4D

722-009 T4-BG6810A ..... Ass't \$68 28  
One ass't in shp ctn; wt ctn 22 lbs.

### OPEN STOCK—For T4-BG6810A Assortment


Ideal tool for cutting brick. Perfect weight and balance. Sharp, durable cutting edge.

Cut  $2\frac{1}{2}$  inches; length 7 inches.  
722-108 T4-BG214D ..... Each \$3 24  
10 in shp ctn; wt each 14 ozs.

Cut 3 inches; length 7 inches.  
722-116 T4-BG3D ..... Each 3 58  
10 in shp ctn; wt each 1.2 lbs.

Cut 5 inches; length 7 inches.  
722-124 T4-BG5D ..... Each 4 92  
10 in shp ctn; wt each 1.8 lbs.

## BRICK CHISELS



—BLUE GRASS—  
Drop forged steel.  
Best tool for cutting brick.  
Perfect weight and balance.  
Sharp durable cutting edge.  
Length 7 inches.

Cutting edge  $3\frac{1}{2}$  inches.  
364-893 T4-BG314D ..... Each \$3 78  
10 in shelf box; wt box 13 lbs.

Cutting edge 4 inches.  
366-591 T4-BG4D ..... Each 4 40  
10 in shelf box; wt box 16 lbs.

## CEMENT FINISHING TROWELS

—BLUE GRASS—California Pattern



High quality Swedish spring steel blade, finest finish. Shank for 14-inch blade is fastened with 12 hardened steel rivets, and 16-inch with 14 hardened steel rivets. Smooth hardwood handle.

Blade 14x4 inches.  
034-538 T4-BG400-14..... Each \$6 15

Blade 16x4 inches.  
034-546 T4-BG400-16..... Each 6 50

Blade 14x3 1/2 inches.  
034-553 T4-BG403-14..... Each 6 35  
3 in shelf box; wt each 1 5/12 lbs.

—BLUE GRASS—  
STANDARD EDGER

Cast iron, aluminum finish. Highly polished work surface. Brown stained birch handle.  
Size: 5x2 5/8 inches; radius 3/8 inch; depth 1/2 inch.

Both ends round.  
037-663 T4-BG5CE  
6 in shelf box; Each \$2 18  
wt box 5 1/2 lbs.



## —BLUE GRASS—

## LONG NARROW EDGER

Aluminum finish, highly polished work surface, smooth birch stained handle.

Size 7 1/4 x 2 x 3/8-inch radius.  
170-183 T4-BG7CE  
6 in shelf box; Each \$2 37  
wt box 2 lbs.



## —BLUE GRASS—Straight Handle Pattern

High quality Swedish spring steel blade, finest finish. Shank for 14-inch blade is fastened with 12 hardened steel rivets and 16-inch with 14 hardened steel rivets.

Smooth hardwood handle.

Blade 14x4 inches.  
680-215 T4-BG400S-14..... Each \$6 51

Blade 16x4 inches.  
680-264 T4-BG400S-16..... Each 6 50  
3 in shelf box; wt each 1 5/12 lbs.



## CEMENT FINISHING TOOLS

—BLUE GRASS—  
STRAIGHT END EDGER

Cast iron, aluminum finish. Highly polished work surface. Brown stained birch handles.

Size 5 3/8 x 2 5/8 inches; radius 3/8 inch; depth 1/2 inch.

One end round, one end straight.

037-705 T4-BG6CE  
6 in shelf box; Each \$2 18  
wt box 5 1/2 lbs.

—BLUE GRASS—  
STRAIGHT END JOINTER

Aluminum finish. Highly polished work surface.

Brown stained birch handle.

Size 5 3/8 x 2 5/8 inches; cuts 1/2 inch deep; 3/8 inch wide.

One end round, one end straight.

170-738 T4-BG4CJ..... Each \$2 18  
6 in shelf box; wt box 2 lbs.

—BLUE GRASS—  
WIDE JOINTER

Aluminum finish, highly polished work surface, smooth birch handle, brown stain.

Size 5 1/2 inches long; 4 1/2 inches wide; cuts 1/2 inch deep; 1/2 inch wide.

176-289 T4-BG3CJ  
6 in shelf box; Each \$2 55  
wt box 2 1/2 lbs.

—BLUE GRASS—  
STANDARD JOINTER

Cast iron, aluminum finish. Highly polished work surface. Brown stained handle.

Size: 6x2 5/8 inches. Cuts 1/2 inch deep x 3/8 inch wide.

Both ends round.

037-721 T4-BG2CJ  
6 in shelf box; Each \$2 18  
wt box 5 1/2 lbs.





## MASON CHISEL ASSORTMENTS

—BLUE GRASS—



Assortment contains 19 chisels:

- 3—T4-BG6335
- 5—T4-BG6333
- 5—T4-BG6334
- 6—T4-BG6332

721-993 T4-BG6808A ..... Ass't \$69 44  
One ass't in shp ctn; wt ctn 22.4 lbs.

### OPEN STOCK—For T4-BG6808A Assortment

#### MASON CHISEL

Designed for cutting cement block, cinder block, birch and veined stone such as Arizona, crab orchard, etc. Thin, strong blade assures clean work—is easily sharpened. Targethead design.

Cut  $1\frac{1}{4}$  inches; length  $7\frac{1}{2}$  inches.  
722-066 T4-BG6332 ..... Each \$3 14  
10 in shp ctn; wt each 1 lb.

Cut  $1\frac{3}{4}$  inches; length  $7\frac{1}{2}$  inches.  
722-074 T4-BG6333 ..... Each 3 42  
10 in shp ctn; wt each 1.1 lbs.

Cut  $2\frac{1}{4}$  inches; length  $7\frac{1}{2}$  inches.  
722-082 T4-BG6334 ..... Each 4 00  
10 in shp ctn; wt each 1.7 lbs.

Cut  $2\frac{3}{4}$  inches; length  $7\frac{1}{2}$  inches.  
722-090 T4-BG6335 ..... Each 4 50  
10 in shp ctn; wt each 1.8 lbs.

## MASON'S LINE BLOCKS



—BLUE GRASS—  
Made of mahogany.  
Tooled for accurate alignment.

037-978 T5-BG90LB  
Pair \$1 00  
Loose; wt pr 2 ozs.

## BRICK CHISEL ASSORTMENTS

—BLUE GRASS—



Assortment contains 17 chisels:

- 2—T4-BG214D
- 3—T4-BG5D
- 4—T4-BG3D
- 4—T4-BG314D
- 4—T4-BG4D

722-009 T4-BG6810A ..... Ass't \$68 28  
One ass't in shp ctn; wt ctn 22 lbs.

### OPEN STOCK—For T4-BG6810A Assortment

Ideal tool for cutting brick. Perfect weight and balance. Sharp, durable cutting edge.

Cut  $2\frac{1}{4}$  inches; length 7 inches.  
722-108 T4-BG214D ..... Each \$3 24  
10 in shp ctn; wt each 14 ozs.

Cut 3 inches; length 7 inches.  
722-116 T4-BG3D ..... Each 3 58  
10 in shp ctn; wt each 1.2 lbs.

Cut 5 inches; length 7 inches.  
722-124 T4-BG5D ..... Each 4 92  
10 in shp ctn; wt each 1.8 lbs.

## BRICK CHISELS



—BLUE GRASS—  
Drop forged steel.  
Best tool for cutting brick.  
Perfect weight and balance.  
Sharp durable cutting edge.  
Length 7 inches.

Cutting edge  $3\frac{1}{4}$  inches.  
364-893 T4-BG314D ..... Each \$3 78  
10 in shelf box; wt box 13 lbs.

Cutting edge 4 inches.  
366-591 T4-BG4D ..... Each 4 40  
10 in shelf box; wt box 16 lbs.

## TOOTH CHISEL ASSORTMENTS —BLUE GRASS—



Assortment contains 18 chisels:

- 3—T4-BG6235
- 5—T4-BG6232
- 5—T4-BG6233
- 5—T4-BG6234

722-017 T4-BG6811A ..... Ass't \$74 02  
One ass't in shp ctn; wt ctn 22 lbs.

### OPEN STOCK—For T4-BG6811A Assortment

Used to cut soft stone such as Bedford and Austin stone. Strong, sharp teeth cut clean and accurately. Forged target-head. Not to be used on hard stone or cement.

Cut  $1\frac{1}{4}$  inches; length  $7\frac{1}{2}$  inches. .... Each \$3 57  
722-132 T4-BG6232 .....  
10 in shp ctn; wt each 1 lb.

Cut  $1\frac{3}{4}$  inches; length  $7\frac{1}{2}$  inches. .... Each 3 86  
722-140 T4-BG6233 .....  
10 in shp ctn; wt each 1.1 lbs.

Cut  $2\frac{1}{4}$  inches; length  $7\frac{1}{2}$  inches. .... Each 4 50  
722-157 T4-BG6234 .....  
10 in shp ctn; wt each 1.6 lbs.

Cut  $2\frac{3}{4}$  inches; length  $7\frac{1}{2}$  inches. .... Each 4 79  
722-165 T4-BG6235 .....  
10 in shp ctn; wt each 1.6 lbs.



## JOINT RAKERS —BLUE GRASS—



Designed for the brick mason. Specially alloyed aluminum handle, hardened  $1\frac{1}{4}$ -inch skatewheels, comfortable handle, squared off on the end.

Furnished with hardened nail which is tightened by using a nail in the eye of the spade bolt. Size  $8\frac{1}{2} \times 3$  inches.  
324-566 T4-BGJR-2 ..... Each \$3 23  
One in shelf box; wt box 1 lb.



## BRICK JOINTERS —BLUE GRASS—



Made of high carbon steel, tempered and hardened.

For joints  $\frac{1}{8}$  and  $\frac{3}{8}$  inch.  
376-509 T4-BG80J  
For joints  $\frac{3}{8}$  and  $\frac{1}{2}$  inch.  
377-143 T4-BG81J  
6 in shelf box; wt box 2 lbs.

Each \$2 07

## UTILITY FILES —BLUE GRASS—



The Blue Grass Utility File is an outstanding tool for the farmer, machinist

and home gardener. It is a vitrified stone made of that sharp, fast-cutting, electric-furnace abrasive, Silicon Carbide.

Red enameled shaped handle.

Tapers from  $1\frac{1}{4}$  to  $1\frac{3}{4}$  inches; thickness of abrasive  $1\frac{1}{4}$  inches.

Length over-all 14 inches; abrasive section 9 inches.

033-266 T5-BG147 ..... Each \$5 72  
12 in shelf box; wt each  $1\frac{1}{4}$  lbs.

## FILE HANDLES —BLUE GRASS—



Turned from white birch, painted blue; extra long heavy steel ferrule. Holds file rigidly.

Length 4 inches. For files 3 to 6 inches. .... Each \$0 63  
045-096 T1-BG1FH .....  
Length  $4\frac{1}{4}$  inches. For files 6 to 8 inches. .... Each 72

045-104 T1-BG2FH .....  
Length  $4\frac{3}{4}$  inches. For files 8 to 12 inches. .... Each 75

045-112 T1-BG3FH .....  
Length  $5\frac{1}{4}$  inches. For files 12 to 16 inches. .... Each 82

045-120 T1-BG4FH .....  
36 in shelf box; wt each 2 ozs.



## FILE DISPLAY PANELS



## —BLUE GRASS—

3/4-inch tempered masonite display panel painted yellow.  
Blue Grass "blue" base.  
Blue Grass trademark in eye-catching colors.  
Size panel 24x12x3 inches.

Merchandise includes 12 each of the following:  
T6-BG4F-5—5-inch extra, extra slim taper files  
T6-BG4F-7—7-inch extra, extra slim taper files  
T6-BG27F-6—6-inch round bastard files  
T6-BG27F-8—8-inch round bastard files  
T6-BG24F-8—8-inch half-round bastard files  
T6-BG7F-6 1/2—6-inch round chain saw files  
T6-BG13F-8—8-inch crosscut files

Plus 6 each of:  
T6-BG24F-10—10-inch half-round bastard files  
T6-BG10F-12—12-inch mill bastard files  
T6-BG33F-10—10-inch half-round shoe rasps

671-925 T6-BG1971.....Each \$274 44  
One in shp ctn; wt 29 lbs.

## FILE DISPLAY PANELS



## —BLUE GRASS—

3/4-inch tempered masonite display panel painted yellow.  
Blue Grass "blue" base.  
Blue Grass trademark in eye-catching colors.

Merchandise includes 12 each of the following:  
T6-BG7F-6 1/2—6-inch round chain saw file  
T6-BG7F-6 3/4—6-inch round chain saw file  
T6-BG7F-8 3/4—8-inch round chain saw file  
T6-BG7F-8 1/2—8-inch round chain saw file  
T6-BG27F-8—8-inch round bastard file  
T6-BG3F-6—6-inch extra slim taper  
T6-BG4F-6—6-inch extra, extra slim taper  
T6-BG2F-6—6-inch slim taper  
T6-BG10F-6—6-inch mill bastard file  
T6-BG10F-8—8-inch mill bastard file  
T6-BG10F-10—10-inch mill bastard file  
T6-BG33F-8—8-inch half round shoe rasp

670-372 T6-BG1977.....Each \$253 36  
One in shp ctn; wt ctn 30 lbs.



## —BLUE GRASS—

3/4-inch tempered masonite display panel painted yellow.  
Blue Grass "blue" base.  
Blue Grass trademark in eye-catching colors.



Merchandise includes 6 each of the following:  
T6-BG3F-5—5-inch extra slim taper  
T6-BG4F-5—5-inch extra, extra slim taper  
T6-BG3F-7—7-inch extra slim taper  
T6-BG4F-7—7-inch extra, extra slim taper  
T6-BG27F-6—6-inch round bastard  
T6-BG13F-8—8-inch crosscut file  
T6-BG24F-8—8-inch half round bastard  
T6-BG24F-10—10-inch half round bastard  
T6-BG20F-10—10-inch flat bastard  
T6-BG33F-10—10-inch half round shoe rasp  
T6-BG10F-12—12-inch mill bastard

719-641 T6-BG1980.....Each \$196 74  
One in shp ctn; wt ctn 12 lbs.

## FILES

Extra quality special file steel, cut with utmost precision on modern machinery and tempered by an exclusive process that leaves nothing to chance; no soft spots, no brittle spots, but uniform all over.

**BOXES OF FILES POSITIVELY  
MUST NOT BE BROKEN**



## REGULAR TAPER—SINGLE CUT

—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs	—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs
038-422	T6-BG1F-6		\$1 80	6	2	038-448	T6-BG1F-8		\$2 81	8	4 1/2
038-430	T6-BG1F-7		2 18	7	3	038-455	T6-BG1F-10		4 23	10	7 1/2

12 in shelf box.



## SLIM TAPER—SINGLE CUT

—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs	—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs
038-489	T6-BG2F-4		\$1 30	4	1 1/2	038-620	T6-BG3F-4		\$1 42	4	1 1/2
038-497	T6-BG2F-5		1 30	5	1 3/8	038-638	T6-BG3F-5		1 46	5	1 3/4
038-505	T6-BG2F-6		1 48	6	1 3/4	038-653	T6-BG3F-6		1 54	6	1 3/4
038-513	T6-BG2F-7		1 84	7	1 3/4	038-661	T6-BG3F-7		1 84	7	1 1/2
038-521	T6-BG2F-8		2 17	8	2 3/4	038-679	T6-BG3F-8		2 17	8	2

12 in shelf box.

## EXTRA SLIM TAPER—SINGLE CUT

—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs	—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs
038-620	T6-BG3F-4		\$1 42	4	1 1/2	038-638	T6-BG3F-5		1 46	5	1 3/4
038-638	T6-BG3F-5		1 46	5	1 3/4	038-653	T6-BG3F-6		1 54	6	1 3/4
038-653	T6-BG3F-6		1 84	7	1 3/4	038-661	T6-BG3F-7		1 84	7	1 1/2
038-661	T6-BG3F-7		2 17	8	2 3/4	038-679	T6-BG3F-8		2 17	8	2

12 in shelf box.

## EXTRA, EXTRA SLIM TAPER—SINGLE CUT

—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs	—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs
038-828	T6-BG4F-5		\$1 41	5	1 1/2	038-828	T6-BG4F-5		\$1 41	5	1 1/2
038-836	T6-BG4F-6		1 54	6	1 3/4	038-836	T6-BG4F-6		1 54	6	1 3/4
038-844	T6-BG4F-7		1 84	7	1 3/4	038-844	T6-BG4F-7		1 84	7	1 3/4
038-851	T6-BG4F-8		2 17	8	1 1/2	038-851	T6-BG4F-8		2 17	8	1 1/2

12 in shelf box.

## CANT SAW—REGULAR

For filing cross cut saws, with M shaped teeth.



—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs	—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs
038-976	T6-BG15F-6		\$2 86	6	1 3/4	038-976	T6-BG15F-6		\$2 86	6	1 3/4
038-984	T6-BG15F-8		3 30	8	2 3/4	038-984	T6-BG15F-8		3 30	8	2 3/4
038-992	T6-BG15F-10		4 51	10	5 3/8	038-992	T6-BG15F-10		4 51	10	5 3/8

(Boxes Will Not Be Broken)

12 in shelf box.

## GREAT AMERICAN CROSSCUT



—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs	—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs
039-123	T6-BG13F-8		\$3 92	8	3 3/8	039-123	T6-BG13F-8		\$3 92	8	3 3/8
039-131	T6-BG13F-10		4 84	10	6	039-131	T6-BG13F-10		4 84	10	6

12 in shelf box.

## FLAT BASTARD



—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs	—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs
039-255	T6-BG20F-4		\$2 19	4	1 1/2	039-255	T6-BG20F-4		\$2 19	4	1 1/2
039-263	T6-BG20F-6		2 30	6	1 3/4	039-263	T6-BG20F-6		2 30	6	1 3/4
039-271	T6-BG20F-8		2 86	8	3 3/4	039-271	T6-BG20F-8		2 86	8	3 3/4
039-289	T6-BG20F-10		3 56	10	7 3/8	039-289	T6-BG20F-10		3 56	10	7 3/8
039-297	T6-BG20F-12		4 84	12	5 3/4	039-297	T6-BG20F-12		4 84	12	5 3/4
039-305	T6-BG20F-14		6 68	14	8	039-305	T6-BG20F-14		6 68	14	8

4 to 10 inch, 12 in shelf box; larger sizes 6 in shelf box.

## MILL BASTARD



For sharpening mill saws, mowing machine knives and plows in machine shops for lathe work, draw filing, and finishing the several compositions of brass and bronze.

—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs	—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs
039-321	T6-BG10F-4		\$1 48	4	1 1/2	039-321	T6-BG10F-4		\$1 48	4	1 1/2
039-339	T6-BG10F-6		1 48	6	1 3/4	039-339	T6-BG10F-6		1 48	6	1 3/4
039-354	T6-BG10F-8		1 84	8	2 1/4	039-354	T6-BG10F-8		1 84	8	2 1/4
039-362	T6-BG10F-10		2 38	10	5 1/4	039-362	T6-BG10F-10		2 38	10	5 1/4
039-370	T6-BG10F-12		3 88	12	4 3/2	039-370	T6-BG10F-12		3 88	12	4 3/2
039-388	T6-BG10F-14		5 28	14	6 1/2	039-388	T6-BG10F-14		5 28	14	6 1/2

4 to 10 inch, 12 in shelf box; larger sizes 6 in shelf box.

## MILL BASTARD—TWO ROUND EDGES



—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs	—BLUE GRASS—			Each	Lgth, in.	Wt box, lbs
039-602	T6-BG12F-8		\$2 94	8	2 3/8	039-602	T6-BG12F-8		\$2 94	8	2 3/8
039-610	T6-BG12F-10		3 66	10	5 1/4	039-610	T6-BG12F-10		3 66	10	5 1/4

12 in shelf box.



## FILES

Extra quality special file steel, cut with utmost precision on modern machinery and tempered by an exclusive process that leaves nothing to chance; no soft spots, no brittle spots, but uniform all over.

**BOXES OF FILES  
POSITIVELY MUST NOT  
BE BROKEN**

## FLAT SECOND CUT



—BLUE GRASS—		Each	Lgth, in.	Wt box, lbs
039-701	T6-BG22F-10	\$4 10	10	7 3/4

6 in shelf box.

## FLAT SMOOTH



—BLUE GRASS—		Each	Lgth, in.	Wt box, lbs
039-743	T6-BG23F-6	\$2 93	6	1 1/2
039-750	T6-BG23F-8	3 40	8	3 1/4
039-768	T6-BG23F-10	4 51	10	7 3/8
039-776	T6-BG23F-12	6 10	12	6
039-784	T6-BG23F-14	8 47	14	8

6, 8-inch, 12 in shelf box; balance 6 in shelf box.

## KNIFE BASTARD



Resembles somewhat the blade of a knife; in general use in work for which their slope adapts them.

—BLUE GRASS—		Each	Lgth, in.	Wt box, lbs
039-875	T6-BG17F-4	\$3 05	4	1 1/2
039-883	T6-BG17F-6	3 59	6	1

12 in shelf box.

## ROUND BASTARD



For enlarging round holes and shaping internal angles.

—BLUE GRASS—		Each	Lgth, in.	Diam large part, in.	Wt box, lbs
039-891	T6-BG27F-4	\$1 90	4	1/8	1/4
039-909	T6-BG27F-6	1 90	6	1/4	3/8
039-917	T6-BG27F-8	2 17	8	3/16	1 1/8
039-925	T6-BG27F-10	2 81	10	3/8	3 1/2
039-933	T6-BG27F-12	3 88	12	1/2	3 3/8
039-941	T6-BG27F-14	5 56	14	5/8	6 1/4

4 to 10 inch, 12 in shelf box; balance 6 in shelf box.

## SQUARE BASTARD



Used in almost all branches of mechanical industry, principally for enlarging apertures of a rectangular shape.

—BLUE GRASS—		Each	Lgth, in.	Thickness large part, in.	Wt each, ozs
022-640	T6-BG29F-4	\$2 27	4	1/4	1 1/2
022-657	T6-BG29F-6	2 37	6	1/2	1 1/2
022-665	T6-BG29F-8	2 85	8	3/4	2 3/8
022-673	T6-BG29F-10	3 76	10	5/8	5

4 to 10-inch, 12 in shelf box; balance 6 in shelf box.

## WARDING BASTARD



Used by jewelers and machinists, also locksmiths.

—BLUE GRASS—		Each	Lgth, in.	Wt box, lbs
039-818	T6-BG19F-4	\$2 41	4	3/8
039-826	T6-BG19F-6	2 62	6	3/4

12 in shelf box.

## HALF ROUND SMOOTH



—BLUE GRASS—		Each	Lgth, in.	Wt each, ozs
034-777	T6-BG25F-6	\$3 60	6	2
034-785	T6-BG25F-8	4 73	8	4 1/2
034-793	T6-BG25F-10	5 64	10	7 3/4
034-801	T6-BG25F-12	6 79	12	13

6 and 8-inch, 12 in shelf box; balance 6 in shelf box.

## HALF ROUND CABINET



Used by cabinet makers and other wood workers.

—BLUE GRASS—		Each	Lgth, in.	Wt each, ozs
034-835	T6-BG26F-10	\$6 77	10	6 1/2

8 inch, 12 in shelf box; balance 6 in shelf box.

## HALF ROUND BASTARD



—BLUE GRASS—		Each	Lgth, in.	Wt each, ozs
034-850	T6-BG24F-4	\$3 09	4	1
034-868	T6-BG24F-6	3 29	6	2
034-876	T6-BG24F-8	3 96	8	4 1/2
034-884	T6-BG24F-10	4 95	10	7 3/4
034-892	T6-BG24F-12	6 33	12	13 3/4
034-900	T6-BG24F-14	8 25	14	21 3/8
034-918	T6-BG24F-16	10 80	16	29 3/8

4 to 10-inch, 12 in shelf box; balance 6 in shelf box.

## FILES AND WOOD RASPS

Extra quality special file steel, cut with utmost precision on modern machinery and tempered by an exclusive process that leaves nothing to chance; no soft spots, no brittle spots, but uniform all over.

**BOXES OF FILES AND RASPS  
POSITIVELY MUST NOT  
BE BROKEN**

## CHAIN SAW FILES—ROUND SMOOTH CUT

Designed for sharpening chain saw teeth with rounded edges.

## Length 6 Inches

—BLUE GRASS—		Each	Diam. in.	Wt box, lbs
418-517	T6-BG7F-6 $\frac{1}{8}$	\$1 44	$\frac{1}{8}$	1
082-123	T6-BG7F-6 $\frac{3}{16}$	1 33	$\frac{3}{16}$	1

12 in shelf box.

## Length 8 Inches

—BLUE GRASS—		Each	Diam. in.	Wt box, lbs
040-055	T6-BG7F-8 $\frac{1}{8}$	\$1 33	$\frac{1}{8}$	1 $\frac{1}{2}$
379-081	T6-BG7F-8 $\frac{3}{16}$	1 33	$\frac{3}{16}$	1 $\frac{1}{2}$
040-063	T6-BG7F-8 $\frac{1}{2}$	1 33	$\frac{1}{2}$	1 $\frac{1}{2}$
040-071	T6-BG7F-8 $\frac{5}{16}$	1 45	$\frac{5}{16}$	2 $\frac{1}{4}$

12 in shelf box.

—BLUE GRASS—  
HALF ROUND CABINET RASPS—SECOND CUT

—BLUE GRASS—		Each	Lgth. in.	Wt each, ozs
040-139	T6-BG30F-8	\$ 6 14	8	3 $\frac{1}{2}$
040-147	T6-BG30F-10	8 33	10	6 $\frac{1}{2}$
040-154	T6-BG30F-12	10 88	12	11 $\frac{1}{2}$

8 inch, 12 in shelf box; balance 6 in box.

## HALF ROUND WOOD RASPS—BASTARD CUT

—BLUE GRASS—		Each	Lgth. in.	Wt each, ozs
040-162	T6-BG31F-8	\$4 89	8	4 $\frac{1}{2}$
040-170	T6-BG31F-10	6 66	10	8
040-188	T6-BG31F-12	9 00	12	14 $\frac{1}{2}$

6 in shelf box.

## HALF ROUND SHOE RASPS

—BLUE GRASS—		Each	Lgth. in.	Wt box, lbs
040-220	T6-BG33F-8	\$3 17	8	2 $\frac{3}{4}$
040-246	T6-BG33F-10	4 07	10	3 $\frac{1}{2}$

6 in shelf box.

## —BLUE GRASS—HORSE



Plain—Standard Weight		Each	Lgth. in.	Wt box, lbs
040-253	T6-BG34F-12	\$5 27	12	6 $\frac{4}{5}$
040-261	T6-BG34F-14	6 25	14	8 $\frac{1}{2}$
Plain Slim				
040-295	T6-BG35F-18	\$9 51	18	13 $\frac{1}{2}$

6 in shelf box.

## —BLUE GRASS—HORSE RASPS—TANGED



040-303 T6-BG37F-14—Length 14 inches—Each \$7 73  
6 in shelf box.

—BLUE GRASS—  
HORSE—PLATERS RASP  
DOUBLE EXTRA THIN—TANGED

Rasp teeth on one side with file teeth on opposite side.  
Both sides are safe  $\frac{3}{8}$  inch at point.  
Rasp cut is 6 teeth per row. Size 1 $\frac{1}{4}$ x $\frac{3}{4}$  inches.  
376-095 T6-BG38F-14—Length 14 inches—Each \$8 74  
6 in shelf box; wt box 8 $\frac{1}{4}$  lbs.

FILES  
—BLUE GRASS—  
14-INCH MAGICUT PLATERS SPECIAL  
HORSE RASP


New tooth design is cut deeper to last longer and cut much faster than conventional Horse Rasps. Rasp cut is six teeth per row. Single cut on edges. Opposite side has Nicholson's Unique Magicut file pattern of narrow chip breakers created by steep and angled serrations. This maximum cutting surface design gives rapid removal and smoother finish.  
Size 1 $\frac{1}{4}$ x $\frac{3}{4}$  inch.

Length 14 Inches  
663-625 T6-BG39F-14—Each \$8 74  
6 in shelf box; wt box 7 $\frac{1}{2}$  lbs.



# WORKSHOP VISES

## —BLUE GRASS—Swivel Base



Heavy-duty front jaw beam of channel steel, covering screw. Extra large back jaw anvil and anvil horn. Cold-rolled steel screw. Handle balls forged from handle stock. Replaceable malleable iron nut. Replaceable heat-treated steel jaw faces. Permanent pipe jaws, positive "Tri-Grip" design. Positive locking swivel base, slip-handle lock nut. Polished jaws and anvil. Blue enamel finish. Acme thread on screw.

Jaw width 3½ inches. Opening 4 inches.  
Pipe capacity ¼ to 1¼ inches.  
634-584 T5-BG3½VN ..... Each \$30 06  
One in ship ctn; wt each 16 lbs.

Jaw width 4 inches. Opening 5 inches.  
Pipe capacity ¼ to 2 inches.  
634-592 T5-BG4VN ..... Each 42 67  
One in ship ctn; wt each 25 lbs.

Jaw width 5 inches. Opening 6 inches.  
Pipe capacity ¼ to 2½ inches.  
635-466 T5-BG5VN ..... Each 54 45  
One in ship ctn; wt each 30 lbs.

# BLUE GRASS FARRIER'S TOOLS

## CUTTING NIPPER

Cast steel.



Length 10 inches.  
367-508 T5-BG810 ..... Each \$7 24  
6 in shelf box; wt box 7 lbs.

Length 14 inches.  
367-664 T5-BG810 ..... Each 8 93  
6 in shelf box; wt box 12 lbs.

## FARRIER'S PINCER

Cast steel. Depth of throat 1¼ inches.

Length 14 inches.  
367-755 T5-BG810A ..... Each \$13 74  
6 in shelf box; wt box 12 lbs.

# BLUE GRASS FARRIER'S TOOLS

## HOOF PARER

Cast steel.  
One blunt jaw to be used as anvil.  
Length 14 inches.



369-033 T5-BGE10 ..... Each \$10 68  
6 in shelf box; wt box 11 lbs.

## HOOF NIPPER

Cast steel.  
Jaws are sharpened only on the under side to allow cutting flush with surface.



Length 14 inches.  
369-645 T5-BGF12 ..... Each \$10 68  
6 in shelf box; wt box 11 lbs.

## NAIL CLINCHERS

Cast steel. Milled teeth.  
Length 13 inches.



370-098 T5-BGG1 ..... Each \$17 86  
12 in shelf box; wt box 13 lbs.

## FARRIER'S TONG

Cast steel.  
¾-inch grasp.  
Length 14 inches.



370-437 T5-BGG2 ..... Each \$7 24  
12 in shelf box; wt box 15 lbs.

## HOOF PICK

Cast steel. Flat head design.  
Length 5½ inches.



374-488 T5-BGG3 ..... Each \$1 94  
12 in shelf box; wt box 4 lbs.

## CLINCH CUTTER

Cast steel. Dual purpose tool.  
Clinch cutter, or buffer, on one end, pritchel on other end.  
Length 6 inches; width 2¾ inches.



374-496 T5-BGG4 ..... Each \$6 56  
12 in shelf box; wt box 7½ lbs.

## PRITCHEL

Cast steel, 5/8-inch stock.  
Longer taper.  
Length 9 inches.



374-512 T5-BGG5 ..... Each \$3 25  
6 in shelf box; wt box 5 lbs.

## HOOF KNIFE

High quality Swedish steel blade. Hardwood handle.  
Width blade ½ inch; overall length 8 inches.



376-475 T5-BG171 ..... Each \$3 91  
10 in shelf box; wt box 2 lbs.





# **TWIST DRILL SELECTOR WITH DRILLS**

—BLUE GRASS—HIGH SPEED



Drills are milled from high speed steel ground to size; heat-treated and oil tempered.

Case constructed of 24-gauge steel, Blue Grass blue baked enamel finish with gold, blue and white lettering. 1/2-inch plexi-glass cover. 19 compartments.

Height 10 inches; width 12 inches; depth 11 1/2 inches.

## **Contents:**

6—T3-BG417-1/16	6—T3-BG417-1/32
6—T3-BG417-1/64	6—T3-BG417-1/64
6—T3-BG417-1/32	12—T3-BG417-1/4
6—T3-BG417-1/64	2—T3-BG417-1/8
12—T3-BG417-1/8	2—T3-BG417-3/32
6—T3-BG417-1/64	2—T3-BG417-3/16
6—T3-BG417-1/32	2—T3-BG417-3/8
6—T3-BG417-1/64	2—T3-BG417-1/2
6—T3-BG417-1/32	2—T3-BG417-1/2
6—T3-BG417-1/64	

318-709 T3-BG417-019.....Each \$80 48  
One in shp ctn; wt each 12 lbs.

# **TWIST DRILLS**

—BLUE GRASS—HIGH SPEED  
Straight Shank



Milled from high speed steel ground to size; heat-treated and oil tempered.

	Size, in.	No. in Pkg.	Each	Lgth, in.
046-086	T3-BG417-1/64	6	\$0 74	3 1/4
046-094	T3-BG417-1/32	6	52	1 3/8
046-102	T3-BG417-1/64	6	38	1 3/4
046-110	T3-BG417-1/16	6	38	1 3/8
046-128	T3-BG417-1/64	6	36	2
046-136	T3-BG417-1/32	6	38	2 1/4
046-144	T3-BG417-1/64	6	43	2 5/8
046-151	T3-BG417-1/8	6	46	2 3/4
046-169	T3-BG417-1/64	6	52	2 7/8
046-177	T3-BG417-1/32	6	55	3 1/8
046-185	T3-BG417-1/64	6	61	3 1/4
046-193	T3-BG417-1/16	6	70	3 1/2
046-201	T3-BG417-1/32	6	80	3 5/8
046-219	T3-BG417-1/64	6	87	3 3/4
046-227	T3-BG417-1/16	6	95	3 7/8
046-235	T3-BG417-1/8	6	1 06	4
046-243	T3-BG417-1/16	6	1 31	4 1/8
046-250	T3-BG417-1/32	3	1 43	4 1/4
046-268	T3-BG417-1/64	3	1 58	4 3/8
046-276	T3-BG417-1/16	3	1 64	4 1/2
046-284	T3-BG417-1/32	3	1 80	4 5/8
046-292	T3-BG417-1/64	3	2 05	4 3/4
046-300	T3-BG417-1/8	3	2 37	4 7/8
046-318	T3-BG417-1/16	3	2 42	5
046-326	T3-BG417-1/32	3	2 71	5 1/8
046-334	T3-BG417-1/64	3	2 77	5 1/4
046-342	T3-BG417-1/8	3	3 07	5 3/8
046-359	T3-BG417-1/16	3	3 26	5 1/2
046-367	T3-BG417-1/32	3	3 84	5 5/8
046-375	T3-BG417-1/64	6	3 89	5 3/4
046-383	T3-BG417-1/8	6	4 07	5 7/8
046-391	T3-BG417-1/16	3	4 12	6

(Packages Will Not Be Broken)

One pkg in shelf box.

# **METAL DRILL SETS**

—BLUE GRASS—



Fits All 1/4- and 1/2-Inch Electric Drills



Drills are especially designed for use in sheet metal but also give good performance in other types of metal and in wood.

Easily centered and requiring a minimum of feed pressure.

They may be used in either portable electric drills or in drill presses.

The short, flute length, provides great rigidity, minimizing drill breakage, all bits have 1/4-inch shank.

Set contains four high-speed drills: sizes 3/16, 1/8, 5/16, and 3/8 inch.

## **Set of Four Drills**

048-330 T3-BG55.....Set \$13 81  
One set in shelf box; wt set 1/2 lb.

## **OPEN STOCK—For T3-BG55 Set**

Dec. equiv. .3125; flute 1 1/8 in.; over-all length 2 1/8 in.	
048-348 T3-BG55-3/16	Each \$2 34
Dec. equiv. .3750; flute 1 1/8 in.; over-all length 3 1/8 in.	
048-355 T3-BG55-1/8	Each 2 54
Dec. equiv. .4375; flute 2 in.; over-all length 3 7/8 in.	
048-363 T3-BG55-5/16	Each 3 10
Dec. equiv. .5000; flute 2 1/4 in.; over-all length 3 3/4 in.	
048-371 T3-BG55-1/2	Each 3 64

One in shelf box.

## ELECTRIC DRILL BITS

### —BLUE GRASS—



### 12-Inch Twist—Approximately 16 Inches Over-all

Designed for use in portable electric drills. Fine pitch screw point to compensate for high r.p.m. of electric drill. Single twist, and single-cutter head. Completely heat-treated for extra strength, shanks are accurately machined.

Size $\frac{3}{8}$ inch; diameter shank $\frac{1}{4}$ inch.	Each \$9 11
044-826 T3-BG64PT- $\frac{3}{8}$	
Size $\frac{1}{2}$ inch; diameter shank $\frac{1}{4}$ inch.	Each 8 02
044-834 T3-BG64PT- $\frac{1}{2}$	
Size $\frac{5}{8}$ inch; diameter shank $\frac{3}{8}$ inch.	Each 8 21
044-842 T3-BG64PT- $\frac{5}{8}$	
Size $\frac{3}{4}$ inch; diameter shank $\frac{1}{2}$ inch.	Each 8 21
044-859 T3-BG64PT- $\frac{3}{4}$	
Size $\frac{11}{16}$ inch; diameter shank $\frac{5}{8}$ inch.	Each 8 86
044-867 T3-BG64PT- $\frac{11}{16}$	
Size $\frac{13}{16}$ inch; diameter shank $\frac{5}{8}$ inch.	Each 9 11
044-875 T3-BG64PT- $\frac{13}{16}$	
Size $\frac{15}{16}$ inch; diameter shank $\frac{3}{4}$ inch.	Each 9 38
044-883 T3-BG64PT- $\frac{15}{16}$	
Size $1$ inch; diameter shank $\frac{3}{4}$ inch.	Each 10 10
044-891 T3-BG64PT- $1$	
Size $1$ inch; diameter shank $\frac{3}{4}$ inch.	Each 11 19
044-909 T3-BG64PT- $1$	

6 in shelf box.

## POWER BIT SETS



—BLUE GRASS—  
Fits All Electric Drills  
 $\frac{1}{4}$  Inch and Larger

Set includes 6 power bits as follows:


- 1—T3-BG7- $\frac{3}{8}$ — $\frac{3}{8}$  inch
- 1—T3-BG7- $\frac{1}{2}$ — $\frac{1}{2}$  inch
- 1—T3-BG7- $\frac{5}{8}$ — $\frac{5}{8}$  inch
- 1—T3-BG7- $\frac{3}{4}$ — $\frac{3}{4}$  inch
- 1—T3-BG7- $\frac{7}{8}$ — $\frac{7}{8}$  inch
- 1—T3-BG7- $1$ — $1$  inch

Attractive plastic roll.



635-359 T3-BG776R .....Set \$6 90  
One set in shelf box; wt set  $\frac{1}{2}$  lb.

## POWER BIT DISPLAY PANELS



—BLUE GRASS—  
Masonite display board.  
Yellow letters on blue header.  
Power bits mounted on hanging pegs.  
Each bit packaged in plastic package with space for pricing.  
Suitable for pegboard hanging.  
Display size 22x12 inches.

## POWER BITS

- 3—T3-BG7- $\frac{1}{4}$ — $\frac{1}{4}$  inch
- 2—T3-BG7- $\frac{5}{16}$ — $\frac{5}{16}$  inch
- 3—T3-BG7- $\frac{3}{8}$ — $\frac{3}{8}$  inch
- 2—T3-BG7- $\frac{1}{2}$ — $\frac{1}{2}$  inch
- 3—T3-BG7- $\frac{5}{8}$ — $\frac{5}{8}$  inch
- 2—T3-BG7- $\frac{3}{4}$ — $\frac{3}{4}$  inch
- 2—T3-BG7- $\frac{7}{8}$ — $\frac{7}{8}$  inch
- 3—T3-BG7- $1$ — $1$  inch
- 2—T3-BG7- $1\frac{1}{8}$ — $1\frac{1}{8}$  inch
- 2—T3-BG7- $1\frac{1}{4}$ — $1\frac{1}{4}$  inch
- 2—T3-BG7- $1\frac{3}{8}$ — $1\frac{3}{8}$  inch
- 2—T3-BG7- $1\frac{1}{2}$ — $1\frac{1}{2}$  inch

## ELECTRIC DRILL BIT EXTENSION

2—T3-BG7PBE .....Each \$47 91  
246-868 T3-BG7171 .....  
One in shp ctn; wt ctn 7 $\frac{1}{2}$  lbs.

## ELECTRIC DRILL BIT EXTENSIONS

### —BLUE GRASS—



Specially designed for power bits having  $\frac{3}{4}$ -inch shanks.  
Adds 12 inches to regular bit length.  
Will follow  $\frac{5}{8}$ -inch and larger size bits through hole.  
Set screw holds bit securely.  
Wrench supplied for tightening set screw.  
Made of special high analysis tool steel.  
Full polished finish.  
Attractive self-selling hang-up card.

142-620 T3-BG7PBE .....Each \$1 73  
6 in shelf box; wt box 3 lbs.



## BLUE GRASS POWER BIT MERCHANDISERS




Drills are forged in one piece from special high analysis tool steel. Heat treated full length to give over-all strength. Shanks will not twist off. Hollow ground point bores faster and cleaner holes. Precision ground shanks. Cutting edge and point accurately ground to correct thickness and angle. Large size markings on both sides of head. Full polished over-all. Tips of bits coated clear. Each bit packed in Mylar package.

Wire display rack 23 inches wide.



For Pegboard Mounting—Pegboard Not Included



## Includes:

2—T3-BG7-1/4-1/4 inch  
1—T3-BG7-5/16-5/16 inch  
2—T3-BG7-3/8-3/8 inch  
1—T3-BG7-7/16-7/16 inch  
2—T3-BG7-1/2-1/2 inch  
1—T3-BG7-5/8-5/8 inch

2—T3-BG7-5/8-5/8 inch  
1—T3-BG7-11/16-11/16 inch  
2—T3-BG7-3/4-3/4 inch  
1—T3-BG7-13/16-13/16 inch  
2—T3-BG7-7/8-7/8 inch  
1—T3-BG7-15/16-15/16 inch

2—T3-BG7-1-1 inch  
1—T3-BG7-1 1/8-1 1/8 inch  
1—T3-BG7-1 1/4-1 1/4 inch  
1—T3-BG7-1 1/2-1 1/2 inch  
1—T3-BG7-1 3/4-1 3/4 inch

166-157 T3-BG717

One in shp ctn; wt ctn 3 lbs.

Each \$29 75

## OPEN STOCK—For T3-BG717 Merchandiser—Fits All Electric Drills 1/4-Inch and Larger

Forged in one piece from special high analysis tool steel. Heat treated full length to give over-all strength. Shanks will not twist off. Hollow ground point bores faster and cleaner holes. Precision ground shanks. Three "flats" on 1/4-inch shank permits use in three-jaw chucks.

Cutting edge and point accurately ground to correct thickness and angle. Large size markings on both sides of head. Hang-A-Bit hole for convenient storage. Full polished over-all. Each bit in clear Mylar package.

635-185	T3-BG7-1/4-1/4 inch	
635-193	T3-BG7-5/16-5/16 inch	
635-201	T3-BG7-3/8-3/8 inch	
635-219	T3-BG7-7/16-7/16 inch	
635-227	T3-BG7-1/2-1/2 inch	
6 in shelf box; approx wt each 2 ozs.		Each \$1 01
635-235	T3-BG7-9/16-9/16 inch	
6 in shelf box; approx wt each 2 ozs.		Each 1 06
635-243	T3-BG7-5/8-5/8 inch	
635-250	T3-BG7-11/16-11/16 inch	
635-268	T3-BG7-3/4-3/4 inch	
6 in shelf box; approx wt each 2 ozs.		Each 1 15
635-276	T3-BG7-13/16-13/16 inch	
635-284	T3-BG7-7/8-7/8 inch	
6 in shelf box; approx wt each 2 ozs.		Each 1 17
635-292	T3-BG7-15/16-15/16 inch	
635-300	T3-BG7-1-1 inch	
6 in shelf box; approx wt each 2 ozs.		Each 1 24
635-318	T3-BG7-1 1/8-1 1/8 inch	
635-326	T3-BG7-1 1/2-1 1/2 inch	
635-334	T3-BG7-1 3/8-1 3/8 inch	
635-342	T3-BG7-1 1/2-1 1/2 inch	
6 in shelf box; approx wt each 3 ozs.		Each 1 90

## MASONRY DRILLS

### —BLUE GRASS—Carbide Tipped

Blue Grass drills penetrate freely and easily, giving clean, accurate holes in brick, stone, concrete, non-ferrous metals, etc.



		Each	Size, in.	Shank, in.
609-933	T3-BG11-1/8	\$1 01	1/8	1/8
642-272	T3-BG11-1/16	1 13	1/16	1/16
642-280	T3-BG11-1/4	1 26	1/4	1/4
642-298	T3-BG11-3/16	1 37	3/16	3/16
642-306	T3-BG11-5/16	1 69	5/16	5/16
642-314	T3-BG11-3/8	2 10	3/8	3/8
642-322	T3-BG11-7/16	3 23	7/16	7/16
642-330	T3-BG11-1/2	4 06	1/2	1/2
642-348	T3-BG11-5/8	4 80	5/8	5/8
642-355	T3-BG11-3/4	5 83	3/4	3/4

Individually wrapped.

All numbers 13 inches long. Each drill is in a plastic kit.

173-831	T3-BG1112-1/4	\$3 59	1/4	1/4
176-446	T3-BG1112-1/2	4 00	1/2	1/2
188-383	T3-BG1112-3/4	4 43	3/4	3/4
193-953	T3-BG1112-1	5 18	1	1

## MASONRY DRILL DISPLAY PANELS



### —BLUE GRASS—

#### Masonite display board.

Yellow letters on blue header.

Drills mounted on hanging pegs. Each drill packed in plastic package with space for pricing.

Suitable for pegboard hanging.

Display size 22x12 inches.

Drills have carbide tip and fluted body.

Penetrates freely and easily, giving clean accurate holes in the hardest masonry.

For use with all common types of rotary electric drills. 3/16 inch length 3 inches; 1/4 to 1 inch length 6 inches.

### Do Not Use As Hammer Type Percussion Drills

Display consists of:

- 1—T3-BG14-1/16—Size 3/16 inch; diameter shank 3/16 inch
- 2—T3-BG14-1/8—Size 1/8 inch; diameter shank 1/8 inch
- 2—T3-BG14-3/16—Size 3/16 inch; diameter shank 3/16 inch
- 2—T3-BG14-1/4—Size 1/4 inch; diameter shank 1/4 inch
- 1—T3-BG14-5/16—Size 5/16 inch; diameter shank 5/16 inch
- 2—T3-BG14-3/8—Size 3/8 inch; diameter shank 3/8 inch
- 1—T3-BG14-7/16—Size 7/16 inch; diameter shank 7/16 inch
- 1—T3-BG14-1/2—Size 1/2 inch; diameter shank 1/2 inch
- 1—T3-BG14-5/8—Size 5/8 inch; diameter shank 5/8 inch
- 1—T3-BG14-3/4—Size 3/4 inch; diameter shank 3/4 inch
- 1—T3-BG14-1—Size 1 inch; diameter shank 1 inch
- 2—T3-BG14-1 1/2—Oversize—Size 1 1/2 inch; diameter shank 1 1/2 inch, length 6 inches

538-124 T3-BG1417MD ..... Each \$45 88  
One in shp etn; wt etn 8 3/4 lbs.

## MASONRY DRILLS

### —BLUE GRASS—Carbide Tipped



Do Not Use as Hammer Type Percussion Drills

		Size, in.	Diam Shank, in.	Each
055-558	T3-BG14-3/16	3/16	3/16	\$1 13
055-566	T3-BG14-1/4	1/4	1/4	1 26
055-574	T3-BG14-3/8	3/8	3/8	1 37
055-582	T3-BG14-1/2	1/2	1/2	1 69
055-590	T3-BG14-5/8	5/8	5/8	1 86
055-608	T3-BG14-3/4	3/4	3/4	2 10
055-616	T3-BG14-1	1	1	3 06
055-624	T3-BG14-1 1/4	1 1/4	1 1/4	3 59
055-632	T3-BG14-1 1/2	1 1/2	1 1/2	4 50
055-640	T3-BG14-1 3/4	1 3/4	1 3/4	5 10
055-657	T3-BG14-1 1/2	1 1/2	1 1/2	6 23

Individually wrapped.

### OVERSIZE

1 1/2-inch diameter; 1 1/4-inch shank; 6 inches long.

055-665 T3-BG14-1 1/2 ..... Each \$2 10  
Individually wrapped.

## STAR DRILLS

### —BLUE GRASS—



### Blue Enamelled Body and Red Enamelled Cutting Tip

High grade octagon tool steel, carefully forged, hardened and tempered. Cutting edge is slightly oversize and of peculiar taper at the point. They can be resharpened without losing their original specified cutting size. Cutting lips shaped with the right bevel, which means fast cutting.

		Diam Point, in.	No. in box	Wt each, ozs	Each
<b>Length 12 Inches</b>					
055-988	T3-BG12-1/4	1/4	12	2 2/3	\$1 25
055-996	T3-BG12-3/16	3/16	12	2 2/3	1 25
056-002	T3-BG12-1/8	1/8	6	4	1 36
056-010	T3-BG12-3/16	3/16	6	6 1/2	1 52
056-028	T3-BG12-1/4	1/4	6	8 2/3	1 80
056-036	T3-BG12-3/8	3/8	6	11 1/2	2 02
056-044	T3-BG12-1/2	1/2	6	17 1/2	2 85
056-051	T3-BG12-5/8	5/8	3	21 1/2	3 08
056-069	T3-BG12-3/4	3/4	3	31 1/2	4 03
<b>Length 18 Inches</b>					
056-101	T3-BG18-1/4	1/4	6	9 3/4	\$2 07
056-119	T3-BG18-3/8	3/8	6	13	2 41
056-127	T3-BG18-1/2	1/2	6	18	2 74
056-143	T3-BG18-1	1	6	36	4 07



## THREADING TOOL DISPLAY CABINETS

—BLUE GRASS—



Display of the most popular and fast-selling threading tools. All tools are of the finest quality chrome alloy steel, heat-treated and hardened.

## COUNTER DISPLAY

Compact counter merchandiser—self-selling display. Sturdy wood construction cabinet—size 14x18 inches.

Each Tap Shows Size of Tap Threads Per Inch and What Size Drill Should Be Used

## Contents of T3-BG100TDC:

## SCREW EXTRACTOR

- 2—T3-BG93-1
- 2—T3-BG93-2
- 2—T3-BG93-3
- 2—T3-BG93-4
- 2—T3-BG93-5

## ADJUSTABLE DIE STOCK

- 1—T3-BG50

## SOLID DIE STOCK

- 1—T3-BG60

## TAP AND REAMER WRENCH

- 1—T3-BG8TW
- 1—T3-BG4TW

## TAP

- 2—T3-BG174T- $\frac{1}{8}$ x13
- 2—T3-BG174T- $\frac{1}{8}$ x20

## PIPE TAP

- 2—T3-BG174PT- $\frac{1}{8}$ x27
- 2—T3-BG174PT- $\frac{1}{4}$ x18

## ROUND DIES

- 2—T3-BG174D-4x40
- 2—T3-BG174D-6x32
- 2—T3-BG174D-8x32
- 2—T3-BG174D-10x24
- 2—T3-BG174D-10x32
- 2—T3-BG174D-12x24
- 2—T3-BG174D-14x20
- 2—T3-BG174D- $\frac{1}{8}$ x24
- 2—T3-BG174D- $\frac{1}{8}$ x32
- 2—T3-BG174D- $\frac{1}{4}$ x20
- 2—T3-BG174D- $\frac{1}{4}$ x28
- 2—T3-BG174D- $\frac{1}{8}$ x18
- 2—T3-BG174D- $\frac{1}{8}$ x24
- 2—T3-BG174D- $\frac{1}{8}$ x16
- 2—T3-BG174D- $\frac{3}{8}$ x24
- 2—T3-BG174D- $\frac{1}{2}$ x14
- 2—T3-BG174D- $\frac{1}{2}$ x20
- 2—T3-BG174D- $\frac{1}{2}$ x13
- 2—T3-BG174D- $\frac{1}{2}$ x20

## HANDLE TAP WRENCH

- 2—T3-BG120TW
- 1—T3-BG1412TW
- 1—T3-BG125TW

## TAP

- 2—T3-BG174T-4x20
- 2—T3-BG174T-6x32
- 2—T3-BG174T-8x32
- 2—T3-BG174T-10x24
- 2—T3-BG174T-10x32
- 2—T3-BG174T-14x24
- 2—T3-BG174T-14x20
- 2—T3-BG174T- $\frac{1}{8}$ x24
- 2—T3-BG174T- $\frac{1}{8}$ x32
- 2—T3-BG174T- $\frac{1}{4}$ x20
- 2—T3-BG174T- $\frac{1}{4}$ x28
- 2—T3-BG174T- $\frac{1}{8}$ x18
- 2—T3-BG174T- $\frac{1}{8}$ x24
- 2—T3-BG174T- $\frac{1}{8}$ x16
- 2—T3-BG174T- $\frac{3}{8}$ x24
- 2—T3-BG174T- $\frac{1}{2}$ x14
- 2—T3-BG174T- $\frac{1}{2}$ x20

## PIPE DIES

- 1—T3-BG174PD- $\frac{1}{8}$ x27
- 1—T3-BG174PD- $\frac{1}{4}$ x18

218-446 T3-BG100TDC  
One in ship ctn; wt ctn 24 lbs.

Each \$116 23



## TAP AND DIE SETS

—BLUE GRASS—

Each Tap Shows Size of Tap Threads Per Inch and What Size Drill Should Be Used  
Contents of T3-BG3947 Set

Packed in sturdy unbreakable plastic case with removable yellow tray. Size 10 3/4 x 5 inches.

Consists of one each of the following items:

## Machine Screw Taps

T3-BG174T—4x36  
T3-BG174T—6x32  
T3-BG174T—8x32  
T3-BG174T—10x24  
T3-BG174T—10x32  
T3-BG174T—12x24

## Fractional Hand Taps

T3-BG174T—1/4x20  
T3-BG174T—1/4x28  
T3-BG174T—5/16x18  
T3-BG174T—5/16x24  
T3-BG174T—3/8x16  
T3-BG174T—3/8x24  
T3-BG174T—7/16x14  
T3-BG174T—7/16x20  
T3-BG174T—1 1/8x13  
T3-BG174T—1 1/2x20

## Round Solid Dies

T3-BG174D—4x36  
T3-BG174D—6x32  
T3-BG174D—8x32  
T3-BG174D—10x24  
T3-BG174D—10x32  
T3-BG174D—12x24  
T3-BG174D—1 1/4x20  
T3-BG174D—1 1/4x28  
T3-BG174D—5/16x18  
T3-BG174D—5/16x24  
T3-BG174D—3/8x16  
T3-BG174D—3/8x24  
T3-BG174D—7/16x14  
T3-BG174D—7/16x20  
T3-BG174D—1 1/8x13  
T3-BG174D—1 1/2x20

## Misc.

T3-BG174PT—1/4x27—Pipe Tap  
T3-BG174PD—1/4x27—Pipe Die  
T3-BG4TW—Tap and Reamer Wrench  
T3-BG120TW—T-Handle Tap Wrench  
T3-BG50—Die Stock  
Screwdriver  
Pitch Gauge

058-503 T3-BG3947—39 Pieces  
One set in shelf box; wt set 2 1/2 lbs.

Set \$43 98

## TAP AND DIE SETS

—BLUE GRASS—

All taps and dies are made of high quality chrome alloy steel, carefully hardened and tempered. When used correctly with good grade of oil (lard oil preferred) they will cut clean threads and give excellent service. Polished finish.  
Each set in attractive unbreakable plastic case.



Set includes one each of the following:

## Taps—National Coarse Thread

T3-BG174T—1/4x20  
T3-BG174T—5/16x18  
T3-BG174T—3/8x16  
T3-BG174T—7/16x14  
T3-BG174T—1 1/2x13

## Dies—National Coarse Thread

T3-BG174D—1/4x20  
T3-BG174D—5/16x18  
T3-BG174D—3/8x16  
T3-BG174D—7/16x14  
T3-BG174D—1 1/2x13

## Taps—National Fine Thread

T3-BG174T—1/4x28  
T3-BG174T—5/16x24  
T3-BG174T—3/8x24  
T3-BG174T—7/16x20  
T3-BG174T—1 1/8x20  
T3-BG174PT—1/4x27

## Dies—National Fine Thread

T3-BG174D—1/4x28  
T3-BG174D—5/16x24  
T3-BG174D—3/8x24  
T3-BG174D—7/16x20  
T3-BG174D—1 1/8x20  
T3-BG174PD—1/4x27

T3-BG60 Solid Die Stock

T3-BG8TW Tap and Reamer Wrenches

651-810 T3-BG24TD—Each \$26 64  
One in shelf box; wt each 1 3/4 lbs.

Set includes one each of the following:

## Taps—National Coarse Thread

T3-BG174T—1/4x20  
T3-BG174T—5/16x18  
T3-BG174T—3/8x16  
T3-BG174T—7/16x14  
T3-BG174T—1 1/2x13

## Dies—National Coarse Thread

T3-BG174D—1/4x20  
T3-BG174D—5/16x18  
T3-BG174D—3/8x16  
T3-BG174D—7/16x14  
T3-BG174D—1 1/2x13

T3-BG60 Solid Die Stock

T3-BG8TW—Tap and Reamer Wrenches

651-794 T3-BG12TD—Each \$13 97  
One in shelf box; wt each 1 1/2 lbs.



## TAP ASSORTMENTS

—BLUE GRASS—Carded



Each tap shows size of tap threads per inch and what size drills should be used.

All tools are of the finest quality chrome alloy steel, heat-treated and hardened.

Each item is carded for pegboard hanging.

Size of rack: Width 12 3/4 inches; height 14 inches; depth 8 inches.

Assortment contains:

## TAPS

- 1—T3-BG174TC-A—4x40
- 3—T3-BG174TC-A—6x32
- 5—T3-BG174TC-A—8x32
- 5—T3-BG174TC-A—10x24
- 3—T3-BG174TC-A—10x32
- 1—T3-BG174TC-A—12x24
- 1—T3-BG174TC-A—14x20
- 1—T3-BG174TC-A—3/8x24
- 1—T3-BG174TC-A—3/8x32
- 5—T3-BG174TC-A—1/4x20
- 3—T3-BG174TC-A—1/4x28
- 5—T3-BG174TC-A—3/16x18
- 3—T3-BG174TC-A—3/16x24
- 5—T3-BG174TC-A—3/16x16
- 3—T3-BG174TC-A—3/16x24
- 5—T3-BG174TC-A—7/16x14
- 1—T3-BG174TC-A—7/16x20
- 5—T3-BG174TC-A—1/2x13
- 1—T3-BG174TC-A—1/2x20

## PIPE TAPS

- 5—T3-BG174PTC—1/8x27
- 1—T3-BG174PTC—1/4x18

170-621 T3-BG174TC-A.....Each \$67 30  
One in shp ctn; wt ctn 5 1/4 lbs.

## MACHINE SCREW TAPS

Each Tap Shows Size of Tap Threads Per Inch  
And What Size Drill Should Be Used  
Hard Chrome Finish



- |         |                                      |      |        |
|---------|--------------------------------------|------|--------|
| 040-600 | T3-BG174T—4x36 threads to inch.....  | Each | \$0 74 |
| 040-618 | T3-BG174T—4x40 threads to inch.....  | Each | 74     |
| 040-626 | T3-BG174T—6x32 threads to inch.....  | Each | 76     |
| 040-634 | T3-BG174T—8x32 threads to inch.....  | Each | 79     |
| 040-642 | T3-BG174T—10x24 threads to inch..... | Each | 80     |
| 040-659 | T3-BG174T—10x32 threads to inch..... | Each | 80     |
| 040-667 | T3-BG174T—12x24 threads to inch..... | Each | 87     |
| 040-675 | T3-BG174T—14x20 threads to inch..... | Each | 93     |
- 10 in shelf box; wt box 5 ozs.

## FRACTIONAL HAND TAPS

Hard Chrome Finish



- |         |                                   |             |
|---------|-----------------------------------|-------------|
| 040-683 | T3-BG174T—3/16x24 threads to inch |             |
| 040-691 | T3-BG174T—3/16x32 threads to inch | Each \$0 84 |
| 040-709 | T3-BG174T—1/4x20 threads to inch  |             |
| 040-717 | T3-BG174T—1/4x28 threads to inch  | Each 86     |
| 040-725 | T3-BG174T—3/8x18 threads to inch  |             |
| 040-733 | T3-BG174T—3/8x24 threads to inch  | Each 1 03   |
| 040-741 | T3-BG174T—3/8x16 threads to inch  |             |
| 040-758 | T3-BG174T—3/8x24 threads to inch  | Each 1 23   |
| 040-766 | T3-BG174T—7/16x14 threads to inch |             |
| 040-774 | T3-BG174T—7/16x20 threads to inch | Each 1 40   |
| 040-782 | T3-BG174T—1/2x13 threads to inch  |             |
| 040-790 | T3-BG174T—1/2x20 threads to inch  | Each 1 60   |
- 10 in shelf box; wt box 20 ozs.

## PIPE TAPS

Hard Chrome Finish



- |         |  |             |
|---------|--|-------------|
| 040-808 | T3-BG174PT—1/8x27 threads to inch..... | Each \$1 34 |
| 040-816 | T3-BG174PT—1/4x18 threads to inch..... | Each 1 83   |
- 10 in shelf box; wt box 1 lb.

## ADJUSTABLE GUIDE DIE STOCKS

For One-Inch Dies



Either hexagon or round dies can be used with this die stock.  
040-824 T3-BG50—Round.....Each \$4 36  
10 in shelf box; wt box 6 lbs.

## SOLID DIE STOCKS

For One-Inch Dies



Either hexagon or round dies can be used with this die stock.  
040-840 T3-BG60.....Each \$2 46  
10 in shelf box; wt box 4 lbs.

## TAP AND REAMER WRENCHES



Has hardened jaws, easily adjusted by turning the handles to proper tap shank size. Polished knurled handles, black center section.

- |         |                                    |             |
|---------|------------------------------------|-------------|
| 040-873 | T3-BG8TW—For 4x32 to 1/2 inch..... | Each \$1 99 |
| 040-881 | T3-BG4TW—For 4x32 to 1/2 inch..... | Each 5 14   |
- 5 in shelf box; wt box 4 1/2 lbs.  
573-287 T3-BG6TW—Capacity, 1/4 to 3/4 in.....Each 9 75  
5 in shelf box; wt box 3/4 lb.

## T-HANDLE TAP WRENCHES



- 040-907 T3-BG120TW—For 0 to  $\frac{1}{4}$  taps.....Each \$1 56  
5 in shelf box; wt box 10 $\frac{1}{2}$  lbs.  
040-923 T3-BG1412TW—For  $\frac{1}{4}$  to  $\frac{1}{2}$  in. tap.....Each 2 30  
5 in shelf box; wt box 4 $\frac{1}{2}$  lbs.

## SCREW EXTRACTOR SETS

—BLUE GRASS—  
Five-Piece Set  
Hard Chrome Finish

Designed especially for removing the smaller broken cap, set screws or bolts.

Each set in plastic case with snap button closure.

Set of 5, 1 to 5 inclusive.

056-457 T3-BG155E...Set \$3 40  
One in shelf box.



## SCREW EXTRACTOR ASSORTMENTS

—BLUE GRASS—Carded  
Hard Chrome Finish



Designed especially for removing the smaller broken cap set screws or bolts.

Size Wire Rack:  
Width 8 inches; height 7 $\frac{1}{4}$  inches; depth 3 $\frac{1}{2}$  inches.

Assortment contains:

- 5—T3-BG93C-1—No. 1  
5—T3-BG93C-2—No. 2  
5—T3-BG93C-3—No. 3  
5—T3-BG93C-4—No. 4  
5—T3-BG93C-5—No. 5

170-761 T3-BG93C-A.....Each \$18 00  
One in shp etn; wt etn 21 lbs.

## SCREW EXTRACTORS

Hard Chrome Finish

Size	Each
041-277 T3-BG93-1.....	\$0 59
041-285 T3-BG93-2.....	67
041-293 T3-BG93-3.....	70
041-301 T3-BG93-4.....	82
041-319 T3-BG93-5.....	94
10 in shelf box.	
451-831 T3-BG93-6.....	1 76
452-227 T3-BG93-7.....	3 16
458-299 T3-BG93-8.....	4 53
One in shelf box.	

## HEXAGON DIES



Hard Chrome Finish

041-160 T3-BG174HD— $\frac{1}{4}$ x32 threads to inch.....Each \$1 07  
10 in shelf box; wt box 10 ozs.

## DIE ASSORTMENTS

—BLUE GRASS—Carded



All round solid dies.  
One-inch in diameter.  
All chrome finish.

Size Rack: Width 12 $\frac{1}{4}$  inches; height 14 inches; depth 8 inches.

Assortment contains:

### ROUND DIES

- 1—T3-BG174DC-A—4x40  
1—T3-BG174DC-A—6x32  
1—T3-BG174DC-A—10x24  
1—T3-BG174DC-A—12x24  
1—T3-BG174DC-A—14x20  
1—T3-BG174DC-A— $\frac{1}{4}$ x24  
1—T3-BG174DC-A— $\frac{1}{4}$ x32  
3—T3-BG174DC-A— $\frac{1}{4}$ x20  
3—T3-BG174DC-A— $\frac{1}{4}$ x28  
3—T3-BG174DC-A— $\frac{1}{4}$ x18  
3—T3-BG174DC-A— $\frac{1}{4}$ x24  
3—T3-BG174DC-A— $\frac{1}{4}$ x16  
3—T3-BG174DC-A— $\frac{1}{4}$ x24  
3—T3-BG174DC-A— $\frac{1}{4}$ x14  
3—T3-BG174DC-A— $\frac{1}{4}$ x20  
3—T3-BG174DC-A— $\frac{1}{4}$ x13  
3—T3-BG174DC-A— $\frac{1}{4}$ x20

### ROUND SOLID PIPE DIES

Hard Chrome Finish

- 1—T3-BG174PDC— $\frac{1}{4}$ x27  
1—T3-BG174PDC— $\frac{1}{4}$ x18

170-696 T3-BG174DC-A.....Each \$44 88  
One in shp etn; wt etn 4 $\frac{1}{2}$  lbs.



# ROUND SOLID DIES



All Round Solid Dies  
One Inch in Diameter  
All Chrome Finish



040-931	T3-BG174D—4x36 threads to inch
040-949	T3-BG174D—4x40 threads to inch
040-956	T3-BG174D—6x32 threads to inch
040-964	T3-BG174D—8x32 threads to inch
040-972	T3-BG174D—10x24 threads to inch
040-980	T3-BG174D—10x32 threads to inch
040-998	T3-BG174D—12x24 threads to inch
041-004	T3-BG174D—14x20 threads to inch
041-012	T3-BG174D—16x24 threads to inch
041-020	T3-BG174D—18x32 threads to inch
041-038	T3-BG174D—14x20 threads to inch
041-046	T3-BG174D—14x28 threads to inch
041-053	T3-BG174D—16x18 threads to inch
041-061	T3-BG174D—16x24 threads to inch
041-079	T3-BG174D—18x16 threads to inch
041-087	T3-BG174D—18x24 threads to inch
041-095	T3-BG174D—18x14 threads to inch
041-103	T3-BG174D—18x20 threads to inch
041-111	T3-BG174D—18x13 threads to inch
041-129	T3-BG174D—18x20 threads to inch

10 in shelf box; wt box 10 ozs.

Each \$1 07

# ROUND SOLID PIPE DIES


Hard Chrome Finish



041-137	T3-BG174PD—1/4x27 threads to inch.....	Each \$1 07
041-145	T3-BG174PD—1/4x18 threads to inch.....	Each 1 07

10 in shelf box; wt box 9 ozs.

# SOCKET SET DISPLAY HANGERS




Bright zinc plated. For 1/4-inch perforated boards. Tipped with black plastic guards. Extends 5 1/2 inches from pegboard. Eight-inches in length.

For T11-BG302, T11-BG401, T11-BG300, T11-BG357, T11-BG301, T11-BG400, T11-BG200 Blue Grass Socket Sets.  
657-916 T11-BG982.....Pair \$1 02  
Loose; wt pr 1/4 lb.

Extends 7 inches from pegboard. 8 1/2-inches in length.

For T11-BG402 Blue Grass Socket Set.  
658-286 T11-BG986.....Pair \$1 51  
Loose; wt pr 3/8 lb.

# 1/4" DRIVE SOCKET DISPLAY PANELS



—BLUE GRASS—  
1/4-INCH  
SQUARE DRIVE

Masonite display board painted yellow.

Yellow letters on blue header.

Sockets are mounted with sizes indicated.

Suitable for pegboard hanging.

Display size 22x12 inches.

Forged from highest quality steel; nickel chrome plated finish.

Display consists of:

2—T11-BG2006—Size 3/8 inch
2—T11-BG2007—Size 7/16 inch
2—T11-BG2008—Size 1/2 inch
2—T11-BG2009—Size 9/16 inch
2—T11-BG2010—Size 5/8 inch
2—T11-BG2011—Size 11/16 inch
2—T11-BG2012—Size 3/4 inch
2—T11-BG2014—Size 7/8 inch
2—T11-BG2402—2-inch Extension
2—T11-BG2406—6-inch Extension
2—T11-BG2435—Flexhandle
2—T11-BG2400—Ratchet
2—T11-BG2441—Spinner Handle
1—T11-BG200—16-Piece Standard Socket Set

646-679	T11-BG1429.....	Each \$98 83
---------	-----------------	--------------

One in 2 shp ctns; wt 6 lbs.

# —BLUE GRASS— OPEN STOCK FOR ABOVE DISPLAY 1/4-INCH SQUARE DRIVE SOCKETS 6-Point Standard Socket



153-783	T11-BG2006—3/8-inch.....	Each \$1 13
154-245	T11-BG2007—7/16-inch.....	Each 1 13
067-033	T11-BG2008—1/2-inch.....	Each 1 13
073-247	T11-BG2009—9/16-inch.....	Each 1 13
073-320	T11-BG2010—5/8-inch.....	Each 1 13
074-575	T11-BG2011—11/16-inch.....	Each 1 13
074-740	T11-BG2012—3/4-inch.....	Each 1 13
084-798	T11-BG2014—7/8-inch.....	Each 1 13
155-788	T11-BG2016—1-inch.....	Each 1 08

# 12-Point Standard Socket

156-323	T11-BG2108—1/4-inch.....	Each 1 08
156-364	T11-BG2110—5/16-inch.....	Each 1 08
158-048	T11-BG2112—3/8-inch.....	Each 1 08

# Drive Parts

085-373	T11-BG2400—Reversible Ratchet.....	Each 7 67
085-399	T11-BG2402—2-inch Socket Ext.....	Each 1 73
085-407	T11-BG2406—6-inch Socket Ext.....	Each 2 30
085-415	T11-BG2435—Flex Handle.....	Each 3 92
087-833	T11-BG2441—1/4-in. Drive Spinner.....	Each 2 84

6 in shelf box.

## BLUE GRASS SOCKET WRENCH DISPLAYS



## COMPLETE SOCKET WRENCH CENTER

All tools forged from highest quality domestic steel. Meets and exceeds U.S. Gov't. Specifications. Chamfered drive ends for easy insertion of ratchets and attachments. Drilled lock holes for a good strong hold.

Display may be mounted on pegboard.

Contains 73 tools, total 210 pieces. Features  $\frac{1}{4}$ ,  $\frac{3}{8}$  and  $\frac{1}{2}$ -inch drive.

Contents are as follows:

 $\frac{1}{4}$ -Inch Drive

- 2—T11-BG2400—4 $\frac{3}{4}$ -inch Ratchet
- 2—T11-BG2402—2-inch Extension
- 2—T11-BG2406—6-inch Extension
- 3—T11-BG2441—Spinner Handle
- 3—T11-BG2006— $\frac{3}{16}$ -inch 6 Point Socket
- 3—T11-BG2007— $\frac{7}{16}$ -inch 6 Point Socket
- 3—T11-BG2008— $\frac{1}{2}$ -inch 6 Point Socket
- 3—T11-BG2009— $\frac{9}{16}$ -inch 6 Point Socket
- 3—T11-BG2010— $\frac{5}{8}$ -inch 6 Point Socket
- 3—T11-BG2011— $\frac{11}{16}$ -inch 6 Point Socket
- 3—T11-BG2012— $\frac{3}{4}$ -inch 6 Point Socket
- 3—T11-BG2014— $\frac{7}{8}$ -inch 6 Point Socket

 $\frac{3}{8}$ -Inch Drive

- 4—T11-BG3400—7 $\frac{1}{4}$ -inch Ratchet
- 3—T11-BG3475—Universal Joint
- 2—T11-BG3403—2 $\frac{1}{2}$ -inch Extension
- 2—T11-BG3405—5-inch Extension
- 2—T11-BG3412—12-inch Extension
- 2—T11-BG3428—Flexhead Ratchet
- 2—T11-BG3438—Flexhandle
- 3—T11-BG3452— $\frac{3}{4}$ x $\frac{1}{4}$ -inch Adaptor
- 3—T11-BG3454— $\frac{3}{4}$ x $\frac{1}{2}$ -inch Adaptor
- 3—T11-BG3012— $\frac{3}{8}$ -inch 6 Point Socket
- 3—T11-BG3014— $\frac{7}{16}$ -inch 6 Point Socket
- 3—T11-BG3116— $\frac{1}{2}$ -inch 6 Point Socket
- 3—T11-BG3118— $\frac{5}{8}$ -inch 6 Point Socket
- 3—T11-BG3120— $\frac{3}{4}$ -inch 6 Point Socket
- 3—T11-BG3122— $\frac{7}{8}$ -inch 6 Point Socket
- 3—T11-BG3124— $\frac{1}{2}$ -inch 6 Point Socket
- 3—T11-BG3126— $\frac{11}{16}$ -inch 6 Point Socket
- 3—T11-BG3128— $\frac{3}{4}$ -inch 6 Point Socket

 $\frac{1}{2}$ -Inch Drive (Continued)

- 3—T11-BG4134—1 $\frac{1}{16}$ -inch 12 Point Standard Socket
- 3—T11-BG4136—1 $\frac{3}{16}$ -inch 12 Point Standard Socket
- 3—T11-BG4140—1 $\frac{1}{4}$ -inch 12 Point Standard Socket
- 2—T11-BG4402—2-inch Extension
- 2—T11-BG4405—5-inch Extension
- 2—T11-BG4410—10-inch Extension
- 3—T11-BG4475—Universal Joint
- 3—T11-BG4596— $\frac{1}{2}$ -inch Spark Plug
- 3—T11-BG4616— $\frac{1}{2}$ -inch 12 Point Deep Socket
- 3—T11-BG4618— $\frac{5}{8}$ -inch 12 Point Deep Socket
- 3—T11-BG4620— $\frac{3}{4}$ -inch 12 Point Deep Socket
- 3—T11-BG4622— $\frac{11}{16}$ -inch 12 Point Deep Socket
- 3—T11-BG4624— $\frac{3}{4}$ -inch 12 Point Deep Socket
- 3—T11-BG4626— $\frac{13}{16}$ -inch 12 Point Deep Socket
- 3—T11-BG4628— $\frac{7}{8}$ -inch 12 Point Deep Socket
- 3—T11-BG4630— $\frac{15}{16}$ -inch 12 Point Deep Socket
- 3—T11-BG4632—1-inch 12 Point Deep Socket
- 3—T11-BG4634—1 $\frac{1}{16}$ -inch 12 Point Deep Socket
- 3—T11-BG4636—1 $\frac{3}{16}$ -inch 12 Point Deep Socket
- 4—T11-BG4400—10 $\frac{1}{2}$ -inch Ratchet
- 2—T11-BG4425—15-inch Ratchet
- 2—T11-BG4438—18-inch Flex Handle
- 3—T11-BG4453— $\frac{1}{2}$ x $\frac{3}{8}$ -inch Adaptor

 $\frac{3}{8}$ -Inch Drive (Continued)

- 3—T11-BG3612— $\frac{3}{8}$ -inch 12 Point Deep Socket
- 3—T11-BG3614— $\frac{7}{16}$ -inch 12 Point Deep Socket
- 3—T11-BG3616— $\frac{1}{2}$ -inch 12 Point Deep Socket
- 3—T11-BG3618— $\frac{5}{8}$ -inch 12 Point Deep Socket
- 3—T11-BG3620— $\frac{3}{4}$ -inch 12 Point Deep Socket
- 3—T11-BG3622— $\frac{11}{16}$ -inch 12 Point Deep Socket
- 3—T11-BG3624— $\frac{3}{4}$ -inch 12 Point Deep Socket
- 4—T11-BG3590— $\frac{5}{8}$ -inch Plug Socket
- 3—T11-BG3596— $\frac{13}{16}$ -inch Plug Socket

 $\frac{1}{2}$ -Inch Drive


- 3—T11-BG4114— $\frac{7}{16}$ -inch 12 Point Standard Socket
- 3—T11-BG4116— $\frac{1}{2}$ -inch 12 Point Standard Socket
- 3—T11-BG4118— $\frac{5}{8}$ -inch 12 Point Standard Socket
- 3—T11-BG4120— $\frac{3}{4}$ -inch 12 Point Standard Socket
- 3—T11-BG4122— $\frac{11}{16}$ -inch 12 Point Standard Socket
- 3—T11-BG4124— $\frac{3}{4}$ -inch 12 Point Standard Socket
- 3—T11-BG4126— $\frac{13}{16}$ -inch 12 Point Standard Socket
- 3—T11-BG4128— $\frac{7}{8}$ -inch 12 Point Standard Socket
- 3—T11-BG4130— $\frac{15}{16}$ -inch 12 Point Standard Socket
- 3—T11-BG4132—1-inch 12 Point Standard Socket

615-302 T11-BG3791

Complete display in 2 ctns; wt 74 lbs.

Each \$771 30



**3/8" DRIVE SOCKET DISPLAY PANELS**

**—BLUE GRASS—**  
**3/8-Inch Square Drive**  
 Masonite display board painted yellow. Yellow letters on blue header.  
 Sockets are mounted with sizes indicated. Suitable for pegboard hanging.  
 Display size 22x12 inches.  
 Forged from the finest alloy steel, triple plated chrome finish.

Display consists of:

**6-Point Standard Socket**

- 2-T11-BG3012—3/8-inch  
 2-T11-BG3014—1/2-inch

**12-Point Standard Socket**

- 2-T11-BG3116—1/4-inch  
 2-T11-BG3118—3/8-inch  
 2-T11-BG3120—1/2-inch  
 2-T11-BG3122—3/4-inch  
 2-T11-BG3124—1-inch

**6-Point Deep Socket**

- 1-T11-BG3512—3/8-inch  
 1-T11-BG3514—1/2-inch

**12-Point Deep Socket**

- 1-T11-BG3616—1/4-inch  
 1-T11-BG3618—3/8-inch  
 1-T11-BG3620—1/2-inch  
 1-T11-BG3622—3/4-inch  
 1-T11-BG3624—1-inch  
 2-T11-BG3438—3/8-inch Spark Plug Socket  
 3-T11-BG3590—1/2-inch Spark Plug Socket

**Drive Parts**

- 2-T11-BG3400—Reversible Ratchet  
 2-T11-BG3403—3-inch Extension  
 2-T11-BG3405—5-inch Extension  
 1-T11-BG3412—12-inch Extension  
 2-T11-BG3435—Flex Handle, Rubber Grip  
 1-T11-BG3445—Speeder  
 2-T11-BG3475—Universal Joint

572-792 T11-BG3830.....Each \$144 52  
 One in 2 shp ctrs; wt 11 1/2 lbs.

**OPEN STOCK**  
**3/8-INCH SQUARE DRIVE SOCKETS**  
**6-Point Standard Socket**

- 158-428 T11-BG3008—1/4-inch.....Each \$1 43  
 159-061 T11-BG3010—3/8-inch.....Each 1 43  
 532-036 T11-BG3012—1/2-inch.....Each 1 49  
 532-101 T11-BG3014—3/4-inch.....Each 1 49  
 6 in shelf box.

**3/8" SQUARE DRIVE SOCKETS**

**OPEN STOCK**  
**12-Point Standard Socket**

- 103-309 T11-BG3116—1/4-inch.....Each \$1 56  
 104-513 T11-BG3118—3/8-inch.....Each 1 56  
 106-179 T11-BG3120—1/2-inch.....Each 1 57  
 107-565 T11-BG3122—3/4-inch.....Each 1 60  
 109-140 T11-BG3124—1-inch.....Each 1 73  
 159-228 T11-BG3126—1 1/4-inch.....Each 1 79  
 163-600 T11-BG3128—1 1/2-inch.....Each 1 87  
 6 in shelf box.

**6-Point Deep Socket**

- 605-634 T11-BG3512—3/8-inch.....Each \$1 94  
 606-129 T11-BG3514—1/2-inch.....Each 1 97  
 121-731 T11-BG3596—1 1/2-inch Spark Plug Socket.....Each 3 00  
 6 in shelf box.

**12-Point Deep Socket**

- 113-142 T11-BG3616—1/4-inch.....Each \$2 02  
 115-642 T11-BG3618—3/8-inch.....Each 2 11  
 120-923 T11-BG3620—1/2-inch.....Each 2 16  
 121-251 T11-BG3622—3/4-inch.....Each 2 30  
 121-566 T11-BG3624—1-inch.....Each 2 41  
 092-551 T11-BG3626—1 1/4-inch.....Each 2 75  
 092-569 T11-BG3590—1 1/2-inch Spark Plug Socket.....Each 2 95  
 6 in shelf box.

**Drive Parts**

- 121-749 T11-BG3400—Reversible Ratchet.....Each \$10 94  
 397-133 T11-BG3402—2 1/2-inch Extension.....Each 1 86  
 121-756 T11-BG3403—3-inch Extension.....Each 2 43  
 121-855 T11-BG3405—5-inch Extension.....Each 3 10  
 122-044 T11-BG3412—12-inch Extension.....Each 4 32  
 165-118 T11-BG3438—Flex Handle, 10-in.....Each 6 78  
 122-101 T11-BG3445—Speeder.....Each 5 79  
 122-192 T11-BG3475—Universal Joint.....Each 5 21  
 122-200 T11-BG3430—Cross Bar.....Each 1 50  
 6 in shelf box.

**ADAPTERS**

Permits interchange of sockets and attachments from one drive size to another.

- Size 3/8-inch female to 1/2-inch male,  
 578-302 T11-BG3454.....Each \$2 13  
 6 in shelf box; wt box 1 1/2 lbs.

- Size 1/2-inch female to 3/4-inch male,  
 091-520 T11-BG3452.....Each 2 17  
 6 in shelf box; wt box 1 lb.

- RENEWAL KITS—For T11-BG3400 Ratchets**  
 553-024 T11-BG3401.....Each \$3 73  
 6 in shelf box.

**3/8" DRIVE FLEX RATCHETS****—BLUE GRASS—**

Hot forged alloy steel, fully hardened. Mirror bright polish finish on heavy chrome plate. Oilproof, non-slip rubber grip, for harder pull with greater comfort. Short handle swing. Less than 1 3/4

inches at end of handle for ratcheting in tight places. Small head—only 1 1/4 inches diameter. Fits and works in tight places.

Free-swing 10-inch handle. Pivots over 90° in either direction from straight handle position, reducing number of extension changes required to clear obstacles of varying heights. Works as a spinner in straight-up position.

- 576-678 T11-BG3428.....Each \$20 40  
 6 in shelf box; wt box 4 1/2 lbs.

**1/2" DRIVE SOCKET DISPLAY PANEL**

—BLUE GRASS—  
**1/2-Inch Square Drive**

Masonite display board painted yellow. Yellow letters on blue header. Sockets are mounted with sizes indicated. Suitable for pegboard hanging. Display size 22x12 inches. Forged from finest alloy steel, triple plated chrome finish.

Consists of:

**12-Point Standard Socket**

- 2—T11-BG4114—7/16-inch
- 2—T11-BG4116—1/2-inch
- 2—T11-BG4118—5/8-inch
- 2—T11-BG4120—3/4-inch
- 2—T11-BG4122—11/16-inch
- 2—T11-BG4124—3/4-inch
- 2—T11-BG4126—13/16-inch
- 2—T11-BG4128—7/8-inch
- 1—T11-BG4130—15/16-inch
- 1—T11-BG4132—1-inch
- 1—T11-BG4134—1 1/16-inch
- 1—T11-BG4136—1 1/8-inch
- 1—T11-BG4140—1 1/4-inch

**12-Point Deep Socket**

- 1—T11-BG4616—1 1/2-inch
- 1—T11-BG4618—1 3/4-inch
- 1—T11-BG4620—2-inch
- 1—T11-BG4622—2 1/8-inch
- 1—T11-BG4624—2 1/2-inch
- 1—T11-BG4626—2 3/4-inch
- 1—T11-BG4628—3-inch
- 1—T11-BG4630—3 1/8-inch
- 1—T11-BG4632—3 1/2-inch

**Spark Plug Socket With Rubber Inserts**

- 2—T11-BG4596—1 1/2-inch

**Drive Parts**

- 2—T11-BG4400—Reversible Ratchet
- 1—T11-BG4405—5-inch Extension
- 1—T11-BG4410—10-inch Extension
- 1—T11-BG4436—16-inch, Flex Handle
- 1—T11-BG4475—Universal Joint
- 2—T11-BG4453—1/2x3/8 inch Adaptor

573-543 T11-BG1230 ..... Each \$161 78  
 One in 2 shp etns; wt 16 1/2 lbs.

**1/2" SQUARE DRIVE SOCKETS****12-Point Standard Socket**

123-117	T11-BG4114—7/16-inch	Each	1 60
123-273	T11-BG4116—1/2-inch	Each	1 71
126-599	T11-BG4118—5/8-inch	Each	1 76
131-094	T11-BG4120—3/4-inch	Each	1 76
136-523	T11-BG4122—11/16-inch	Each	1 94
142-331	T11-BG4124—3/4-inch	Each	2 00
142-687	T11-BG4126—13/16-inch	Each	2 27
142-703	T11-BG4128—7/8-inch	Each	2 30
142-901	T11-BG4130—15/16-inch	Each	2 38
145-821	T11-BG4132—1-inch	Each	2 62
147-702	T11-BG4134—1 1/16-inch	Each	2 84
147-876	T11-BG4136—1 1/8-inch	Each	3 19
148-056	T11-BG4140—1 1/4-inch	Each	3 59

**12-Point Deep Socket**

148-601	T11-BG4616—1 1/2-inch	Each	\$3 08
148-627	T11-BG4618—1 3/4-inch	Each	3 11
148-635	T11-BG4620—2-inch	Each	3 11
148-809	T11-BG4622—2 1/8-inch	Each	3 19
149-278	T11-BG4624—2 1/2-inch	Each	3 25
149-955	T11-BG4626—2 3/4-inch	Each	3 32
152-074	T11-BG4628—3-inch	Each	3 73
152-082	T11-BG4630—3 1/8-inch	Each	3 92
162-263	T11-BG4632—3 1/2-inch	Each	4 08
093-278	T11-BG4634—3 3/4-inch	Each	4 27
093-989	T11-BG4636—4-inch	Each	4 32

**Spark Plug Socket With Rubber Inserts**

163-014	T11-BG4596—1 1/2-inch	Each	\$3 11
---------	-----------------------	------	--------

**Drive Parts**

166-207	T11-BG4400—Ratchet Rubber Grip	Each	\$13 87
3 in shelf box.			
092-635	T11-BG4425—Reversible Ratchet—For 1/2-inch Sockets	Each	18 92
2 in shelf box.			
176-602	T11-BG4402—2-inch Extension	Each	2 70
170-100	T11-BG4405—5-inch Extension	Each	3 60
177-717	T11-BG4410—10-inch Extension	Each	4 86
6 in shelf box.			
144-048	T11-BG4438—16-inch, Flex Handle, Rubber Grip	Each	11 59
2 in shelf box.			
187-369	T11-BG4475—Universal Joint	Each	6 02
6 in shelf box.			

**ADAPTERS**

Size 1/2 inch female to 3/8 inch male.			
578-310	T11-BG4453	Each	\$2 57
6 in shelf box; wt box 2 lbs.			

**RENEWAL KITS—For T11-BG4400 Ratchets**

554-279	T11-BG4401	Each	\$5 22
One in shelf box.			

**1/2" DRIVE DEEP SOCKET SETS****—BLUE GRASS—9 Pieces**

Consists of one each of the following sizes:  
 1 1/2 inch    3/8 inch    3/4 inch    7/8 inch  
 1 3/8 inch    1 1/2 inch    1 3/4 inch    1 7/8 inch  
 2 inch    2 1/8 inch    2 1/2 inch    2 3/4 inch

578-641 T11-BG80 ..... Each \$27 63  
 One in shelf box; wt box 3 lbs.

Alloy steel sockets, heat-treated, chrome-plated.

A must for auto, tractor and industrial work.

Metallic blue steel tray with carrying handle.



### 3/4-INCH SQUARE DRIVE SOCKET DISPLAYS

—BLUE GRASS—3/4-Inch



3/4-inch square drive display panel consists of two (2) masonite display boards painted yellow with stock numbers and socket sizes in blue lettering for easy identification. Suitable for pegboard hanging. All tools forged from the highest quality steel, nickel chrome plated finish.

Display consists of one each of the following:

T11-BG6134—Size 1 1/16 inch	
T11-BG6136—Size 1 1/8 inch	
T11-BG6140—Size 1 1/4 inch	
T11-BG6142—Size 1 3/8 inch	
T11-BG6144—Size 1 1/2 inch	
T11-BG6146—Size 1 5/8 inch	
T11-BG6148—Size 1 3/4 inch	
T11-BG6152—Size 1 7/8 inch	
T11-BG6156—Size 1 15/16 inch	
T11-BG6158—Size 1 1/2 inch	
T11-BG6160—Size 1 3/4 inch	
T11-BG6164—Size 2 inch	
T11-BG6408—Size 8-inch Extension	
T11-BG6416—Size 16-inch Extension	
T11-BG6443—Sliding Tee Handle	
T11-BG6435—Size 19-inch Flex Handle	
T11-BG6400—Reversible Ratchet	
611-368 T11-BG6417	Each \$198 79

Packed in 2 shp ctns; wt 39 lbs.

### SOCKET SETS



—BLUE GRASS—  
COMBINATION SET  
19-Piece

1/4 & 3/8-Inch Drive

Unique to the hand tool industry. Tool case is injection molded in green high-impact plastic. One-piece hinge. Shur-loc lid match.

Socket sizes are marked on box for quick location.

Contains one each of the following:

T11-BG6M—3/16-inch, 6-point socket
T11-BG7M—1/8-inch, 6-point socket
T11-BG8M—1/4-inch, 6-point socket
T11-BG9M—3/8-inch, 6-point socket
T11-BG10M—1/2-inch, 6-point socket
T11-BG11M—11/16-inch, 6-point socket
T11-BG80M—Spinner Handle
T11-BG90—3/8-inch F-1/4-inch M adaptor
T11-BG312X—3/8-inch, 6-point socket
T11-BG314X—1/2-inch, 6-point socket
T11-BG316—1/2-inch, 12-point socket
T11-BG318—9/16-inch, 12-point socket
T11-BG320—5/8-inch, 12-point socket
T11-BG322—11/16-inch, 12-point socket
T11-BG324—3/4-inch, 12-point socket
T11-BG620JR—5/8-inch, 6-point spark plug socket
T11-BG77JC—Reversible ratchet
T11-BG51J—2 3/4-inch extension
T11-BG13719—Blow molded box
Plus—3/4-inch socket

434-282 T11-BG4020 ..... Each \$31 05

One in shelf box; wt box 5 lbs.

### 3/8" DRIVE METRIC SOCKET SETS

—BLUE GRASS—  
Twelve-Piece



Alloy steel sockets, heat treated, chrome plated. Metallic blue steel tray with carrying handle.

Consists of one each of the following size 6-point sockets:

7MM	10MM	13MM	17MM
8MM	11MM	14MM	19MM
9MM	12MM	15MM	Tray

578-328 T11-BG312MM ..... Each \$13 05

One in shelf box; wt box 1 1/2 lbs.

—BLUE GRASS—  
OPEN STOCK—For Above Display  
3/4-INCH SQUARE DRIVE SOCKETS  
Six-Point Standard Metric Sockets


165-621	T11-BG3047—7MM	Each \$1 38
166-892	T11-BG3049—9MM	Each 1 54
169-086	T11-BG3055—15MM	Each 1 68
170-639	T11-BG3057—17MM	Each 1 76
185-306	T11-BG3059—19MM	Each 1 86

6 in shelf box.

## BLUE GRASS SOCKET SETS

All tools hot forged from 4140 alloy steel. Meets and exceeds U.S. Government Specifications. Chamfered drive ends for easy insertion of ratchets and attachments. Drilled lock holes for a good strong hold. Each set is its own display. No unwrapping and rearranging of tools. Clear plastic set cover stapled in protects tools, keeps tools clean. Each tool fits in its own cavity. Full color set cards can be seen from a distance.

### 3/4-INCH SQUARE DRIVE 15-Piece Set in Metal Box



Serves most general-purpose requirements of the heavy-duty industrial, heavy automotive or farm mechanics.

Set consists of: 1 1/2, 1 3/4, 1 5/8, 1 7/8, 1 1/2, 1 3/4, 1 5/8, 1 7/8, and 2-inch 12-point sockets; 8 and 16-inch extensions; sliding tee; reversible ratchet; metal tool box.

Each \$140 08

152-553 T11-8G617  
One in shelf box; wt each 27 lbs.

### OPEN STOCK

#### 12-Point Standard Socket

205-666	T11-8G6134	1 1/2-inch	Each	4 67
212-746	T11-8G6136	1 3/4-inch	Each	4 78
213-793	T11-8G6140	1 5/8-inch	Each	5 14
214-940	T11-8G6142	1 7/8-inch	Each	5 49
217-224	T11-8G6144	1 1/2-inch	Each	5 84
217-232	T11-8G6146	1 3/4-inch	Each	6 29
217-984	T11-8G6148	1 5/8-inch	Each	6 44

6 in shelf box.

218-024	T11-8G6152	1 3/4-inch	Each	7 92
218-198	T11-8G6156	1 5/8-inch	Each	8 75
218-289	T11-8G6158	1 7/8-inch	Each	9 38
218-677	T11-8G6160	1 1/2-inch	Each	9 52
218-685	T11-8G6164	2-inch	Each	10 76

3 in shelf box.

#### Drive Parts

611-889	T11-8G6416	16-inch Extension	Each	11 40
183-749	T11-8G6435	Flex Handle	Each	20 40
219-063	T11-8G6400	Reversible Ratchet	Each	34 25
219-105	T11-8G6408	8-inch Extension	Each	8 40
219-295	T11-8G6443	Slide Tee Handle	Each	12 38


3 in shelf box.

### 1/2-INCH SQUARE DRIVE 21-Piece Set in Plastic Box

The homeowner's favorite; this set fills the need for most general household uses. Excellent as a mechanic's starter set.

Set consists of: 1/2, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1 1/4 and 1 1/2-inch 12-point sockets; 1 3/4-inch 6-point spark plug socket; 2 1/2, 5 and 10-inch extension; 18-inch flex handle; universal joint; reversible ratchet; metal tool box.

152-314 T11-8G402  
One in shelf box; wt each 16 1/2 lbs.



### 1/2-INCH SQUARE DRIVE 13-Piece Set in Plastic Box



Excellent set for most automotive repairs.

Set consists of: 1/2, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1 1/4 and 1 1/2-inch 12-point sockets; 1 3/4-inch 6-point spark plug socket; 5-inch extension; reversible ratchet; tool box.

147-413 T11-8G400  
Each \$37 43  
One in shelf box;  
wt each 4 1/4 lbs.

### 3/4-INCH SQUARE DRIVE METRIC 16-Piece Set in Plastic Box



Set consists of: Ten 6-point metric sockets 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, spark plug sockets 3/8 and 13/16; extensions 2 1/2 and 5 inches; reversible ratchet and tool box.

146-084 T11-8G357  
Each \$28 60  
One in shelf box;  
wt box 3 1/2 lbs.



### 3/4-INCH SQUARE DRIVE 16-Piece Set in Plastic Box

Set consists of: Four 6-point sockets 3/4, 7/8, 1, 1 1/8; six 12-point sockets 1/2, 5/8, 3/4, 7/8, 1, 1 1/8; spark plug sockets 5/8 and 13/16; extensions 2 1/2 and 5 inches; reversible ratchet and tool box.


144-865 T11-8G301  
One in shelf box; Each \$29 38  
wt each 3 1/2 lbs.



### 3/4-INCH SQUARE DRIVE 26-Piece Set in Plastic Box

Set consists of: Six 6-point sockets 1/2, 5/8, 3/4, 7/8, 1, 1 1/8; five 12-point sockets 3/4, 7/8, 1, 1 1/8, 1 1/4, 1 1/2; seven 6-point deep sockets 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1 1/4; spark plug socket 13/16; extensions 1 1/2, 3 and 5 inches; flex handle 10 inches; universal joint; ratchet 3400.

145-458 T11-8G302  
One in shelf box; Each \$55 02  
wt each 5 1/2 lbs.





## BLUE GRASS SOCKET SETS



All tools hot forged from 4140 alloy steel. Meets and exceeds U.S. Government Specifications. Chamfered drive ends for easy insertion of ratchets and attachments. Drilled lock holes for a good strong hold. Each set is its own display. No unwrapping and rearranging of tools. Clear plastic set cover stapled in protects tools, keeps tools clean. Each tool fits in its own cavity. Full color set cards can be seen from a distance.



### 3/8-INCH SQUARE DRIVE 12-Piece Set in Plastic Box

Set consists of: Two 6-point sockets  $\frac{3}{8}$ ,  $\frac{7}{16}$ ; five 12-point sockets  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ; spark plug socket  $\frac{13}{16}$ ; extensions 2  $\frac{3}{4}$  and 5 inches; reversible ratchet and tool box.

143-693 T11-BG300  
One in shelf box; Each \$25 52  
wt each 2  $\frac{1}{2}$  lbs.



### —BLUE GRASS— 31-Piece 3/8 and 1/4 Drive

Hot forged alloy steel for greater strength.

Sockets and attachments have drilled lock holes that are easy to change and won't fall off.

Tough double wall box won't dent, scuff or rust.

31-piece set consists of one each of the following pieces:

**3/8-Inch Drive**  
 $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$  and  $\frac{3}{4}$ -inch 6-point standard sockets;  $\frac{3}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ,  $\frac{13}{16}$  and  $\frac{1}{2}$ -inch 12-point standard sockets; 7-inch reversible ratchet; 3-inch extension; 5-inch extension; 10-inch flex handle; universal joint;  $\frac{1}{4}$ -inch adapter and  $\frac{13}{16}$ -inch spark plug socket.

**1/4-Inch Drive**  
 $\frac{1}{4}$ ,  $\frac{1}{2}$ ,  $\frac{3}{8}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$  and  $\frac{1}{2}$ -inch 6-point sockets;  $\frac{1}{4}$ ,  $\frac{3}{8}$  and  $\frac{1}{2}$ -inch 12-point sockets; 6-inch extension; drive spinner and 2-inch extension.

Plastic box container.

469-510 T11-BG303 ..... Each \$56 08  
One in shelf box; wt box 5 lbs.



### 1/4-INCH SQUARE DRIVE 16-Piece Set in Plastic Box

Set consists of: Eight 6-point sockets,  $\frac{1}{4}$ ,  $\frac{1}{2}$ ,  $\frac{3}{4}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ; three 8-point sockets,  $\frac{1}{4}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ; extensions 2 and 5 inches; spinner handle; reversible ratchet 2400.

141-994 T11-BG200  
One in shelf box; Each \$20 08  
wt each 1  $\frac{1}{2}$  lbs.

## WRENCH DISPLAY PANELS —BLUE GRASS—BOX END



Masonite display board painted yellow. Yellow letters on blue header.

Wrenches mounted on hanging pegs with space provided for pricing.

Suitable for pegboard hanging.

Display size 22x12 inches.

Mirror chrome polished finish. Drop forged alloy steel. Heat treated for hardness.

Taper design.

Display consists of:

- 6—T15-BG61214—Size  $\frac{3}{8}$ x $\frac{7}{16}$  inch (long)
- 6—T15-BG61618—Size  $\frac{1}{2}$ x $\frac{9}{16}$  inch (long)
- 3—T15-BG62022—Size  $\frac{5}{8}$ x $\frac{11}{16}$  inch (long)
- 3—T15-BG62428—Size  $\frac{3}{4}$ x $\frac{1}{2}$  inch (long)
- 3—T15-BG62628—Size  $\frac{13}{16}$ x $\frac{3}{4}$  inch (long)
- 2—T15-BG63032—Size  $\frac{1}{2}$ x1 inch (long)
- 2—T15-BG63436—Size  $\frac{11}{16}$ x1  $\frac{1}{8}$  inch (long)

582-148 T15-BG25-80 ..... Each \$132 19  
One in shp ctn; wt ctn 18 lbs.

### OPEN STOCK

For T15-BG2480 and T15-BG25-80 Long Wrench Displays

398-727	T15-BG61214—Size $\frac{3}{8}$ x $\frac{7}{16}$ inch	Each \$2 90
398-750	T15-BG61618—Size $\frac{1}{2}$ x $\frac{9}{16}$ inch	Each 3 43
398-834	T15-BG62022—Size $\frac{5}{8}$ x $\frac{11}{16}$ inch	Each 4 10
398-859	T15-BG62428—Size $\frac{3}{4}$ x $\frac{1}{2}$ inch	Each 4 37
398-867	T15-BG62628—Size $\frac{13}{16}$ x $\frac{3}{4}$ inch	Each 5 32
398-875	T15-BG63032—Size $\frac{1}{2}$ x1 inch	Each 7 10
406-678	T15-BG63436—Size $\frac{11}{16}$ x1 $\frac{1}{8}$ inch	Each 7 43

6 in shelf box.

## BOX END WRENCH SETS

—BLUE GRASS—  
Long—in Vinyl Pouch



Mirror chrome polished finish. Drop forged alloy steel. Heat treated for hardness.

Each set packed in vinyl pouch with hole for pegboard hanging.


### Five-Piece Set

Set consists of one each of the following:  
Size  $\frac{13}{16}$ x $\frac{7}{8}$  inch  
Size  $\frac{3}{4}$ x $\frac{7}{8}$  inch  
Size  $\frac{3}{8}$ x $\frac{11}{16}$  inch  
Size  $\frac{1}{2}$ x $\frac{9}{16}$  inch  
Size  $\frac{5}{8}$ x $\frac{11}{16}$  inch

389-361 T15-BG5-8EP ..... Each \$19 10  
One set in shelf box;  
3 sets in shp ctn; wt ctn 5  $\frac{1}{2}$  lbs.



## WRENCH DISPLAY PANELS —BLUE GRASS—OPEN END



Masonite display board painted yellow.  
Yellow letters on blue header.

Wrenches mounted on hanging pegs with space provided for pricing.

Suitable for pegboard hanging.

Display size 22x12 inches.

Mirror chrome polished finish. Drop forged alloy steel. Opening accurately set for maximum clearance.

Display consists of:

4—T15-BG810—Size $\frac{1}{4}$ x $\frac{3}{16}$ inch	
4—T15-BG1214—Size $\frac{3}{8}$ x $\frac{1}{2}$ inch	
4—T15-BG1416—Size $\frac{1}{2}$ x $\frac{5}{8}$ inch	
4—T15-BG1618—Size $\frac{5}{8}$ x $\frac{3}{4}$ inch	
3—T15-BG1820—Size $\frac{3}{4}$ x $\frac{7}{8}$ inch	
3—T15-BG1922—Size $\frac{15}{16}$ x $1\frac{1}{8}$ inch	
3—T15-BG2024—Size $\frac{15}{16}$ x $1\frac{1}{2}$ inch	
3—T15-BG2526—Size $1\frac{1}{4}$ x $1\frac{1}{2}$ inch	
3—T15-BG2428—Size $\frac{3}{4}$ x $1\frac{3}{4}$ inch	
2—T15-BG3032—Size $1\frac{1}{2}$ x $1\frac{1}{2}$ inch	
2—T15-BG3436—Size $1\frac{1}{2}$ x $1\frac{3}{4}$ inch	
582-130 T15-BG35-0ED	Each \$160 62

One in shp etn; wt etn 18 lbs.

### OPEN STOCK

For T15-BG35-0ED Open End Wrench Display

366-930 T15-BG810—Size $\frac{1}{4}$ x $\frac{3}{16}$ inch	Each	\$2 54
367-243 T15-BG1214—Size $\frac{3}{8}$ x $\frac{1}{2}$ inch	Each	2 59
367-268 T15-BG1416—Size $\frac{1}{2}$ x $\frac{5}{8}$ inch	Each	2 90
367-334 T15-BG1618—Size $\frac{5}{8}$ x $\frac{3}{4}$ inch	Each	3 03
367-557 T15-BG1820—Size $\frac{3}{4}$ x $\frac{7}{8}$ inch	Each	3 25
370-072 T15-BG1922—Size $\frac{15}{16}$ x $1\frac{1}{8}$ inch	Each	3 51
373-464 T15-BG2024—Size $\frac{15}{16}$ x $1\frac{1}{2}$ inch	Each	3 83
373-480 T15-BG2428—Size $\frac{3}{4}$ x $1\frac{3}{4}$ inch	Each	5 14
374-025 T15-BG2526—Size $1\frac{1}{4}$ x $1\frac{1}{2}$ inch	Each	5 14
374-033 T15-BG2628—Size $1\frac{1}{2}$ x $1\frac{3}{4}$ inch	Each	3 00
374-041 T15-BG3032—Size $1\frac{1}{2}$ x $1\frac{1}{2}$ inch	Each	6 35
374-058 T15-BG3436—Size $1\frac{1}{2}$ x $1\frac{3}{4}$ inch	Each	8 57

6 in shelf box.

## COMBINATION BOX AND OPEN END WRENCH SETS

—BLUE GRASS—

In Vinyl Pouch—4-Piece Set

Consists of one each— $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{11}{16}$  and  $\frac{3}{4}$  inch.

398-503 T15-BG4CP Each \$9 49

One in shelf box; wt box 1.3 lbs.

5-Piece Set


Consists of one each— $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{3}{4}$  and  $\frac{5}{8}$  inch.

398-511 T15-BG5CP Each \$13 06

One in shelf box; wt box 4.6 lbs.



## WRENCH DISPLAY PANELS —BLUE GRASS—COMBINATION



Masonite display board painted yellow.  
Yellow letters on blue header.

Wrenches mounted on hanging pegs with space provided for pricing.

Suitable for pegboard hanging.

Display size 22x12 inches.

Mirror chrome polished finish. Drop forged alloy steel. Heat treated. Tapered design.

Box and offset for more clearance.

Open end angled 15° for more work in tight places.

Display consists of:

3—T15-BG08—Size $\frac{1}{4}$ inch	3—T15-BG18—Size $\frac{5}{8}$ inch
3—T15-BG10—Size $\frac{5}{16}$ inch	3—T15-BG20—Size $\frac{3}{4}$ inch
3—T15-BG11—Size $\frac{11}{16}$ inch	2—T15-BG22—Size $1\frac{1}{8}$ inch
3—T15-BG12—Size $\frac{3}{4}$ inch	2—T15-BG24—Size $\frac{3}{4}$ inch
3—T15-BG14—Size $\frac{7}{8}$ inch	2—T15-BG26—Size $1\frac{1}{8}$ inch
3—T15-BG16—Size $1\frac{1}{2}$ inch	2—T15-BG28—Size $1\frac{3}{4}$ inch

582-114 T14-BG32-CD Each \$128 33  
One in shp etn; wt etn 23 lbs.

### OPEN STOCK

For T15-BG27CD and T15-BG32-CD Combination Box and Open End Wrench Display

298-802 T15-BG08—Size $\frac{1}{4}$ inch	Each	\$2 19
379-529 T15-BG10—Size $\frac{5}{16}$ inch	Each	2 33
379-578 T15-BG11—Size $\frac{11}{16}$ inch	Each	2 54
380-642 T15-BG12—Size $\frac{3}{4}$ inch	Each	2 54
386-607 T15-BG14—Size $\frac{7}{8}$ inch	Each	2 89
390-765 T15-BG16—Size $1\frac{1}{2}$ inch	Each	3 08
390-914 T15-BG18—Size $\frac{5}{8}$ inch	Each	3 16
390-922 T15-BG20—Size $\frac{3}{4}$ inch	Each	3 60
391-268 T15-BG22—Size $1\frac{1}{8}$ inch	Each	3 92
391-359 T15-BG24—Size $\frac{3}{4}$ inch	Each	4 32
391-920 T15-BG26—Size $1\frac{1}{8}$ inch	Each	4 71
396-358 T15-BG28—Size $1\frac{3}{4}$ inch	Each	5 81
397-075 T15-BG30—Size $1\frac{3}{4}$ inch	Each	7 25
397-307 T15-BG32—Size 1 inch	Each	7 97
397-778 T15-BG34—Size $1\frac{1}{8}$ inch	Each	10 11
398-032 T15-BG36—Size $1\frac{1}{2}$ inch	Each	10 94
398-479 T15-BG40—Size $1\frac{3}{4}$ inch	Each	13 46

6 in shelf box.



# COMBINATION METRIC WRENCH DISPLAYS —BLUE GRASS—



Masonite display board painted yellow. Yellow letters on blue header.

Wrenches mounted on hanging pegs with space provided for pricing.

Suitable for pegboard hanging.

Display size 22x12 inches.

Mirror chrome polished finish. Drop forged alloy steel. Heat treated. Tapered design.

Box and offset for more clearance.

Open end angled 15° for more work in tight places.

Display consists of the following Metric Wrenches:

## 6-Point

- 3—T15-BG07MC—Size 7MM
- 2—T15-BG08MC—Size 8MM
- 3—T15-BG09MC—Size 9MM
- 3—T15-BG10MC—Size 10MM
- 3—T15-BG11MC—Size 11MM
- 2—T15-BG12MC—Size 12MM
- 3—T15-BG13MC—Size 13MM

## 12-Point

- 3—T15-BG14MC—Size 14MM
- 2—T15-BG15MC—Size 15MM
- 2—T15-BG16MC—Size 16MM
- 2—T15-BG17MC—Size 17MM
- 2—T15-BG18MC—Size 18MM
- 2—T15-BG19MC—Size 19MM
- 2—T15-BG21MC—Size 21MM
- 2—T15-BG22MC—Size 22MM

594-085 T15-BG36MCP ..... Each \$148 62  
One in shp ctn; wt ctn 14 lbs.

## OPEN STOCK

For T15-BG36MCP Combination Metric Wrench Displays

## 6-Point

- |         |                      |      |        |
|---------|----------------------|------|--------|
| 584-193 | T15-BG07MC—Size 7MM  | Each | \$2 54 |
| 584-326 | T15-BG08MC—Size 8MM  | Each | 2 54   |
| 585-026 | T15-BG09MC—Size 9MM  | Each | 2 59   |
| 585-190 | T15-BG10MC—Size 10MM | Each | 2 59   |
| 585-380 | T15-BG11MC—Size 11MM | Each | 2 89   |
| 585-646 | T15-BG12MC—Size 12MM | Each | 3 08   |
| 585-950 | T15-BG13MC—Size 13MM | Each | 3 25   |
- 6 in shelf box.

## 12-Point

- |         |                      |      |        |
|---------|----------------------|------|--------|
| 587-840 | T15-BG14MC—Size 14MM | Each | \$3 46 |
| 589-648 | T15-BG15MC—Size 15MM | Each | 3 59   |
| 589-861 | T15-BG16MC—Size 16MM | Each | 3 75   |
| 590-646 | T15-BG17MC—Size 17MM | Each | 3 84   |
| 590-653 | T15-BG18MC—Size 18MM | Each | 4 13   |
| 590-679 | T15-BG19MC—Size 19MM | Each | 4 29   |
| 593-707 | T15-BG21MC—Size 21MM | Each | 4 98   |
| 593-913 | T15-BG22MC—Size 22MM | Each | 6 24   |
- 6 in shelf box.

# METRIC COMBINATION WRENCH SETS —BLUE GRASS—

## 10-PIECE SET—BOX END-OPEN END

Mirror chrome polished finish. Drop forged alloy steel. Heat treated. Tapered design.

Each set packed in vinyl pouch with hole for pegboard hanging.

Set consists of one each of the following:

- |           |           |           |
|-----------|-----------|-----------|
| Size 7mm  | Size 11mm | Size 14mm |
| Size 8mm  | Size 12mm | Size 17mm |
| Size 9mm  | Size 13mm | Size 19mm |
| Size 10mm |           |           |

389-239 T15-BG10MS ..... Each \$24 76  
6 in shelf box; wt box 4 1/2 lbs.



# COMBINATION WRENCH SETS

## —BLUE GRASS—

## 10-PIECE SET—BOX END-OPEN END

Mirror chrome polished finish. Drop forged alloy steel. Heat treated.

Tapered design.

Each set packed in vinyl pouch with hole for pegboard hanging.

Set consists of one each of the following:

- |                |                 |
|----------------|-----------------|
| Size 3/8 inch  | Size 1 1/8 inch |
| Size 7/16 inch | Size 3/4 inch   |
| Size 1/2 inch  | Size 13/16 inch |
| Size 9/16 inch | Size 7/8 inch   |
| Size 5/8 inch  | Size 1 1/2 inch |

388-918 T15-BG10CK ..... Each \$32 25  
6 sets in shelf box; wt box 4 1/2 lbs.



# OPEN END WRENCH SETS

## —BLUE GRASS—

Drop forged steel. Mirror chrome polished finish.

Each set packed in vinyl pouch.

## Six-Piece Set

Set consists of one each of the following:

- |                     |                       |
|---------------------|-----------------------|
| Size 1x1 1/8 inch   | Size 1 1/2x1 1/8 inch |
| Size 3/4x1 1/4 inch | Size 1 1/4x1 1/4 inch |
| Size 5/8x1 1/2 inch | Size 1 1/2x1 1/2 inch |

388-843 T15-BG6-OEP ..... Each \$22 06  
One set in shelf box;  
3 sets in shp ctn; wt ctn 6 1/2 lbs.

## Five-Piece Set

Set consist of one each of the following:

- |                     |                     |
|---------------------|---------------------|
| Size 3/8x3/4 inch   | Size 3/8x1 1/8 inch |
| Size 1/2x1 1/4 inch | Size 1/2x1 1/2 inch |
| Size 5/8x1 1/2 inch |                     |

388-546 T15-BG5-OEP ..... Each \$13 41  
One set in shelf box;  
3 sets in shp ctn; wt ctn 3 lbs.



## NUT DRIVER DISPLAYS

### —BLUE GRASS—



Masonite display board painted yellow.

Yellow letters on blue header.

Suitable for pegboard hanging.

Display size 22x12 inches.

Nut drivers feature clear plastic handles with attractive blue stripes, each driver dipped to code sizes with standard color code.

Drop-forged precision sockets, fully ground and chrome plated.

Display consists of the following Nut Drivers:

- 4—T2-BG37- $\frac{3}{16}$
- 4—T2-BG37- $\frac{1}{4}$
- 4—T2-BG37- $\frac{5}{16}$
- 4—T2-BG37- $\frac{11}{32}$
- 3—T2-BG37- $\frac{3}{8}$
- 3—T2-BG37- $\frac{7}{16}$
- 3—T2-BG37- $\frac{1}{2}$
- 1—T2-BG37-5—5-piece pouch packed nut driver sets
- 1—T2-BG37-7—7-piece pouch packed nut driver sets

606-178 T2-BG37-27D ..... Each \$83 87  
One in shelf box; wt etn 12 lbs.

**OPEN STOCK—For T2-BG37-27D Nut Driver Display**

610-022	T2-BG37- $\frac{3}{16}$	Size $\frac{3}{16}$ inch	Each	\$1 69
611-418	T2-BG37- $\frac{1}{4}$	Size $\frac{1}{4}$ inch	Each	1 84
611-434	T2-BG37- $\frac{5}{16}$	Size $\frac{5}{16}$ inch	Each	1 84
611-574	T2-BG37- $\frac{11}{32}$	Size $\frac{11}{32}$ inch	Each	1 84

611-822	T2-BG37- $\frac{3}{8}$	Size $\frac{3}{8}$ inch	Each	1 92
615-583	T2-BG37- $\frac{7}{16}$	Size $\frac{7}{16}$ inch	Each	2 16
615-591	T2-BG37- $\frac{1}{2}$	Size $\frac{1}{2}$ inch	Each	2 16

6 in shelf box; wt box approx 1  $\frac{3}{4}$  lbs.

## NUT DRIVER SETS

### 5-PIECE NUT DRIVER SET

#### —BLUE GRASS—

Consists of one each  $\frac{3}{16}$ ,  $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{11}{32}$  and  $\frac{3}{8}$  inch sizes in vinyl pouch.

615-609 T2-BG37-5 ..... Each \$9 60  
6 in shp etn; wt etn 6 lbs.



### 7-PIECE NUT DRIVER SET

#### —BLUE GRASS—

Consists of one each  $\frac{3}{16}$ ,  $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{11}{32}$ ,  $\frac{3}{8}$ ,  $\frac{7}{16}$  and  $\frac{1}{2}$  inch sizes in vinyl pouch.

615-617 T2-BG37-7 ..... Each \$13 97  
6 in shp etn; wt etn 9 lbs.



## ADJUSTABLE WRENCH DISPLAY PANELS

### —BLUE GRASS—



Masonite display board painted yellow.

Yellow letters on blue header.

Wrenches mounted on hanging pegs with space provided for pricing.

Suitable for pegboard hanging.

Display size 22x12 inches.

Display consists of:

#### Non-Cushion Adjustable

- 1—T4-BG265-4—4 inches
- 1—T4-BG265-6—6 inches
- 2—T4-BG265-8—8 inches
- 2—T4-BG265-10—10 inches
- 1—T4-BG265-12—12 inches

#### Cushion Grip Adjustable

- 2—T4-BG266-4—4 inches
- 2—T4-BG266-6—6 inches
- 3—T4-BG266-8—8 inches
- 3—T4-BG266-10—10 inches
- 2—T4-BG266-12—12 inches

144-675 T4-BG6566 ..... Each \$149 56  
One in shp etn; wt each 17 lbs.

## ADJUSTABLE WRENCHES

### —BLUE GRASS—CUSHION GRIP

Jaws are thin to reach difficult spots.

Drop forged from tough alloy steel.

Blue cushion grip handle.



Jaw open  $\frac{3}{4}$  inch.  
052-209 T4-BG266-4—(Old T4-BG26-4) ..... Each \$ 6 00  
One in shelf box; wt each  $\frac{1}{8}$  lb.

Jaw open  $\frac{1}{2}$  inch.  
052-217 T4-BG266-6—(Old T4-BG26-6) ..... Each 6 07  
One in shelf box; wt each  $\frac{1}{4}$  lb.

Jaw open  $\frac{11}{16}$  inch.  
052-225 T4-BG266-8—(Old T4-BG26-8) ..... Each 6 85  
One in shelf box; wt each  $\frac{1}{2}$  lb.

Jaw open  $1\frac{1}{8}$  inches.  
052-233 T4-BG266-10—(Old T4-BG26-10) ..... Each 8 64  
One in shelf box; wt each 1 lb.

Jaw open  $1\frac{1}{4}$  inches.  
052-241 T4-BG266-12—(Old T4-BG26-12) ..... Each 12 54  
One in shelf box; wt each  $1\frac{1}{2}$  lbs.

Jaw open  $1\frac{1}{2}$  inches.  
450-965 T4-BG266-15—(Old T4-BG26-15) ..... Each 18 37  
One in shelf box; wt each  $2\frac{1}{2}$  lbs.



# ADJUSTABLE WRENCHES

—BLUE GRASS—



Jaws are thin to reach difficult spots. Drop forged from tough alloy steel.

Jaw opening  $\frac{1}{4}$  inch.  
154-880 T4-8G265-4 ..... Each \$ 5 80  
One in shelf box; wt each  $\frac{1}{8}$  lb.

Jaw opening  $\frac{3}{8}$  inch.  
154-922 T4-8G265-6 ..... Each 5 86  
One in shelf box; wt each  $\frac{3}{8}$  lb.

Jaw opening  $\frac{1}{2}$  inch.  
155-200 T4-8G265-8 ..... Each 6 64  
One in shelf box; wt each  $\frac{1}{2}$  lb.

Jaw opening  $1\frac{1}{4}$  inches.  
155-218 T4-8G265-10 ..... Each 8 37  
One in shelf box; wt each 1 lb.

Jaw opening  $1\frac{3}{4}$  inches.  
155-499 T4-8G265-12 ..... Each 12 19  
One in shelf box; wt each  $1\frac{1}{4}$  lbs.

Jaw opening  $1\frac{1}{2}$  inches.  
155-507 T4-8G265-15 ..... Each 18 37  
One in shelf box; wt each  $2\frac{1}{8}$  lbs.

# END CUTTING NIPPERS

—BLUE GRASS—Cushion Grip Handles

Strong, easy-cutting tool. Used by those who require a quality end cutting nipper that will hold its edge.



Length 6 inches.  
555-979 T4-8G533-6—(Old No. T4-BG53-6) ..... Each \$7 49  
One in shelf box; wt each 9 ozs.

Length 7 inches.  
059-550 T4-8G533-7—(Old No. T4-BG53-7) ..... Each 8 23  
One in shelf box; wt each 12 ozs.

# CARPENTER'S PINCHERS

—BLUE GRASS—CUSHION GRIP HANDLES



Natural high carbon chisel steel; dark blue lacquer finish. Joints are accurately ground so that the tool works freely. Cutting head is hand ground and polished.

Length 8 inches.  
059-352 T4-8G8CP ..... Each \$4 77  
6 in shelf box; wt each  $\frac{3}{4}$  lb.

Length 10 inches.  
059-360 T4-8G10CP ..... Each 5 00  
6 in shelf box; wt each 1 lb.

# FENCE PLIERS AND STAPLE PULLERS

—BLUE GRASS—CUSHION GRIP HANDLES

Designed to make fence repairing a one-man job on any kind of fence. Cutting notches are designed



to cut two strands of barbed wire in one cut. Staple pulling points get back of the staple or steel post lug regardless of its condition. Cushion grip handles give extra comfort and extra long service. Polished head.

Length 10 inches.  
059-634 T4-8G522-10—(Old No. T4-BG52-10) ..... Each \$8 75  
One in shelf box; wt each  $1\frac{1}{2}$  lbs.

# PLIER DISPLAY PANELS

—BLUE GRASS—Blue Cushion Grip Handles



Colorful display panel with yellow background and Blue Grass blue header. Will fit any standard pegboard wall.

Size rib joint—Multiple opening slip joint pliers with forged ribs; useful when wide opening and thin pliers are needed. Thin nose, drop forged, tempered, polished and chrome plated combination slip joint pliers and standard slip joint pliers.

Assortment consists of 19 pliers:

3—T4-BG511-6 $\frac{1}{2}$ —Utility  
3—T4-BG511-10—Utility  
2—T4-BG511-12—Utility  
3—T4-BG555-5—Thin Nose Slip Joint  
3—T4-BG555-6—Thin Nose Slip Joint  
3—T4-BG499-6—Std Slip Joint  
2—T4-BG499-8—Std Slip Joint  
1 only—Display—NO CHARGE  
160-226 T4-8G77PB ..... Each \$86 19  
One ass't in shp ctn; wt ass't 16 lbs.

# —BLUE GRASS—FIXED JOINT PLIERS

Blue Cushion Grip Handles

Colorful display panel with yellow background and Blue Grass blue header. Will fit any standard pegboard wall.

Assortment consists of 2 each of the following:

T4-BG533-6—End Cutting  
T4-BG533-7—End Cutting  
T4-BG466-5—Diagonal Cutting  
T4-BG466-7—Diagonal Cutting  
T4-BG444-6—Long Chain Nose  
T4-BG444-7—Long Chain Nose  
T4-BG455-6—Long Chain Nose  
T4-BG433-8—Lineman's Side Cutting  
T4-BG522-10—Fence Pliers & Staple Pullers  
Plus one Display—NO CHARGE

171-918 T4-8G9PB ..... Each \$135 96  
One in shp ctn; wt ctn 15 lbs.



**DIAGONAL CUTTING PLIERS**

—BLUE GRASS—ELECTRICIAN'S PLIERS

Cushion-Grip Handles—With Side Cutters



Drop forged from alloy steel.

These light diagonals are extremely useful tools. They have a good "feel" in the hand, balance nicely and their

keen blades cut easily and cleanly. Each one is individually tested for strength and cutting ability on our specially designed testing machines. Polished head.

Length 6 inches.  
175-943 T4-BG466-6 ..... Each \$6 90  
One in shelf box; wt box 6 ozs.

—BLUE GRASS—

High Leverage—Cushion-Grip Handles

High leverage diagonal pliers with full-fashioned handles for easy cutting.

Length 7 inches.  
059-758 T4-BG466-7 (Old No. T4-BG46-7) ..... Each \$6 75  
One in shelf box; wt each 1/4 lb.

—BLUE GRASS—ELECTRICIAN'S PLIERS

Cushion-Grip Handles



Properly designed all-round diagonal cutting pliers with hand-honed cutting knives.

Length 5 inches.  
059-766 T4-BG466-5 (Old No. T4-BG46-5) ..... Each \$6 56  
One in shelf box; wt each 1/4 lb.**LONG CHAIN NOSE PLIERS**

—BLUE GRASS—

Cushion-Grip Handles With Side Cutter

Side cutting pliers with spring-tempered nose. Drop forged from alloy steel with hand-honed cutting knives.

Length 6 inches.  
059-998 T4-BG444-6 (Old No. T4-BG44-6) ..... Each \$6 82  
One in shelf box; wt each 1/2 lb.Length 7 inches.  
556-001 T4-BG444-7 (Old No. T4-BG44-7) ..... Each 7 97  
One in shelf box; wt each 1/2 lb.

—BLUE GRASS—

Cushion-Grip Handles Without Side Cutter



Long chain nose pliers without a side cutter. 3/16 inch nose and deep serrated jaws.

Length 6 inches.  
060-004 T4-BG455-6 (Old No. T4-BG45-6) ..... Each \$5 49  
One in shelf box; wt each 1/2 lb.**LONG NEEDLE NOSE PLIERS**

—BLUE GRASS—

Cushion-Grip Handles—Without Side Cutters



Drop forged from alloy steel.

In spite of the slenderness of its long nose, this tool has surprising gripping ability. Handles

can be squeezed until the jaws bend and twist far from their normal shape, yet when pressure is released, they at once return to their original form. Each one individually tested for strength on our specially designed testing machines. Polished head.

Size 6. Length of nose 3 inches; point size 3/16 x 1/8 inch; length over-all 6 1/2 inches.

176-651 T4-BG633-6 ..... Each \$6 56  
One in shelf box; wt each 5 ozs.**CURVED NEEDLE NOSE PLIERS**

—BLUE GRASS—

Cushion-Grip Handles

Drop forged from alloy steel.

The long, thin nose of this plier is bent at an angle which makes it very handy for working on machines where there are out-of-the-way corners into



which it is necessary to reach. Alloy steel and careful tempering gives them a good grip. Jaws will not break off, even though sprung or twisted out of shape. They always return to normal when pressure is released. Each one is individually tested for strength on our specially designed testing machines. Polished head. Length 6 inches; point size 1/8 x 3/16 inch.

176-677 T4-BG833-6 ..... Each \$7 55  
One in shelf box; wt each 6 ozs.**LINEMAN'S SIDE CUTTING PLIERS**

—BLUE GRASS—Cushion-Grip Handles



An ideal tool for electrical work.

Drop forged and skillfully tempered.

Length 7 inches.  
556-209 T4-BG433-7 (Old No. T4-BG43-7) ..... Each \$7 45  
One in shelf box; wt each 1 lb.Length 8 inches.  
060-566 T4-BG433-8 (Old No. T4-BG43-8) ..... Each 8 70  
One in shelf box; wt each 1 1/4 lbs.**COMBINATION SLIP JOINT PLIERS**

—BLUE GRASS—Cushion-Grip Handles

Standard type slip joint pliers. Drop forged from a fine grade of steel.

Length 6 inches.  
060-913 T4-BG499-6 (Old No. T4-BG49-6) ..... Each \$3 22  
One in shelf box; wt each 1/2 lb.Length 8 inches.  
060-921 T4-BG499-8 (Old No. T4-BG49-8) ..... Each 3 90  
One in shelf box; wt each 3/4 lb.**EXTRA NUTS AND BOLTS**

For T4-BG499-6 and T4-BG499-8 Combination Slip Joint Pliers.

431-692 T4-BG68ENB ..... Each \$0 64  
Loose.



## COMBINATION SLIP JOINT PLIERS

—BLUE GRASS—  
Cushion-Grip Handles—Thin Nose



Drop forged and skillfully tempered. Polished and chrome plated.

Length 5 inches.

556-217 T4-BG555-5 (Old No. T4-BG55-5) Each \$3 33

Length 6 inches.

556-290 T4-BG555-6 (Old No. T4-BG55-6) Each 3 43  
One in shelf box.

## UTILITY PLIERS

—BLUE GRASS—  
Cushion-Grip Handles—Rib Joint



Multiple opening slip joint with forged ribs. Useful when wide opening, thin pliers are needed.

Length 6 1/2 inches.

061-283 T4-BG511-6 1/2 (Old No. T4-BG51-6 1/2) Each \$5 00  
One in shelf box; wt each 1/4 lb.

Length 10 inches.

061-291 T4-BG511-10 (Old No. T4-BG51-10) Each 6 41  
One in shelf box; wt each 3/4 lb.

Length 12 inches.

061-309 T4-BG511-12 (Old No. T4-BG51-12) Each 7 11  
One in shelf box; wt each 2 lbs.

Length 14 inches.

176-743 T4-BG511-14 Each 10 18  
One in shelf box; wt each 2 1/4 lbs.

## EXTRA NUTS AND BOLTS

For T4-BG511-6 1/2 utility pliers.

432-088 T4-BG6 1/2 ENB Each \$0 72

For T4-BG511-10 utility pliers.

440-669 T4-BG10ENB Each 79

For T4-BG511-12 utility pliers.

384-776 T4-BG12ENB Each 79

For T4-BG511-14 utility pliers.

386-946 T4-BG14ENB Each 84  
Loose.

## COLD CHISELS

—BLUE GRASS—



Hammer forged of highest grade special analysis, octagon alloy tool steel, heat treated for toughness, oil tempered. Ground cutting edge, blue enameled body, polished head and bit. Fully warranted.

		Cut edge, in.	Lgth, in.	Wt each, ozs.	Each
263-624	T5-BGC47-1/4	1/4	5	3/4	\$1 28
054-205	T5-BGC47-3/16	3/16	5 1/8	1 1/8	1 33
054-213	T5-BGC47-1/8	1/8	5 1/4	2	1 44
054-221	T5-BGC47-3/16	3/16	5 1/2	2 3/8	1 61
054-239	T5-BGC47-1/4	1/4	5 3/4	4	1 71
054-247	T5-BGC47-3/8	3/8	6	5 1/8	1 98
054-254	T5-BGC47-1/2	1/2	6 1/2	8 1/8	2 49
054-262	T5-BGC47-3/4	3/4	7	13 1/8	3 08
054-270	T5-BGC47-1	1	8	20	3 98
054-288	T5-BGC47-1 1/8	1 1/8	8 1/2	27 1/8	4 52

6 in shelf box.

## COLD CHISELS

—BLUE GRASS—  
LONG



Special analysis octagon alloy tool

steel, heat treated; oil tempered. Ground cutting edge, blue enameled body, polished head and bit. Fully warranted.

	054-296 T5-BG047-3/4	261-743 T4-BG047L-3/4
Cutting edge, in.	3/4	3/4
Length, in.	10	12
Diam body, in.	1 1/2	1 1/2
Wt each, ozs.	11 1/5	14
Each	\$2 43	2 90

	054-304 T5-BG047-1/2	054-312 T5-BG047-3/8
Cutting edge, in.	1/2	3/8
Length, in.	14	16
Diam body, in.	5/8	3/4
Wt each, ozs.	19 1/2	32
Each	\$4 03	5 36

6 in shelf box.

## —BLUE GRASS—Diamond Point

Special analysis octagon alloy tool steel, oil tempered and heat-treated, blue enameled body, polished head and cutting edge.



Ground cutting edge.

	054-569 T5-BG247D-1/4	054-577 T5-BG247D-3/16
Cutting edge, in.	1/4	3/16
Size stock, in.	1/2	1/2
Length, in.	5 1/4	6
Wt each, ozs.	2 2/3	5 1/8
Each	\$1 95	2 25

	054-585 T5-BG247D-3/8	054-593 T5-BG247D-1/2
Cutting edge, in.	3/8	1/2
Size stock, in.	5/8	5/8
Length, in.	6 3/4	7 1/2
Wt each, ozs.	8	13 1/8
Each	\$2 89	3 38

6 in shelf box.

## —BLUE GRASS—CAPE CHISELS



Special analysis octagon alloy tool steel, oil tempered and heat treated, blue enameled body.

Polished head and cutting edge. Ground cutting edge.

	054-502 T5-BG147-1/4	054-510 T5-BG147-3/16	054-528 T5-BG147-1/8
Cutting edge, in.	1/4	3/16	1/8
Size stock, in.	1/2	5/8	3/8
Length, in.	4 1/2	5	5 1/4
Wt each, ozs.	1 3/8	1 3/8	2 3/8
Each	\$1 93	2 13	2 38

	054-536 T5-BG147-3/8	054-544 T5-BG147-1/2	054-551 T5-BG147-3/4
Cutting edge, in.	3/8	1/2	3/4
Size stock, in.	1 1/2	1 3/4	1 3/4
Length, in.	6	6 3/4	7 1/2
Wt each, ozs.	5 1/8	8	13 1/8
Each	\$2 44	2 80	3 51

6 in shelf box.

## RIPPING CHISELS

—BLUE GRASS—



Drop forged single end ripping bar. Made of tough,

tempered alloy steel,  $\frac{3}{4}$ -inch stock.

Designed for pulling, prying, scraping. Use with dry wall.

Length 18 inches. Color—Blue.

617-183 T5-BG52 ..... Each \$3 45  
6 in shelf box; wt box 13 $\frac{1}{2}$  lbs.

—BLUE GRASS—

One-piece heavy hexagon stock alloy steel, hardened and tempered. Use as a pry bar, wrecking tool, crate

opener, wedge, line-up tool. Dual nail slots are of non-slip design, safer and faster. Hexagon body has handsome, rust-resistant black japan finish. Blade is hand polished to mirror-bright finish.

Length 18 inches; width blade 1 $\frac{3}{4}$  inches; diameter body  $\frac{3}{4}$  inch.

001-719 T5-BGRC18 ..... Each \$4 80  
4 in shp ctn; wt each 2 $\frac{1}{2}$  lbs.

## UTILITY BARS

—BLUE GRASS—



Drop forged spring bar, made of special strength spring steel, carefully hardened for

long service. Two working ends. An all-purpose tool.

Use for prying, scraping, pulling nails, moulding, siding, paneling and roofing.

Length 16 inches. Color—Blue.

613-414 T5-BG54 ..... Each \$3 74  
6 in shelf box; wt box 8 $\frac{1}{2}$  lbs.

## OFFSET RIPPING CHISEL BARS

—BLUE GRASS—

Drop forged carpenter ripping bar.

Made of tough, tempered alloy steel.

$\frac{3}{4}$ -inch stock. Two handy working ends. Designed for pulling, prying, scraping. Use with dry wall.

Length 18 inches. Color—Blue.

615-153 T5-BG35 ..... Each \$3 74  
6 in shelf box; wt box 14 $\frac{1}{4}$  lbs.

—BLUE GRASS—



High grade carbon steel, hand forged and heat treated.

Size  $\frac{3}{4}$ x18 inches.

054-726 T5-BG18 ..... Each \$5 00  
4 in shelf box; wt each 2 $\frac{3}{4}$  lbs.

## WRECKING BARS

—BLUE GRASS—

Forged steel, blue finish.



Width  $\frac{3}{4}$  inch; length 24 inches. Each 6 68  
549-758 T5-BG168- $\frac{3}{4}$ x24 .....  
5 in shelf box; wt box 20 lbs.

Width  $\frac{3}{4}$  inch; length 30 inches. Each 7 62  
549-857 T5-BG168- $\frac{3}{4}$ x30 .....  
5 in shelf box; wt box 25 lbs.

Width  $\frac{3}{4}$  inch; length 36 inches. Each 9 15  
550-962 T5-BG168- $\frac{3}{4}$ x36 .....  
5 in shelf box; wt box 29 lbs.

## RIVET SETS

—BLUE GRASS—

Made of  $\frac{3}{8}$ -inch alloy steel. Properly hardened and tempered with a cupped end that forms a nicely shaped head.

Blue finish, head and point polished.

Length 5 inches; point  $\frac{3}{4}$  inch.

260-679 T5-BG403 ..... Each \$2 08  
6 in shelf box; wt each  $\frac{3}{4}$  lb.

## RIVET BUSTERS

—BLUE GRASS—



A rugged chisel, hammer-forged of fine octagon alloy tool

steel—accurately hardened and tempered.

Blue finish with full polished head and bit. Designed especially for cutting off hardened rivet heads.

Length 9 inches; cutting edge  $\frac{3}{4}$  inch; diameter steel  $\frac{5}{8}$  inch. Each \$2 82  
263-194 T5-BG474- $\frac{3}{4}$  .....  
6 in shelf box; wt each  $\frac{3}{4}$  lb.

## HAY OR COTTON HOOKS

—BLUE GRASS—Texas Pattern

Extra quality steel hook, polished, hardened point, oval shank passes through handle and riveted; square body; round tapering point; polished hardwood handle.  $\frac{1}{8}$ -inch hook;  $5\frac{1}{2}$ -inch handle.




Length over-all 6 inches. Each \$3 50  
054-874 T5-BG7H .....  
12 in shelf box; wt each  $\frac{3}{4}$  lb.

Length over-all 8 inches. Each 3 50  
054-882 T5-BG10H .....  
12 in shelf box; wt each 1 lb.



## PUNCH AND CHISEL DISPLAY PANELS



### —BLUE GRASS—

1/4-inch tempered masonite display panel painted yellow.  
Attractive four-color header.  
Size panel 26x12 inches.  
Blank price marking circles.  
Can be used for wall or pegboard mounting.

Merchandiser includes 3 each of the following:

- T5-BG27-1/4—Center Punch
- T5-BG27-3/8—Center Punch
- T5-BG27-1/2—Center Punch
- T5-BG545-3—Pin Punch
- T5-BG546-4—Pin Punch
- T5-BG546-5—Pin Punch
- T5-BG547-6—Mower Section Punch
- T5-BG549-8—Mower Section Punch
- T5-BG10D-3/8—Drift Punch
- T5-BGC47-1/4—Cold Chisel
- T5-BGC47-3/8—Cold Chisel
- T5-BGC47-1/2—Cold Chisel
- T5-BGC47-3/4—Cold Chisel
- T5-BGC47-1—Cold Chisel
- T5-BG047L-3/8—Long Cold Chisels
- T5-BG047-3/4—Long Cold Chisels
- T5-BG047-1—Long Cold Chisels

119-081 T5-BG6666..... Each \$133 60  
One in shp ctn; wt ctn 35 lbs.

## PUNCHES

### —BLUE GRASS—MOWER SECTION



Highest grade crucible steel. Blue enameled finish; polished head and taper.

Diam shank 1/4 inch; diam point 3/16 inch; length 6 inches.  
053-751 T5-BG547..... Each \$1 64  
12 in shelf box; wt each 4 1/2 ozs.

Diam shank 3/8 inch; diam point 3/8 inch; length 8 inches.  
053-769 T5-BG548..... Each 1 82  
12 in shelf box; wt each 6 ozs.

Diam shank 1/2 inch; diam point 1/2 inch; length 6 inches.  
570-655 T5-BG549..... Each 1 64  
12 in shelf box; wt each 6 3/8 ozs.

## PUNCH AND CHISEL MERCHANDISERS —BLUE GRASS—



30 high quality fast moving punches and chisels in an attractive display block 10x4 1/2x2 inches. Printed price strip with stock number, size, and price of each item is attached to the display.

Punches and chisels are made from the finest alloy steel properly hardened and tempered, hammer forged, blue duco finish with polished heads and bits.

Merchandiser includes 3 each of the following:

- T5-BG545-3—Pin Punches
- T5-BG546—Pin Punches
- T5-BG547—Mower Section Punches
- T5-BG549—Mower Section Punches
- T5-BG6D-3/8—Solid Drive Punches
- T5-BG10D-3/8—Drift or Lining Up Punches
- T5-BGC47-3/4—Cold Chisels
- T5-BGC47-3/8—Cold Chisels
- T5-BGC47-1/2—Cold Chisels
- T5-BG27-1/2—Center Punches

573-618 T5-BG30PCM..... Each \$56 97  
One in shp ctn; wt each 11 lbs.

## PUNCHES

### —BLUE GRASS—PIN

Highest grade crucible steel, carefully hardened and tempered.

Blue enameled body with polished head and taper.  
Size point 3/32 inch; length 4 inches; diameter body 5/16 inch.

263-731 T5-BG544-2..... Each \$1 05  
12 in shelf box; wt each 2 1/2 oz.

Size point 1/8 inch; length 4 inches; diameter body 5/16 inch.  
263-723 T5-BG544-3..... Each 1 05  
12 in shelf box; wt each 1 oz.

Size point 3/16 inch; length 6 inches; diameter body 3/8 inch.  
570-630 T5-BG545-3..... Each 1 38  
12 in shelf box; wt each 1 3/4 ozs.

Size point 1/4 inch; length 6 inches; diameter body 3/8 inch.  
053-819 T5-BG546-4..... Each 1 38  
12 in shelf box; wt each 2 ozs.

Size point 3/8 inch; length 6 inches; diameter body 3/8 inch.  
263-681 T5-BG546-5..... Each 1 38  
12 in shelf box; wt each 3 ozs.

### —BLUE GRASS—SOLID DRIVE



Highest grade crucible octagon tool steel, oil tempered blue enamel finish body; polished head and point. Fully warranted.

Size point 1/4 inch; length 6 inches; diameter body 1/2 inch.  
053-827 T5-BG6D-1/4..... Each \$1 64  
12 in shelf box; wt each 5 ozs.

Size point 3/8 inch; length 6 inches; diameter body 1/2 inch.  
053-835 T5-BG6D-3/8..... Each 1 64  
12 in shelf box; wt each 4 3/8 ozs.

Size point 1/2 inch; length 6 inches; diameter body 1/2 inch.  
053-843 T5-BG6D-1/2..... Each 1 64  
12 in shelf box; wt each 5 1/4 ozs.

Size point 3/4 inch; length 6 inches; diameter body 1/2 inch.  
259-309 T5-BG6D-3/4..... Each 1 64  
12 in shelf box; wt each 3 1/2 oz.

# **PUNCHES** —BLUE GRASS—



Highest grade crucible octagon tool steel, oil tempered; blue enamel finish

body; polished head and point.

Size point  $\frac{1}{4}$  inch; length 8 inches; diameter body  $\frac{1}{2}$  inch.  
053-850 T5-BG80- $\frac{1}{4}$ .....Each \$1 82  
12 in shelf box; wt each  $1\frac{1}{2}$  ozs.

Size point  $\frac{3}{8}$  inch; length 8 inches; diameter body  $\frac{1}{2}$  inch.  
053-868 T5-BG80- $\frac{3}{8}$ .....Each 1 82  
12 in shelf box; wt each  $5\frac{1}{2}$  ozs.

Size point  $\frac{1}{2}$  inch; length 8 inches; diameter body  $\frac{1}{2}$  inch.  
053-884 T5-BG80- $\frac{1}{2}$ .....Each 1 82  
12 in shelf box; wt each 6 ozs.

Size point  $\frac{3}{4}$  inch; length 4 inches; diameter body  $\frac{3}{8}$  inch.  
259-614 T5-BG30- $\frac{3}{4}$ .....Each 1 26  
12 in shelf box; wt each 1 oz.

Size point  $\frac{3}{8}$  inch; length 4 inches; diameter body  $\frac{1}{2}$  inch.  
260-299 T5-BG30- $\frac{3}{8}$ .....Each 1 26  
12 in shelf box; wt each  $1\frac{1}{2}$  ozs.

# **—BLUE GRASS—PRICK**



Highest grade crucible octagon tool steel, oil tempered; blue finish body, polished head and point.

Length 6 inches; diameter stock  $\frac{1}{2}$  inch.  
267-641 T5-BG4P-6.....Each \$1 64  
12 in shelf box; wt each 6 ozs.

Length 4 inches; diameter stock  $\frac{3}{8}$  inch.  
267-906 T5-BG4P-4.....Each 1 26  
12 in shelf box; wt each 4 ozs.

# **—BLUE GRASS—DRIFT OR LINING UP**



Highest grade crucible octagon tool steel, oil tempered;

blue enamel finish body; polished head and point. Diameter body  $\frac{3}{4}$  inch.

Size point  $\frac{3}{8}$  inch; length 8 inches.  
570-648 T5-BG100- $\frac{3}{8}$ .....Each \$1 85  
6 in shelf box; wt each  $12\frac{1}{2}$  ozs.

Size point  $\frac{1}{2}$  inch; length 12 inches.  
053-892 T5-BG100- $\frac{1}{2}$ .....Each 4 07  
6 in shelf box; wt each  $13\frac{1}{2}$  ozs.

Size point  $\frac{3}{4}$  inch; length 10 inches.  
053-900 T5-BG100- $\frac{3}{4}$ .....Each 4 07  
6 in shelf box; wt each  $15\frac{1}{2}$  ozs.

Size point  $\frac{1}{2}$  inch; length 12 inches.  
267-922 T5-BG110- $\frac{1}{2}$ .....Each 3 33  
6 in shelf box; wt each  $16\frac{1}{2}$  ozs.

Size point  $\frac{3}{8}$  inch; length 9 inches.  
267-930 T5-BG120- $\frac{3}{8}$ .....Each 2 31  
6 in shelf box; wt each 17 ozs.

# **PUNCHES**



# **—BLUE GRASS—CENTER**

Highest grade crucible steel, octagonal body, blue enameled body, polished head and point, both ends tempered. Length  $4\frac{1}{4}$  inches.

Diameter  $\frac{1}{4}$  inch.  
260-430 T5-BG27- $\frac{1}{4}$ .....Each \$1 10

Diameter  $\frac{3}{8}$  inch.  
054-148 T5-BG27- $\frac{3}{8}$ .....Each 1 26

Diameter  $\frac{1}{2}$  inch.  
054-155 T5-BG27- $\frac{1}{2}$ .....Each 1 64

Diameter  $\frac{3}{4}$  inch.  
260-315 T5-BG27- $\frac{3}{4}$ .....Each 2 07  
6 in shelf box; wt each  $1\frac{1}{2}$  ozs.

# **PUNCH AND CHISEL KITS**

# **—BLUE GRASS—**



Hammer forged from high quality steel with highly polished bits and points. Accurately hardened and tempered with a blue finish.

Packaged in an attractive pouch type kit with a transparent front, allowing tools to be well displayed.

Kit consists of one each of the following:

Cold Chisel,  $\frac{3}{8}$  inch  
Pin Punch,  $\frac{1}{2}$  inch  
Solid Punch,  $\frac{1}{2}$  inch  
Center Punch, 5 inch

673-038 T5-BG8PCK.....Each \$6 20  
One set in shelf box; wt box 12 ozs.



# **SOLDERING GUN KITS**

# **—BLUE GRASS—**



Eight-piece kit includes T5-BGW820 dual heat soldering gun. Three copper soldering tips, tip changing wrench, flux brush, soldering aid tool, coil of 60/40 rosin core solder—all contained in a sturdy, plastic carrying case. Also included is an illustrated "Soldering tips" manual of practical soldering procedures.

661-124 T5-BGW820K.....Each \$14 23  
One in shp ctn; wt ctn 3 lbs.



**SOLDERING GUNS****—BLUE GRASS—DUAL HEAT GUN**

Fingertip selection of high or low heat output. High efficiency soldering tip of pure copper, pre-tinned. Light illuminates work.

Compact, balanced pistol-grip design.

"Soldering tips" booklet included.

100/140 watts, 120 volts, 60 cycles. AC only. Two-wire cord.

660-910 T5-BGW820 ..... Each \$12 29  
One in shelf box; wt box 2 1/4 lbs.

**HI-TIN SOLDER****—BLUE GRASS—  
For Electronic Work**

40% Tin—60% Lead Rosin Core  
.093 diameter; 1/2-pound spool.

440-610 T5-BG21406  
50 spools in shp ctn; Spool \$4 21  
wt ctn 27 lbs.

**For General Work**

40% Tin—60% Lead Acid Core

.125 diameter; 1/2-pound spool.  
440-727 T5-BG22406 ..... Spool \$4 21  
50 spools in shp ctn; wt ctn 27 lbs.

**WIRE SOLDER****—BLUE GRASS—ACID CORE**

Acid core solder can be used for all general soldering, except electrical connections.

No flux is needed when using this solder because it is self-contained in the solder.

40% Tin and 60% Lead  
One-Pound Spools

065-540 T5-BGAC1 ..... Lb \$7 23  
One spool in shelf box; wt box 1 lb.

**ELECTRIC SOLDERING IRONS****—BLUE GRASS—Pencil Type**

Long life Nichrome Mica insulated element.  
Screw-in tip makes replacing easy.  
Tip temperature 600° to 650° F.  
Extra cool plastic handle.  
25 watts, 115 volta. Length over-all 8 inches.  
Colorful clear-view plastic-pak.

242-982 T5-BG425 ..... Each \$3 85  
One in shelf box; wt each 3 ozs.

**—BLUE GRASS—**

Metal-protected, rugged-built heating elements. Solid copper tip, chrome barrel and chrome baffle plates.

Comfortably cool, blue handle.

Six-foot, heavy-duty neoprene rubber service cord with unbreakable rubber plug.

110 volts, AC-DC.

Diameter tip 1/4 inch; 40 watts.  
622-910 T5-BG440 ..... Each \$4 78  
One in shelf box; wt each 1/2 lb.

Diameter tip 3/8 inch; 75 watts.  
622-936 T5-BG475 ..... Each 5 22  
One in shelf box; wt each 3/4 lb.

Diameter tip 3/4 inch; 100 watts.  
622-944 T5-BG4100 ..... Each 5 86  
One in shelf box; wt each 1 lb.

**—BLUE GRASS—**

Metal protected rugged built heating elements. Finest nickel-chrome wire heating elements. Three cooling fins.

Diameter tip 3/4 inch; 150 watts.

624-585 T5-BG4125 ..... Each \$9 36  
One in shelf box; 12 in shp ctn; wt ctn 15 lbs.

**REPLACEMENT HEATING ELEMENTS****For Blue Grass Soldering Irons**

For T5-BG475  
622-993 T5-BG475HE ..... Each \$1 27

For T5-BG4100  
623-439 T5-BG410HE ..... Each 1 49

For T5-BG440  
507-194 T5-BG440HE ..... Each 1 00

**REPLACEMENT TIPS****For Blue Grass Soldering Irons**

For T5-BG425  
286-542 T5-BG425ET ..... Each \$0 67

For T5-BG440  
623-447 T5-BG44ET ..... Each 80

For T5-BG475  
629-444 T5-BG475ET ..... Each 1 27

For T5-BG4100  
629-451 T5-BG410ET ..... Each 1 47

## PROPANE BLOW TORCH KITS



## —BLUE GRASS—

Sturdy metal chest contains: All brass pencil flame burner assembly, big brush burner head, flame spreader, soldering tip, spark lighter and propane fuel cylinder.

342-329 T3-BG77TK-4 ..... Each \$12 93  
4 in shp ctn; wt ctn 17 lbs.  
(Cartons Will Not Be Broken)

## —BLUE GRASS—

Includes two fuel cylinders, burner assembly with standard pencil point burner tip, standard brush flame tip, and sturdy steel tool chest, large enough to hold other tools.

282-061 T3-BG71TB ..... Each \$13 51  
One in shelf box;  
6 in shp ctn;  
wt ctn 36 lbs.

342-592 T3-BG71TB-4 ..... Each \$13 51  
4 in shp ctn; wt ctn 24 lbs.  
(Cartons Will Not Be Broken)

DISPOSABLE PROPANE FUEL CYLINDERS  
—BLUE GRASS—

Contains 14.7 ounces of liquified propane gas. Fits all popular makes of torches, lanterns and stoves.

Standard equipment on T3-BGIT, T3-BG3-PB, T3-BG77TK and T3-BG71TB.

317-198 T3-BG2C ..... Each \$1 76  
One in shelf box; 12 in shp ctn; wt ctn 24 lbs.

343-806 T3-BG2C-6 ..... Each \$1 76  
6 in shp ctn; wt ctn 12 lbs.  
(Cartons Will Not Be Broken)

No Parcel Post Shipments.

TRIG-R-TROL TORCHES  
—BLUE GRASS—

A trigger action torch with two separate controls.

Precision engineering allows fuel-saving economy with controlled pilot flame and controlled working flame.

The trigger provides instant action from pilot control to preset flame level or an On-Off control adjusts the flame to your job.

343-335 T58G5TT-4 ..... Each \$14 04  
4 in shp ctn; wt ctn 14 lbs.  
(Cartons Will Not Be Broken)

—BLUE GRASS—PENCIL BURNER  
For T3-BG5TT Trig-R-Trol Torch

561-357 T3-BG6PB ..... Each \$5 10  
One in shelf box.

—BLUE GRASS—ORIFICE  
For T3-BG5TT Trig-R-Trol Torch

561-977 T3-BG21-OR ..... Each \$0 88  
One in envelope; 12 in shelf box.

## PROPANE BLOW TORCHES

—BLUE GRASS—PROPANE  
DE LUXE TORCH

Built of solid brass. Porous metal filter improves flame and cuts clogging to a minimum. Easy acting control valve instantly adjusts flame from minimum to full. Includes a de luxe pencil flame burner and a disposable propane cylinder.

312-348 T3-BGIT ..... Each \$7 59  
One in shelf box; 12 in shp ctn; wt ctn 28 lbs.

383-893 T3-BGIT-6 ..... Each \$7 59  
6 in shp ctn; wt ctn 31½ lbs.  
(Cartons Will Not Be Broken)

PROPANE TORCH  
ACCESSORY  
CENTERS—BLUE GRASS—  
All Items Carded

Contents:

- 2—T3-BG7PB—Pencil Burner Units
- 2—T3-BG8BB—Brush Burner Units
- 3—T3-BG20-OR—Orifices for Pencil Burner
- 2—T3-BG9PB—Pencil Burner
- 2—T3-BG10BB—Brush Burners
- 2—T3-BG11FS—Flame Spreaders
- 2—T3-BG12SCT—Soldering Tips
- 1—T3-BG6PB—Pencil Burner
- 2—T3-BG21-OR—Orifices
- Tripod display stand with Blue Grass header card.

561-704 T3-BG33TAC ..... Each \$54 51  
Packed in 2 shp ctns; wt 7 lbs.





## ACCESSORIES FOR PROPANE TORCHES

—BLUE GRASS—

### PENCIL BURNER UNIT—With Valve Assembly



Solid brass burner unit in attractive blister pack attached to display card.

318-204 T3-BG7PB ..... Each \$6 31  
One in shelf box; 6 in shp ctn; wt each 1 lb.


### BRUSH BURNER UNIT—With Valve Assembly

Solid brass burner unit in attractive blister pack attached to display card.



324-806 T3-BG88B ..... Each \$6 31  
One in shelf box; 6 in shp ctn; wt each 1 lb.

### PENCIL BURNER—With Orifice



325-837 T3-BG9PB ..... Each \$4 19  
5 in shelf box.

### ORIFICES—For Pencil Burner

218-800 T3-BG20-OR ..... Each \$0 88  
12 in shelf box; wt each 2 ozs.

### SOLDERING TIP

Small chisel point.

308-932 T3-BG12SCT ..... Each \$3 46  
5 in shelf box.




### BRUSH BURNER—With Orifice



326-496 T3-BG108B ..... Each \$4 19  
One in shelf box;  
12 in shp ctn; wt ctn 2 lbs.

### FLAME SPREADER

326-504 T3-BG11FS ..... Each \$2 80  
One in shelf box;  
12 in shp ctn; wt ctn 4 lbs.



## TINNER'S SNIP DISPLAY PANELS

—BLUE GRASS—



### Blue Cushion Grip Handles

Colorful display panel with yellow background and Blue Grass blue header. Display size 22x12 inches. Will fit any standard pegboard. Snips are mounted on hanging pegs with space provided for pricing. Solid forged steel blades and handles.

Display consists of one each of following items:

BG709 Tinner's Snips  
BG710 Tinner's Snips  
BG712 Tinner's Snips  
BG781 Tinner's Snips  
BG782 Tinner's Snips  
BG783 Tinner's Snips  
BGR110 Tinner's Snips  
BGR210 Tinner's Snips  
BGR310 Tinner's Snips

322-578 T5-BG3333 ..... Each \$63 86

One in shp ctn;  
wt ctn 13 lbs.

## TINNER'S SNIPS

—BLUE GRASS—

### Standard—Straight Pattern



Solid forged steel. Blue vinyl plastic grip handles. Chrome plated heads, polished on flats. Forged from special high grade steel.



Blades expertly contoured and carefully ground for easy cutting. Well shaped handles and bows are comfortable. Flush bolts.

Lgth cut 2 in.; lgth over-all 7 in.; wt each 1 1/2 lb.  
066-308 T5-BG712 ..... Each \$5 53  
Lgth cut 2 1/4 in.; lgth over-all 10 1/4 in.; wt each 1 3/4 lbs.  
066-316 T5-BG710 ..... Each 6 56  
Lgth cut 3 in.; lgth over-all 12 3/4 in.; wt each 1 3/4 lbs.  
066-324 T5-BG709 ..... Each 8 39  
6 in shelf box.

### —BLUE GRASS— Duck Bill Pattern



Solid forged steel. Blue vinyl plastic grip handles. Chrome plated heads, polished on flats. Forged from special high grade steel. Sharp pointed. Will cut straight or curved lines. Especially useful for scroll or cornice work.

Lgth cut 1 3/4 in.; lgth over-all 7 in.; wt each 1 1/2 lb.  
066-464 T5-BG783 ..... Each \$5 71  
Lgth cut 2 1/4 in.; lgth over-all 10 in.; wt each 1 lb.  
066-472 T5-BG782 ..... Each 6 84  
Lgth cut 3 in.; lgth over-all 12 3/4 in.; wt each 1 3/4 lbs.  
066-480 T5-BG781 ..... Each 8 48  
6 in shelf box.

## TINNER'S SNIPS

## COMPOUND LEVERAGE



## —BLUE GRASS—With Blue Cushion-Grip Handles

Hot drop forged alloy steel blades and handles. Individually fitted blades assure smooth positive cutting. Designed to cut 18-gauge and heavier steel. Over-all length 10½ inches.

## Cuts Straight



Length of cut 1½ inches.  
 061-655 T5-BGR310 ..... Each \$7 45  
 6 in shelf box; wt each ¾ lb.

## Cuts Left



Length of cut 1¾ inches.  
 061-663 T5-BGR210 ..... Each \$7 45  
 6 in shelf box; wt each ¾ lb.

## Cuts Right



Length of cut 1¾ inches.  
 061-671 T5-BGR110 ..... Each \$7 45  
 6 in shelf box; wt each ¾ lb.



